



**CLARKE**

# BIOMIST® 30+30 ULV

For Application Only By Public Health Officials and Trained Personnel of Mosquito Abatement Other Mosquito Control Programs. An All Temperature, Quick Knockdown, Low Odor, Non-Synthetic Pyrethroid for Control of Adult Mosquitoes in Residential, and Recreational Areas. Against Biting and Non-Biting Midges and Blackflies.

**Precautionary Statements**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION**

Causes moderate eye damage injury. Harmful if swallowed, absorbed through skin or inhaled. Avoid contact with skin, eyes or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating or smoking. Remove contaminated clothing and wash before reuse.

**STATEMENT OF PRACTICAL TREATMENT**

If Swallowed: Call a physician or Poison Control Center immediately. Do not induce vomiting. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE VOMITING.** Vomiting may cause aspiration pneumonia.

If Inhaled: Remove victim to fresh air. If not breathing give artificial respiration preferably mouth-to-mouth. Get medical attention.

If in Eyes: Flush with plenty of water. Get medical attention immediately.

If On Skin: Remove contaminated clothing and wash affected areas with soap and water. Get medical attention if necessary.

Note to Physician: Product contains a petroleum distillate. Gastric lavage is indicated if material was taken internally. Vomiting may cause aspiration pneumonia.

**ENVIRONMENTAL HAZARDS**

This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not allow spray treatment to drift on pastureland, cropland, poultry ranges or water supplies. Do not contaminate water when disposing of equipment washwaters.

**PHYSICAL OR CHEMICAL HAZARDS**

Do not use or store near heat or open flame. Flashpoint minimum of 300 F.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**CONDITIONS and RATES to USE for MOSQUITO CONTROL**

Permethrin pounds/acre	Application Rates Fl. oz./Min.			Fl. oz. Biomist® 30-30 per acre
	5MPH	10MPH	15MPH	
0.0185	30	60	90	10
0.0092	15	30	45	05
0.0031	05	10	15	0.16

**ACTIVE INGREDIENTS**

Permethrin (3-Phenoxyphenyl)methyl (+) cis trans-3-(2,2-dichloroethenyl)-2,2-dimethyl-cyclopropanecarboxylate 30.00%  
 Piperonyl Butoxide Technical Equivalent to 80% (butylcarbityl) (6-propylpiperonyl) ether and 20% related compounds 30.00%  
**INERT INGREDIENTS** 40.00%  
 100.00%

Contains petroleum distillates  
 Contains 2.52 pounds of Permethrin and 2.52 pounds of Piperonyl Butoxide per gallon

**CAUTION**

**KEEP OUT OF REACH OF CHILDREN**

MANUFACTURED BY

**CLARKE MOSQUITO CONTROL PRODUCTS, INC.**

159 N. GARDEN AVENUE  
 ROSELLE, ILLINOIS 60172

EPA EST No. 8329IL01

EPA Reg. No. 8329-42

NET CONTENTS 1 GAL.

NOTICE: Seller makes no warranty, expressed or implied concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when use and/or handling is contrary to label instructions.

BIOMIST® 30-30 ULV is recommended for application as an ultra low volume (U.L.V.) nonthermal aerosol (cold fog) to control adult mosquitoes in residential and recreational areas where these insects are a problem, such as but not limited to parks, campsites, woodlands, athletic fields, golf courses, residential areas and municipalities, gardens, playgrounds, recreational areas and overgrown waste areas. Do not apply this product within 100 feet (30 Meters) of lakes and streams. Do not allow spray treatment to drift on pastureland, cropland, poultry ranges, or water supplies. For best results treat when mosquitoes are most active and weather conditions are conducive to keeping the fog close to the ground, e.g. cool temperatures and wind speed not greater than 10 mph. Applications during the cool hours of the night or early morning is usually preferable. Repeat treatment as needed.

**U.L.V. Nonthermal Aerosol (Cold Fog) Application:** To control Mosquitoes, Midges and Blackflies, apply BIOMIST® 30-30 ULV using any standard U.L.V. ground applicator capable of producing a nonthermal aerosol spray with droplets ranging in size from 5 to 30 microns and a mass median diameter (MMD) of 10 to 20 microns. Apply the product undiluted at a flow rate of 1.0 to 6.00 fluid ounces per minute at an average vehicle speed of 10 mph. If a different vehicle speed is used, adjust rate accordingly. These rates are equivalent to 0.0031 to 0.0185 pounds of Permethrin and 0.0031 to 0.0185 pounds of Piperonyl Butoxide per acre. Vary flow rate according to vegetation density and mosquito population. Use higher flow rate in heavy vegetation or when populations are high. An accurate flow meter must be used to ensure the proper flow rate. Biomist® 30-30 ULV may also be applied by diluting with a suitable solvent such as mineral oil and applying so as not to exceed the maximum pounds of active ingredient per acre as shown in the first column of the previous table. The following charts represent some suggested dilution and application rates for ground U.L.V. applications. If an alternate dilution rate is used, adjust flow rate accordingly.

**FOR A 1:2 BIOMIST® 30-30 ULV/SOLVENT DILUTION RATIO**  
 Mix one (1) part BIOMIST® 30-30 with two (2) parts solvent and apply at the following rates:

Permethrin pounds/acre	Application Rates Fl. oz./Min.			Fl. oz. finished spray per acre
	5MPH	10MPH	15MPH	
0.007	30	60	90	10
0.0035	15	30	45	05
0.00175	0.75	1.5	2.25	0.25

**FOR A 1:4 BIOMIST® 30-30 ULV/SOLVENT DILUTION RATIO**  
 Mix one (1) part BIOMIST® 30-30 with four (4) parts solvent and apply at the following rates:

Permethrin pounds/acre	Application Rates Fl. oz./Min.			Fl. oz. finished spray per acre
	5MPH	10MPH	15MPH	
0.0062	50	100	150	16
0.0031	25	50	75	08
0.0015	1.25	2.5	3.75	0.4

**FOR A 1:8 BIOMIST® 30-30 ULV/SOLVENT DILUTION RATIO**  
 Mix one (1) part BIOMIST® 30-30 with eight (8) parts solvent and apply at the following rates:

Permethrin pounds/acre	Application Rates Fl. oz./Min.			Fl. oz. finished spray per acre
	5MPH	10MPH	15MPH	
0.0062	90	180	270	30
0.0031	45	90	135	15
0.0015	2.25	4.5	6.75	0.75

For proper application, mix 4:1 feet above ground level. Follow the above directions. Applications should be made producing droplets with an average diameter of 100 microns. To achieve 33 to 10 fluid oz. 30-30 ULV may also be diluted and applied by aerial ULV equipment. BIOMIST® 30-30 ULV is not to be made when wind speed is greater than 10 mph.

**IN FLORIDA:** Do not apply without the approval of the F.

**STOP**

Do not contaminate water. **PESTICIDE STORAGE:** At room temperature. Avoid spill or leakage. Soak sawdust, earth, litter, etc.

**PESTICIDE DISPOSAL:** May be disposed of on a sanitary landfill or by other approved method.

**CONTAINER DISPOSAL:** Recycling or reconditioning is not recommended. Landfill or by other approved method.

**CONTAINERS ONE LITER:** Wrap containers in plastic.

**CONTAINERS LARGE:** Triple rinse or equivalent. Puncture and dispose in accordance with state and local regulations. Then offer for disposal in a sanitary landfill or by other approved method.

**ACCEPTED**

05 APR 1995

Under the Federal Insecticide, Fungicide, and Rodenticide Act, this product is registered under EPA Reg. No. 8329-42.

**BEST COPY AVAILABLE**

FOR MO

# BIOMIST® 30+30 ULV

For Application Only By Public Health Officials and Trained Personnel of Mosquito Abatement Districts and Other Mosquito Control Programs. An All Temperature, Quick Knockdown, Low Odor, Non-Corrosive, Synthetic Pyrethroid for Control of Adult Mosquitoes in Residential, and Recreational Areas. Also For Use Against Biting and Non-Biting Midges and Blackflies.

**ACTIVE INGREDIENTS**

Permethrin (3-Phenoxyphenyl)methyl (±) cis- trans-3-(2,2-dichloroethenyl)-2,2-dimethyl- cyclopropanecarboxylate	30 00%
Piperonyl Butoxide Technical Equivalent to 80% (butylcarbityl) (6-propylpiperonyl) ether and 20% related compounds	30 00%
<b>INERT INGREDIENTS</b>	40 00%
	100 00%

Contains petroleum distillates  
Contains 2.52 pounds of Permethrin and 2.52 pounds of Piperonyl Butoxide per gallon

## CAUTION

**KEEP OUT OF REACH OF CHILDREN**

MANUFACTURED BY

**CLARKE MOSQUITO CONTROL PRODUCTS, INC.**  
159 N. GARDEN AVENUE  
ROSELLE, ILLINOIS 60172

EPA EST. No. 83291L01  
EPA Reg. No. 8329-40

NET CONTENTS 1 GAL.

NOTICE: Seller makes no warranty, expressed or implied concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when use and/or handling is contrary to label instructions.

BIOMIST - 30+30 ULV is recommended for application as an ultra low volume (U L V) nonthermal aerosol (cold fog) to control adult mosquitoes in residential and recreational areas where these insects are a problem, such as but not limited to parks, campsites, woodlands, athletic fields, golf courses, residential areas and municipalities, gardens, playgrounds, recreational areas and overgrown waste areas. Do not apply this product within 100 feet (30 Meters) of lakes and streams. Do not allow spray treatment to drift on pastureland, cropland, poultry ranges, or water supplies. For best results treat when mosquitoes are most active and weather conditions are conducive to keeping the fog close to the ground, e.g. cool temperatures and wind speed not greater than 10 mph. Applications during the cool hours of the night or early morning is usually preferable. Repeat treatment as needed.

**U.L.V. Nonthermal Aerosol (Cold Fog) Application:** To control Mosquitoes, Midges and Blackflies, apply BIOMIST - 30+30 ULV using any standard U L V ground applicator capable of producing a nonthermal aerosol spray with droplets ranging in size from 5 to 30 microns and a mass median diameter (MMD) of 10 to 20 microns. Apply the product undiluted at a flow rate of 1.0 to 6.00 fluid ounces per minute at an average vehicle speed of 10 mph. If a different vehicle speed is used, adjust rate accordingly. These rates are equivalent to 0.0031 to 0.0185 pounds of Permethrin and 0.0031 to 0.0185 pounds of Piperonyl Butoxide per acre. Vary flow rate according to vegetation density and mosquito population. Use higher flow rate in heavy vegetation or when populations are high. An accurate flow meter must be used to ensure the proper flow rate. Biomist - 30+30 ULV may also be applied by diluting with a suitable solvent such as mineral oil and applying so as not to exceed the maximum pounds of active ingredient per acre as shown in the first column of the previous table. The following charts represent some suggested dilution and application rates for ground U L V applications. If an alternate dilution rate is used, adjust flow rate accordingly.

**FOR A 1:2 BIOMIST - 30+30 ULV/SOLVENT DILUTION RATIO**  
Mix one (1) part BIOMIST - 30+30 with two (2) parts solvent and apply at the following rates:

Permethrin pounds/acre	Application Rates Fl. oz./Min			Fl. oz. finished spray per acre
	5MPH	10MPH	15MPH	
0.007	3.0	6.0	9.0	1.0
0.0035	1.5	3.0	4.5	0.5
0.00175	0.75	1.5	2.25	0.25

**FOR A 1:4 BIOMIST - 30+30 ULV/SOLVENT DILUTION RATIO**  
Mix one (1) part BIOMIST - 30+30 with four (4) parts solvent and apply at the following rates:

Permethrin pounds/acre	Application Rates Fl. oz./Min			Fl. oz. finished spray per acre
	5MPH	10MPH	15MPH	
0.0062	5.0	10.0	15.0	1.6
0.0031	2.5	5.0	7.5	0.8
0.0015	1.25	2.5	3.5	0.4

**FOR A 1:8 BIOMIST - 30+30 ULV/SOLVENT DILUTION RATIO**  
Mix one (1) part BIOMIST - 30+30 with eight (8) parts solvent and apply at the following rates:

Permethrin pounds/acre	Application Rates Fl. oz./Min			Fl. oz. finished spray per acre
	5MPH	10MPH	15MPH	
0.0062	9.0	18.0	27.0	3.0
0.0031	4.5	9.0	13.5	1.5
0.0015	2.25	4.5	6.75	0.75

For proper application, mount the fog applicator so that the nozzle is at least 4' feet above ground level and directed out the back of the vehicle. Failure to follow the above directions may result in reduced effectiveness. Aerial applications should be done by suitable aerial U L V equipment capable of producing droplets with an MMD of 50 microns or less with no more than 2.5% exceeding 100 microns. Flow rate and swath width should be set so as to achieve 33 to 1.0 fluid ounces of BIOMIST - 30+30 ULV per acre. BIOMIST - 30+30 ULV may also be diluted with a suitable solvent such as mineral oil and applied by aerial ULV equipment so long as 1.0 fluid ounces per acre of BIOMIST - 30+30 ULV is not exceeded. Both aerial and ground applications should be made when wind is less than 10 MPH.

**IN FLORIDA:** Do not apply by aircraft except in emergency situations and with the approval of the Florida Department of Consumer Services.

### STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE AND SPILL PROCEDURES:** Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

**CONTAINERS ONE GALLON AND SMALLER:** Do not reuse container. Wrap containers in several layers of newspaper and discard in trash.

**CONTAINERS LARGER THAN ONE GALLON:** Metal Containers: Triple rinse or equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic Containers: Triple rinse or equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities, burn. Do not burn. Do not reuse. Do not dispose of in a sanitary landfill, or by other approved state and local procedures.

**ACCEPTED**

05 APR 1995

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 8329-42

**FOR MORE INFORMATION CALL:**  
1-800-323-5727

BEST COPY AVAILABLE