



CLARKE

PERMETHRIN 57% OS

For Application Only By Public Health Officials and Trained Personnel of Mosquito Abatement Districts and Other Mosquito Control Programs. A SYNTHETIC PYRETHROID FOR EFFECTIVE CONTROL AND REPELLENCY OF ADULT MOSQUITOES. For Use As An Effective ULV and Barrier Spray for Control of Adult Mosquitoes, Gnats, Biting and Non-Biting Midges, Blackflies, Deer Flies and Other Biting Flies.

Precautionary Statements HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT

If swallowed, call a physician or Poison Control Center. Do not induce vomiting. This product contains aromatic petroleum solvent. Aspiration may be a hazard.

ENVIRONMENTAL HAZARDS

This product is highly toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not allow spray treatment to drift on pastureland, cropland, poultry ranges or water supplies. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

CONDITIONS and RATES to USE for MOSQUITO CONTROL FOR A BARRIER SPRAY

This product is effective for reducing mosquito annoyance and control of mosquitoes that may transmit diseases such as La Crosse encephalitis, dog heartworm, dengue fever and western encephalitis. Apply product with mist blower, power backpack or ULV machine. If ULV machine is used, adjust pressure to deliver particles from 35-200 microns. Do not allow spray treatment to drift on pasture land, crop land, poultry ranges or water supplies. Do not use on crops used for food, forage or pasture.

Normal use pattern of product requires a residual application on plant and other surfaces where mosquitoes may rest. Product commonly provides sustained control in wooded areas lasting up to 14 days in shaded areas. Secondary activity of product is through repellency. Apply product by ground application equipment such as mist blower, ULV equipment, power backpack or pressure sprayer. Not to be used within 30 feet (30 meters) of lakes and streams. To kill or repel mosquitoes, midges, deer flies and other biting flies, mix with enough oil mixture so as to easily apply 0.1 pounds of Permethrin per acre. The oil mixture is obtained by mixing one part of soybean oil to two parts of mineral oil. Non-phytotoxic oils must be used. The following chart represents some possible dilutions based on a 2 MPH walking speed with a fifty (50) foot swath. If a different dilution ratio or walking speed is used, adjust flow rate accordingly so as to achieve 0.1 pounds of Permethrin per acre.

For A Two (2) Mile Per Hour Walking Speed And A 50 Foot Application Swath—The Following Are Typical Field Dilutions.

Permethrin 57%	Oil	Fl. oz. Finished Spray Per Acre	Fl. oz./Min.
1 Part	9.0 Parts	25.0	5.0
1 Part	5.8 Parts	17.5	3.5
1 Part	4.0 Parts	12.5	2.5

ACTIVE INGREDIENT:

Permethrin (3-Phenoxyphenyl)methyl (±) cis-trans-3-(2,2-dichloroethenyl)-2,2-dimethyl-cyclopropanecarboxylate	57.00%
INERT INGREDIENTS	43.00%
	100.00%

Contains petroleum distillates.

Cis/trans isomers ratio: min. 35% (+)cis and max. 55% (+)trans.

Contains 5 lb./gal. Permethrin

CAUTION

KEEP OUT OF REACH OF
CHILDREN

MANUFACTURED BY

**CLARKE MOSQUITO CONTROL
PRODUCTS, INC.**

159 N. GARDEN AVENUE
ROSELLE, ILLINOIS 60172

E.P.A. EST. No. 83291L01

EPA Reg. No. 8329-44

NET CONTENTS

LOT NO.

NOTICE: Seller makes no warranty, expressed or implied concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when use and/or handling is contrary to label instructions.

This is equivalent to 0.1 lb. of Permethrin/Acre. Apply the product with sufficient carrier to allow distribution over the area to be treated using particle sizes from 35-200 microns mmd. To obtain optimum results, cover the immediate surroundings of housing, buildings including plant surfaces where mosquitoes may rest. For large recreational areas such as football fields, stadiums, racetracks, and public parks, spray the insecticide-oil mixture at the above mentioned application rate on the interface of woods surrounding the main area where the event is to take place. Spray may also be applied in any vegetated area where mosquitoes may rest causing infestations in residential areas.

To Kill Gypsy Moths and Tent Caterpillars infesting woodland and forest areas: Apply the insecticide-oil mixture (as described above) directly to insect nests and vegetation by backpack applicator using 62 Fl. Oz./acre at a walking speed of 2 MPH over a swath of 50 feet, applying 12.6 Fl. Oz./minute. This is equivalent to 0.25 lb. of Permethrin/acre. Apply thoroughly to all foliage and insect nests.

TRUCK MOUNTED -ULV- EQUIPMENT

PERMETHRIN 57% is recommended for application as an ultra low volume (U.L.V.) nonthermal aerosol (cold fog) to control adult mosquitoes in residential and recreational areas where these insects are a problem, such as but not limited to parks, campsites, woodlands, athletic fields, golf courses, residential areas and municipalities, gardens, playgrounds, recreational areas and overgrown waste areas. Do not apply this product within 100 feet (30 Meters) of lakes and streams. Do not allow spray treatment to drift on pastureland, cropland, poultry ranges, or water supplies. For best results treat when mosquitoes are most active and weather conditions are conducive to keeping the fog close to the ground, e.g. cool temperatures and wind speed not greater than 10 mph. Applications during the cool hours of the night or early morning is usually preferable. Repeat treatment as needed.

U.L.V. Nonthermal Aerosol (Cold Fog) Application: To control Mosquitoes, Midges and Blackflies, apply PERMETHRIN 57% using any standard U.L.V. ground applicator capable of producing a nonthermal aerosol spray with droplets ranging in size from 5 to 30 microns and a mass median diameter (MMD) of 10 to 20 microns. Apply the product undiluted at a flow rate of 0.54 to 3.25 fluid ounces per minute at an average vehicle speed of 10 mph. If a different vehicle speed is used, adjust rate accordingly. These rates are equivalent to 0.0035 to 0.021 pounds of Permethrin per acre. Vary flow rate according to vegetation density and mosquito population. Use higher flow rate in heavy vegetation or when populations are high. An accurate flow meter must be used to ensure the proper flow rate. PERMETHRIN 57% may also be applied by diluting with a suitable solvent such as a non-phytotoxic mineral oil. The following charts represent some suggested dilution and application rates for ground U.L.V. applications. If an alternate dilution rate is used, adjust flow rate accordingly.

FOR A 1:4 PERMETHRIN 57%/SOLVENT DILUTION RATIO
Mix one (1) part PERMETHRIN 57% with four (4) parts solvent and apply at the following rates.

Permethrin pounds/acre	Application Rates Fl. oz./Min.			Fl. oz. finished spray per acre
	5MPH	10MPH	15MPH	
0.007	2.70	5.40	8.1	0.90
0.0035	1.35	2.70	4.0	0.45
0.00175	.68	1.35	2.0	0.23

FOR A 1:9 PERMETHRIN 57%/SOLVENT DILUTION RATIO
Mix one (1) part PERMETHRIN 57% with nine (9) parts solvent and apply at the following rates.

Permethrin pounds/acre	Application Rates Fl. oz./Min.		Fl. oz. finished spray per acre
	5MPH	10MPH	
0.007	5.40	10.75	1.80
0.0035	2.70	5.40	0.90
0.00175	1.35	2.70	0.45

FOR A 1:14 PERMETHRIN 57%/SOLVENT DILUTION RATIO
Mix one (1) part PERMETHRIN 57% with fourteen (14) parts solvent and apply at the following rates.

Permethrin pounds/acre	Application Rates Fl. oz./Min.			Fl. oz. finished spray per acre
	5MPH	10MPH	15MPH	
0.007	8.0	16.0	32.0	2.70
0.0035	4.0	8.0	16.0	1.35
0.00175	2.0	4.0	8.0	0.68

For proper application, mount the fog applicator so that the nozzle is at least 4 feet above ground level and directed out the back of the vehicle. Failure to follow the above directions may result in reduced effectiveness. Aerial applications should be done by suitable aerial U.L.V. equipment capable of producing droplets with an MMD of 50 microns or less with no more than 2.5% exceeding 100 microns. Flow rate and swath width should be set so as to achieve 0.2 to 0.6 fluid ounces of PERMETHRIN 57% per acre. PERMETHRIN 57% may also be diluted with a suitable diluent such as mineral oil and applied by aerial ULV equipment so long as 0.6 fluid ounces per acre of PERMETHRIN 57% is not exceeded. Both aerial and ground applications should be made when wind is less than 10 MPH.

IN FLORIDA: Do not apply by aircraft except in emergency situations and with the approval of the Florida Department of Agriculture and Consumer Services.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
PESTICIDE STORAGE AND SPILL PROCEDURES: Do not store at temperatures below 40°F (4.5°C). If this material has been exposed to temperatures below 40°F (4.5°C), there may be precipitation. Check for crystallization. If evident, warm to 80°F (26.5°C) and thoroughly mix before using. DO NOT USE OPEN FLAME. Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.
PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.
CONTAINERS ONE GALLON AND SMALLER: Do not reuse container. Wrap containers in several layers of newspaper and discard in trash.
CONTAINERS LARGER THAN ONE GALLON: Metal Containers—Triple rinse or equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic Containers—Triple rinse or equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke. Then dispose of in a sanitary landfill or by other approved state and local procedures.

ACCEPTED
APR 30 1998
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 8329-44

FOR MORE INFORMATION CALL: 1-800-323-5727

PM 03

8329-44

4-30-98

1041