

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460-0001



OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

JUN 1 2012

Karen J. Larson
Clarke Mosquito Control Products, Inc.
110 E. Irving Park Road, 4th Floor
Roselle, Illinois 60172

Subject: Amended Reregistration Label
Product Name: Permethrin 57% OS
EPA Registration Number: 8329-44
EPA Decision Numbers: 413213

Dear Ms. Larson:

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the above referenced product in connection with the Permethrin RED, and has concluded that your submission is acceptable.

NOTE: This product is not being reregistered under sections 3(c)5 and 4(g) of FIFRA at this time.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on non-refillable containers. The code may appear either on the label or durably marked on the container itself, and can be added by non-notification per PRN 98-10.

Please note that the record for this product currently contains the Confidential Statements of Formulation (CSFs) listed below. Any previously dated CSFs are superseded.

- Basic CSF, dated 6/29/2011
- Alternate CSF #1, dated 6/29/2011

A copy of your label stamped "Accepted" is enclosed along with copies of the acute toxicity and product chemistry reviews completed for the subject product. Products shipped after 12 months from the date of this amendment or the next printing of the label whichever occurs first, must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e).

If you have any questions about this letter, please contact Julie Chao at (703) 308-8735 or chao.julie@epa.gov.

Sincerely,



Richard J. Gebken
Product Manager (10)
Insecticide Branch
Registration Division (7504P)

Enclosures: Label stamped "Accepted"
Acute Toxicity Review, dated July 15, 2011
Product Chemistry Reviews, dated June 13 and July 11, 2011

RESTRICTED USE PESTICIDE
 Due to Toxicity to Fish and Aquatic Organisms.
 For retail sale to and use only by certified applicators or persons under their direct supervision and only for those uses covered by the certified applicator's certification.

PERMETHRIN 57% OS

A Synthetic Pyrethroid For Effective Control And Repellency of Adult Nuisance and Vector Mosquitoes, Gnats, Biting and Non-Biting Midges, Blackflies, Deer Flies and Other Biting Flies in Outdoor Residential and Recreational Areas.

Active Ingredients:	
Permethrin (3-Phenoxyphenyl) methyl (+/-) cis, trans-3-(2,2 dichlorethenyl)-2,2-dimethyl-cyclopropane carboxylate	57.00%
Other Ingredients*	43.00%
TOTAL	100.00%

ACCEPTED

JUN - 1 2012

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under:

* Contains petroleum distillates
 Cis/trans isomers ratio: min. 35% (+) cis and max. 65% (+) trans.
 Contains 5 lb/gal Permethrin

KEEP OUT OF REACH OF CHILDREN 8329-44
CAUTION

FIRST AID	
Have product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergency information, call the International Poison Control Center at 1-800-214-7753.	
IF SWALLOWED:	Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
Note to physicians: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.	

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Personal Protective Equipment (PPE):
 Mixers, loaders, applicators and other handlers must wear: Long-sleeve shirt and long pants, shoes plus socks, and chemical-resistant gloves made of any waterproof material.

Mixers/loaders, persons cleaning equipment, and persons exposed to the concentrate must wear a chemical-resistant apron.

User Safety Requirements:

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

User Safety Recommendations

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic organisms, including fish and invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash waters. Under some conditions, it may also have a potential for transport into surface water runoff (primarily absorbed to suspended soil particles), for several months or more after application. These include poorly draining or wet soils with readily visible slopes toward adjacent surface waters, frequently flooded areas, and areas overlying extremely shallow groundwater, areas with in-field canals or ditches that drain to surface water, areas not separated from adjacent surface waters with vegetated filter strips, and areas over-lying tile drainage systems that drain to surface waters. This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment areas.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of the National Pollutant Discharge Eliminations System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat of open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Precautions and Restrictions

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Not for use in outdoor residential misting systems.

Not for use in metered release systems.

Use in handheld thermal foggers is prohibited. Not for application by stationary fogger.

Do not make applications during rain.

Apply when wind speed is greater than 1 mph.

Except when applying to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice application only. When applying sprays to building foundations, apply spray to a maximum height of 3 feet.

Do not allow spray treatment to drift onto cropland, poultry ranges or potable water supplies. Do not use on crops used for food or forage.

Do not apply within 25 feet of aquatic habitats (such as, but not limited to, lakes, reservoirs, rivers, streams, marshes, natural ponds, estuaries, and commercial fish ponds).

Spray Drift Requirements:

Only apply this product if the wind direction favors on-target deposition. Do not apply when the wind velocity exceeds 15 mph. Wind speed must be measured adjacent to the application site on the upwind side, immediately prior to application.

Do not make applications into temperature inversions. Inversions are characterized by stable air and increasing temperatures with height above the ground. Mist or fog may indicate the presence of an inversion in humid areas. The applicator may detect the presence of an inversion by producing smoke and observing a smoke layer near the ground surface.

Use only Medium or coarser spray nozzles according to ASAE (S572) definition for standard nozzles, and that produce a droplet spectrum of 150-300 microns VMD. In conditions of low humidity and high temperatures, applicators should use a coarser droplet size.

General Information:

PERMETHRIN 57% OS provides residual control of adult nuisance and vector mosquitoes and other listed pests on plant and other surfaces where these pests may rest (harbor) for up to 14 days in shaded areas. Secondary activity of a "barrier"-type application is through repellency.

PERMETHRIN 57% OS is approved for use as a residual barrier/harborage spray in vegetation and around structures in residential and recreational areas and other areas these insects occur. Typical harborage sites include brush, building foundations, bushes, climbing ivy, grasses, lawns, trees, turf, vegetative groundcover, windbreak vegetation and other such vegetative cover within or surrounding municipal and residential areas such as, but not limited to: athletic fields, campgrounds, collapsed structures (old building foundations, fences), junk yards, large tire piles,

log piles, overgrown waste areas, parks, playgrounds, outdoor residential areas, school yards, scrap yards (including abandoned vehicles), wooded park trails, woodlands, woodlots, and woodpiles.

Application Directions

Apply product by ground application with a mist blower, power backpack, pressure sprayer, or ultra-low volume (ULV) cold aerosol generator. If a ULV sprayer is used, adjust pressure to deliver particles of 150-300 microns VMD.

PERMETHRIN 57% OS must be mixed with a non-phytotoxic oil mixture prior to application. The oil mixture is obtained by combining 1 [one] part soybean oil to 2 [two] parts mineral oil. Non-phytotoxic oils must be used to avoid plant damage within treated areas.

To kill or repel mosquitoes, midges, deer flies and other biting flies, mix with enough oil mixture so as to easily apply 0.1 pounds of Permethrin per acre. The following dilution and flow rate is calculated assuming a 2 MPH walking speed and a fifty (50) foot application swath. If a different dilution ratio or walking speed is used, adjust rate accordingly so as to achieve 0.1 pounds of Permethrin per acre.

Dilution			Finished Spray (Permethrin)		Application rate at 2 MPH walking speed		
Permethrin 57% OS	Soybean Oil	Mineral Oil	% / wt	Lb. ai./gallon	Fl. oz./Acre	Fl. oz./Minute	Lb. ai./Acre
1 Part	3 Parts	6 Parts	5.7%	0.5	25	5.0	0.1

For optimum results, thoroughly spray vegetation. Do not spray to the point of runoff. For large recreational areas such as football fields, stadiums, racetracks, and public parks, spray the insecticide-oil mixture to all vegetative areas and groundcover and to surrounding harborage areas.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE & SPILL PROCEDURES: Do not store at temperatures below 40 °F (4.5 °C). If this material has been exposed to temperatures below 40 °F, there may be precipitation. Check for crystallization. If evident, warm to 80 °F (26.5 °C) and thoroughly mix before using. **DO NOT USE OPEN FLAME.** Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of at an approved waste disposal facility.

[Container Handling for non-refillable containers, capacity 5 gallons or less]

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with mineral oil and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

[Container Handling for non-refillable containers, capacity greater than 5 gallons]

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with mineral oil. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

[Container Handling for refillable containers]

CONTAINER HANDLING: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into rinsate collection system. Repeat this rinsing procedure two more

times. Then offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

[IN CASE OF EMERGENCY, CALL INFO-TRAC 1-800-535-5053]

FOR MORE INFORMATION CALL 1-800-323-5727

Manufactured By:
Clarke Mosquito Control Products, Inc.
159 North Garden Ave.
Roselle, IL 60172
U.S.A.

EPA Reg. No. 8329-44

EPA Est. No.: 8329-IL-01

NOTICE: To the extent consistent with applicable law, seller makes no warranty, expressed or implied concerning the use of this product other than as indicated on the label. Buyer assumes all risk of use and/or handling of this material when use and/or handling is contrary to label instructions.