

PM 03

8329-45

10/15/97 5526844

PS 172
300
17

OCT 15 1997

A. Kevin Magro
Clarke Mosquito Control Products
159 N. Garden Avenue
P.O. Box 72197
Roselle, IL 60172

Subject: Permethrin RTU
EPA Registration No. 8329-45
Amendment dated June 27, 1997

Dear Mr. Magro:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided that you:

1. Make the following change to your label:

a. Add the following statement to the ENVIRONMENTAL HAZARDS:

"This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area."

2. Submit two copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions. A stamped copy of the labeling is enclosed for your records.

Sincerely yours,



George T. LaRocca
Product Manager 13
Insecticide Branch
Registration Division (7505C)

Enclosure

Bl Edwards

A-1 8329/45.1

10/15/97



PERMETHRIN RTU

For Application Only By Public Health Officials and Trained Personnel of Mosquito Abatement Districts and Other Mosquito Control Programs. A READY TO USE SYNTHETIC PYRETHROID FOR EFFECTIVE CONTROL AND REPELLENCY OF ADULT MOSQUITOES. For Use As An Effective ULV and Barrier Spray for Control of Adult Mosquitoes, Gnats, Biting and Non-Biting Midges, Blackflies, Deer Flies and Other Biting Flies.

Precautionary Statements HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if absorbed through skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

If swallowed, call a physician or Poison Control Center. Do not induce vomiting. This product contains aromatic petroleum solvent. Aspiration may be a hazard. If On Skin, wash with plenty of soap and water. Get medical attention.

ENVIRONMENTAL HAZARDS

This product is highly toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not allow spray treatment to drift on pastureland, cropland, poultry ranges or water supplies. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flames.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its' labeling.

CONDITIONS and RATES to USE FOR MOSQUITO CONTROL / FOR A BARRIER SPRAY

This product is effective for reducing mosquito annoyance and control of mosquitoes that may transmit diseases such as La Crosse encephalitis, dog heartworm, dengue fever and western encephalitis. Apply product with mist blower, power backpack or ULV machine. If ULV machine is used, adjust pressure to deliver particles from 35-200 microns. Do not allow spray treatment to drift on pasture land, crop land, poultry ranges or water supplies. Do not use on crops used for food, forage or pasture.

Normal use pattern of product requires a residual application on plant and other surfaces where mosquitoes may rest. Product commonly provides sustained control in wooded areas lasting up to 14 days in shaded areas. Secondary activity of product is through repellency. Apply product undiluted by ground application equipment such as mist blower, ULV equipment, power backpack or pressure sprayer. Not to be used within 100 feet (30 meters) of lakes and streams. To kill or repel mosquitoes, midges, deer flies and other biting flies, apply 0.1 pounds of Permethrin per acre. To achieve this dosage, apply Permethrin RTU undiluted over a 50 foot swath at a walking speed of 2 mph with a flow rate of 5.0 fluid ounces per minute. This will result in 25 fluid ounces of Permethrin RTU per acre.

This is equivalent to 0.1 lb. of Permethrin/Acre. Apply the product so as to allow distribution over the area to be treated using particle sizes from 35-200 microns mmd. To obtain optimum results, cover the immediate surroundings of housing, buildings including plant surfaces where mosquitoes may rest. For large recreational areas such as football fields, stadiums, racetracks, and public parks, spray this product undiluted at the above mentioned application rate on the interface of woods surrounding the main area where the event is to take place. Spray may also be applied in any vegetated area where mosquitoes may rest and cause infestations in residential areas.

To Kill Gypsy Moths and Tent Caterpillars Infesting woodland and forest areas: Apply directly to insect nests and vegetation by backpack applicator using 62 Fl. Oz./acre at a walking speed of 2 MPH over a swath of 50 feet, applying 12.6 Fl. Oz./minute. This is equivalent to 0.25 lb. of Permethrin/acre. Apply thoroughly to all foliage and insect nests.

ACTIVE INGREDIENTS:

Permethrin (3-Phenoxyphenyl)methyl (±) cis. trans-3-(2,2-dichloroethenyl)-2,2 dimethyl cyclopropanecarboxylate	6.92%
INERT INGREDIENTS	93.08%
	100.00%

Contains petroleum distillates

Cis/trans isomers ratio, min. 35%(+)cis and max. 65%(+)trans

Contains 0.5 lb./gal. Permethrin

CAUTION

KEEP OUT OF REACH OF
CHILDREN

Accepted with comments by EPA letter dated 10/15/1977
Under the Federal Insecticide, Fungicide, and Rodenticide Act, registered under EPA Reg. No. 8329-45
MANUFACTURED BY

CLARKE MOSQUITO CONTROL PRODUCTS, INC.

159 N. GARDEN AVENUE
ROSELLE, ILLINOIS 60172

E.P.A. EST. No. 8329II.01

EPA Reg. No. 8329-45

NET CONTENTS _____

LOT NO. _____

NOTICE: Seller makes no warranty, expressed or implied concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when use and/or handling is contrary to label instructions.

TRUCK MOUNTED -ULV- EQUIPMENT

PERMETHRIN RTU is recommended for application as an ultra low volume (ULV) nonthermal aerosol (cold fog) to control adult mosquitoes in residential and recreational areas where these insects are a problem, such as but not limited to parks, campsites, woodlands, athletic fields, golf courses, residential areas and municipalities, gardens, playgrounds, recreational areas and overgrown waste areas. Do not apply this product within 100 feet (30 meters) of lakes and streams. Do not allow spray treatment to drift on pastureland, cropland, poultry ranges, or water supplies. For best results treat when mosquitoes are most active and weather conditions are conducive to keeping the fog close to the ground, e.g. cool temperatures and wind speed not greater than 10 mph. Applications during the cool hours of the night or early morning is usually preferable. Repeat treatment as needed.

U.L.V. Nonthermal Aerosol (Cold Fog) Application: To control Mosquitoes, Midges and Blackflies, apply PERMETHRIN RTU using any standard U.L.V. ground applicator capable of producing a nonthermal aerosol spray with droplets ranging in size from 5 to 30 microns and a mass median diameter (MMD) of 10 to 20 microns. Apply this product undiluted at the flow rate of 2.7 to 10.75 fluid ounces per minute driving at 10 mph. If a different vehicle speed is used, adjust rate accordingly. These rates are equivalent to .00175 to .007 pounds of Permethrin per acre. Vary flow rate according to vegetation density and mosquito population. Use higher flow rate in heavy vegetation or when populations are high. An accurate flow meter must be used to ensure the proper flow rate.

For proper application, mount the fog applicator so that the nozzle is at least 4 1/2 feet above ground level and directed out the back of the vehicle. Failure to follow the above directions may result in reduced effectiveness. Aerial applications should be done by suitable aerial U.L.V. equipment capable of producing droplets with an MMD of 50 microns or less with no more than 2.5% exceeding 100 microns. Flow rate and swath width should be set so as to achieve 2.0 to 6.0 fluid ounces of PERMETHRIN RTU per acre.

IN FLORIDA: Do not apply by aircraft except in emergency situations and with the approval of the Florida Department of Agriculture and Consumer Services.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE AND SPILL PROCEDURES: Do not store at temperatures below 40°F (4.5°C). If this material has been exposed to temperatures below 40°F (4.5°C), there may be precipitation. Check for crystallization. If evident, warm to 80°F (26.5°C) and thoroughly mix before using. DO NOT USE OPEN FLAME. Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

CONTAINERS ONE GALLON AND SMALLER: Do not reuse container. Wrap containers in several layers of newspaper and discard in trash.

CONTAINERS LARGER THAN ONE GALLON: Metal Containers—Triple rinse or equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic Containers—Triple rinse or equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke. Then dispose of in a sanitary landfill or by other approved state and local procedures.

IN CASE OF EMERGENCY, CALL INFO TRAC 1-800-535-5053
FOR MORE INFORMATION CALL: 1-800-323-5727

2/2