

File # 904-263

ACCEPTED  
DEC 1 1970  
FOR RECORD IN THE REGISTER-  
GENERAL REG. & EDE  
ED UNDER REG. NO. 8001  
TO ATTACHED COMMENTS

[8343-24] *Agrisect* BRAND  
↳ Transferred from (8343-24) to (904-263)

PYBUTOX FRUIT FLY DUST

ACTIVE INGREDIENTS:

Pyrethrins .....	0.1%
Technical Piperonyl Butoxide * .....	1.0%
INERT INGREDIENTS .....	98.9%
TOTAL .....	100.0%

\*Equivalent to .8% (butylcarbityl) (6-propylpiperonyl) ether and .2% related compounds.

**CAUTION** KEEP OUT OF THE REACH OF CHILDREN

AVOID INHALATION OF DUST

THIS PRODUCT IS TOXIC TO FISH. KEEP OUT OF LAKES, STREAMS OR PONDS.

APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL

This material, when applied with hand or power dusting equipment, will kill adult drosophila present at time of application and when thoroughly applied to the products listed below will greatly reduce egg deposition.

DIRECTIONS FOR USE

FRUITS: Apples, Blackberries, Boysenberries, Currants, Dewberries, Grapes, Loganberries, Peaches, Pears, Plums, Prunes (fresh); VEGETABLES: Melons, Tomatoes; Dust containers thoroughly as soon after picking as possible. Also thoroughly dust loads after they have been assembled. Crops that are held for 20 hours after harvest should receive a second application. Consult State Agricultural Experimental Station or State Extension Service Specialists for specific information as to timing, number and rates of applications which will vary with local conditions.

DO NOT REUSE CONTAINER. DESTROY WHEN EMPTY.

BUYER ASSUMES ALL RISKS OF USE, STORAGE OR HANDLING OF THIS MATERIAL NOT IN STRICT ACCORDANCE WITH DIRECTIONS GIVEN HEREWITH.

NET CONTENTS 50 LBS.

USDA REG. # 8343-24



ROBBINSVILLE, NEW JERSEY

8343-24  
12-1-1970