



8343-48  
**ACCEPTED**  
Jun 11 1971  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
EPA ECONOMIC POISON REGISTER-  
ED UNDER NO. .... SUBJECT  
TO ATTACHED COMMENTS.

MALATHION 6% GRANULAR

ACTIVE INGREDIENT:

Malathion (O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate) .....	6%
INERT INGREDIENTS .....	94%
TOTAL .....	100%

**CAUTION**

KEEP OUT OF THE REACH OF CHILDREN

HARMFUL IF SWALLOWED. AVOID CONTACT WITH EYES, SKIN OR CLOTHING. AVOID INHALATION OF DUST. WEAR A RESPIRATOR. WASH THOROUGHLY WITH SOAP AND WATER AFTER EXPOSURE.

AVOID CONTAMINATION OF FEED AND FOODSTUFFS.

TREATMENT OF SHALLOW, FISH BEARING WATERS AT THESE APPLICATION RATES MAY KILL FISH.

NOTE TO PHYSICIAN: MALATHION, UPON REPEATED OR PROLONGED USE, MAY CAUSE CHOLINESTERASE INHIBITION. ATROPINE IS ANTIDOTAL. 2-PAM IS ALSO ANTIDOTAL AND MAY BE USED IN CONJUNCTION WITH ATROPINE.

DIRECTIONS FOR USE

Mosquito Larvacide: Apply at rate of 8.5 lbs. per acre. Application can be made by airplane, ground equipment or by small hand equipment.

Do not re-use empty containers. Destroy by burying with waste or burning. Stay away from smoke or fumes.

BUYER ASSUMES ALL RISKS OF USE, STORAGE OR HANDLING OF THIS MATERIAL NOT IN STRICT ACCORDANCE WITH DIRECTIONS GIVEN HEREWITH.

NET WEIGHT 50 LBS

USDA REG. # 8343-48

ROBBINSVILLE, NEW JERSEY