


ACCEPTED
 8343 53
 JUN 3 1974
 FEDERAL AGRICULTURAL MARKETING SERVICE
 FOR ECONOMIC POISON REGISTRATION
 UNDER NO. 1000 SUBJECT
 TO ATTACHED COMMENTS.



INSECTICIDE, MALATHION, POWDER DUSTING
 per Federal Specification O-I-554

ACTIVE INGREDIENT:
 Malathion (0,0-dimethyl phosphorodithioate of diethyl mercaptosuccinate) ... 1%

INERT INGREDIENT 99%

TOTAL 100%

CAUTION

KEEP OUT OF THE REACH OF CHILDREN

FOR EXTERNAL USE ONLY. AVOID BREATHING DUST. AVOID CONTAMINATION OF FEED AND FOODSTUFFS. KEEP AWAY FROM FOOD AND MESS GEAR. RESPIRATOR OR FACE MASK SHOULD BE USED IF POWDER IS DISPENSED INTO AIR WITH DUST GUN OR BLOWER AND ONE HOUR ALLOWED FOR DUST TO SETTLE BEFORE RE-ENTERING. THE FOLLOWING ADDITIONAL PRECAUTIONS SHOULD BE OBSERVED:

1. WHEN DUSTING BY HAND OR MACHINE DO NOT APPLY MORE THAN 1 oz. TO EACH PERSON.
2. DO NOT REDUST FOR 7 FULL DAYS AFTER A PREVIOUS DUSTING.
3. INDIVIDUAL 3 oz. POLYETHYLENE BOTTLES OF MALATHION, POWDER DUSTING, WILL NOT BE USED BY PERSONNEL WHO HAVE BEEN DUSTED BY HAND OR MACHINE FOR AT LEAST 7 FULL DAYS AFTER SUCH DUSTING.
4. IF POSSIBLE TROOPS SHOULD BATHE BEFORE BEING DUSTED.
5. DO NOT DUST INDIVIDUALS WHO HAVE INSECT REPELLENTS, OIL OR GREASE ON THE SKIN.

STORAGE INSTRUCTIONS

STORE IN COOL, DRY PLACE WHEN POSSIBLE. NEVER EXCEED 90°F. STORAGE TEMPERATURE. THE AVERAGE EFFECTIVE PERIOD OF THIS ITEM IS 12 MONTHS FROM DATE OF MANUFACTURE. IF USED AFTER THIS PERIOD, MALATHION CONTENT SHOULD NOT BE BELOW 0.75%.

INSTRUCTIONS FOR USE

FOR BODY LICE:

1. **CLOTHING OFF PERSON:** Turn clothing inside out and dust lightly over entire inner surface, rubbing powder well into all seams; repeat at weekly intervals until infestation is controlled.
2. **CLOTHING ON PERSON:** Use power or hand duster. If hand duster, fill 3/4 full and adjust to deliver heavy cloud of powder at each stroke.
 - a) Dust inside of hat and replace on head.
 - b) Extend arms at side, shoulder height. Insert delivery tube slowly up each sleeve between skin and inner garments. Blow powder into armpit and about shoulder, also between individual layers of clothing.
 - c) Insert tube at back of neck and dust back and neckband.
 - d) Insert tube in front at neck and dust toward armpits, both sides of body, chest and abdomen.
 - e) Loosen trousers, insert tube between skin and innermost garments and powder generously crotch and pubic area, also underdrawers, especially waist and side seams.
 - f) Insert tube down rear of trousers next to skin and powder buttocks and rear of crotch.
 - g) Dust in socks.

FOR HEAD AND PUBIC LICE: Dust into infested hairy portions of the body and work down to the base of the hair with finger tips. Repeat when reinfestation occurs.


FOR FLEAS: For flea control in buildings, apply to cracks, crevices and rodent runways; apply to floor areas as a thin, uniform film of powder at the rate of 1/4 to 1/2 lb. per 1000 sq.ft. For treating infested grounds, apply the powder at the rate of 1 lb. per 1000 sq.ft. or 40 lbs. per acre.

BUYER ASSUMES ALL RISKS OF USE, STORAGE OR HANDLING OF THIS MATERIAL NOT IN STRICT ACCORDANCE WITH DIRECTIONS GIVEN HERewith.

Do not reuse empty container. Destroy by burying in waste or burning. Stay away from smoke or fumes.

Net Weight 1 Lbs.

EPA REG. NO. 8343-53



ROBBINSVILLE, NEW JERSEY

ACCEPTED
 8343 53
 JUN 3 1974
 THE FEDERAL GOVERNMENT
 DEPARTMENT OF AGRICULTURE
 ECONOMIC POISON REGISTER
 REG. NO. 8343-53 SUBJECT
 ATTACHED COMMENTS.



INSECTICIDE, MALATHION, POWDER DUSTING
 per Federal Specification O-I-554

ACTIVE INGREDIENT:
 Malathion (0,0-dimethyl phosphorodi-
 thioate of diethyl mercaptosuccinate ... 1%

INERT INGREDIENT 99%

TOTAL 100%

CAUTION


KEEP OUT OF THE REACH OF CHILDREN

FOR EXTERNAL USE ONLY. AVOID BREATHING DUST. AVOID CONTAMINATION OF FEED AND FOODSTUFFS. KEEP AWAY FROM FOOD AND MESS GEAR. RESPIRATOR OR FACE MASK SHOULD BE USED IF POWDER IS DISPENSED INTO AIR WITH DUST GUN OR BLOWER AND ONE HOUR ALLOWED FOR DUST TO SETTLE BEFORE RE-ENTERING. THE FOLLOWING ADDITIONAL PRECAUTIONS SHOULD BE OBSERVED:

1. WHEN DUSTING BY HAND OR MACHINE DO NOT APPLY MORE THAN 1 oz. TO EACH PERSON.
2. DO NOT REDUST FOR 7 FULL DAYS AFTER A PREVIOUS DUSTING.
3. INDIVIDUAL 3 oz. POLYETHYLENE BOTTLES OF MALATHION, POWDER DUSTING, WILL NOT BE USED BY PERSONNEL WHO HAVE BEEN DUSTED BY HAND OR MACHINE FOR AT LEAST 7 FULL DAYS AFTER SUCH DUSTING.
4. IF POSSIBLE TROOPS SHOULD BATHE BEFORE BEING DUSTED.
5. DO NOT DUST INDIVIDUALS WHO HAVE INSECT REPELLENTS, OIL OR GREASE ON THE SKIN.

STORAGE INSTRUCTIONS

STORE IN COOL, DRY PLACE WHEN POSSIBLE. NEVER EXCEED 90°F. STORAGE TEMPERATURE. THE AVERAGE EFFECTIVE PERIOD OF THIS ITEM IS 12 MONTHS FROM DATE OF MANUFACTURE. IF USED AFTER THIS PERIOD, MALATHION CONTENT SHOULD NOT BE BELOW 0.75%.



INSTRUCTIONS FOR USE

FOR BODY LICE:

1. **CLOTHING OFF PERSON:** Turn clothing inside out and dust lightly over entire inner surface, rubbing powder well into all seams; repeat at weekly intervals until infestation is controlled.
2. **CLOTHING ON PERSON:** Use power or hand duster. If hand duster, fill 3/4 full and adjust to deliver heavy cloud of powder at each stroke.
 - a) Dust inside of hat and replace on head.
 - b) Extend arms at side, shoulder height. Insert delivery tube slowly up each sleeve between skin and inner garments. Blow powder into armpit and about shoulder, also between individual layers of clothing.
 - c) Insert tube at back of neck and dust back and neckband.
 - d) Insert tube in front at neck and dust toward armpits, both sides of body, chest and abdomen.
 - e) Loosen trousers, insert tube between skin and innermost garments and powder generously crotch and pubic area, also underdrawers, especially waist and side seams.
 - f) Insert tube down rear of trousers next to skin and powder buttocks and rear of crotch.
 - g) Dust in socks.

FOR HEAD AND PUBIC LICE: Dust into infested hairy portions of the body and work down to the base of the hair with finger tips. Repeat when reinfestation occurs.

FOR FLEAS: For flea control in buildings, apply to cracks, crevices and rodent runways; apply to floor areas as a thin, uniform film of powder at the rate of 1/4 to 1/2 lb. per 1000 sq.ft. For treating infested grounds, apply the powder at the rate of 1 lb. per 1000 sq.ft. or 40 lbs. per acre.

BUYER ASSUMES ALL RISKS OF USE, STORAGE OR HANDLING OF THIS MATERIAL NOT IN STRICT ACCORDANCE WITH DIRECTIONS GIVEN HEREWITH.

Do not reuse empty container. Destroy by burying with waste or burning. Stay away from smoke or fumes.

Net Weight 1 Lbs.

EPA REG. NO. 8343-53

ROBBINSVILLE, NEW JERSEY