



**CHLORDANE 5% DUST**

**ACTIVE INGREDIENT:**

Technical Chlordane *	.....	5%
INERT INGREDIENTS	.....	95%
	TOTAL	100%

Equivalent to 3% octachloro-4, 7-methanotetrahydroindane and 2% related compounds.

**CAUTION KEEP OUT OF THE REACH OF CHILDREN**

CHLORDANE IS TOXIC AND MAY BE ABSORBED THROUGH SKIN IN DRY FORM. AVOID INHALING DUSTS AND MISTS FROM SPRAYS OR GETTING THEM IN EYES. USE RESPIRATORS AND GOGGLES IF NECESSARY FOR PROTECTION. AVOID SKIN CONTACT. KEEP CLOTHING FREE FROM RESIDUES. AVOID CONTAMINATION OF FEED AND FOODSTUFFS.

DO NOT USE ON DAIRY ANIMALS OR ON ANIMALS BEING FINISHED FOR SLAUGHTER.

DO NOT USE ON FORAGE CROPS WHICH WILL BE FED TO DAIRY ANIMALS OR ANIMALS BEING FINISHED FOR SLAUGHTER.

THIS PRODUCT IS TOXIC TO FISH AND WILDLIFE. KEEP OUT OF LAKES, STREAMS AND PONDS. BIRDS FEEDING ON TREATED AREAS MAY BE KILLED.

WASH EQUIPMENT AND CONTAINERS AND DISPOSE OF WASTE BY BURYING IN NON-CROP AREAS AWAY FROM WATER SUPPLIES. EMPTY BAGS SHOULD BE DISPOSED OF BY BURYING OR BURNING (KEEP OUT OF SMOKE).

DO NOT DUST DIRECTLY ON PETS OR OTHER ANIMALS.

READ DIRECTIONS AND CAUTIONS BEFORE USING. APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL.

**DIRECTIONS FOR USE**

**FOR GARDEN SOIL:** To control Wireworms, White Grubs, Japanese Beetle Grubs, Root Maggots on radishes, onions, cabbage, work into top 2-3 inches of soil when preparing seed beds. 1# treats 600-700 sq. ft.

**FOR LAWNS:** To control Cutworms, Earwigs, Mole Crickets, sow lightly at rate of 1# to 500-600 sq. ft. of area.

For White Grubs, Japanese Beetle Grubs, Sod Webworms (Lawn Moth), apply liberally at rate of 1# to 250-300 sq. ft. Water well with hose to get material in

nests and living places. CAUTION: KEEP CHILDREN AND PETS OFF TREATED LAWN UNTIL INSECTICIDE HAS BEEN WATERED INTO SOIL AND GRASS IS THOROUGHLY DRY.

**FOR FOLIAGE:** To control Grasshoppers, Thrips, Plant Bugs on flowers, shrubs and other ornamentals, dust directly on plant and insect. Repeat as necessary.

**IN GARDEN:** To control Cutworms, Earwigs, Mole Crickets, Sow Bugs, Millipedes, Slugs, Snails, Leaf Cutting Ants

on flowers, shrubs, ornamentals, dust liberally on ground, around plants. Remains effective at least 10 days. Repeat as necessary. 1# treats 200-300 sq. ft.

**IN HOME:** As spot treatment to control Ants, Cockroaches, Water Bugs and Silverfish, apply in cracks, corners, behind baseboards, around window sills, sinks,

pipes and other hiding places. For Carpet Beetles, dust carefully infested areas where insects rest, run or hide. Repeat as necessary. For Brown Dog Ticks,

dust directly on sleeping quarters of pets and place fresh bedding.

BUYER ASSUMES ALL RISKS OF USE, STORAGE OR HANDLING OF THIS MATERIAL NOT IN STRICT ACCORDANCE WITH DIRECTIONS GIVEN HERewith.

NOV 19 1969

NET CONTENTS 50 LBS.

USDA REG. # 8343-56



ROBBINSVILLE, NEW JERSEY