

Agrisect
BRAND

CAUTION

Harmful if swallowed. Contact with skin can cause toxic symptoms. Avoid breathing spray mist. In case of contact with skin, wash with soap and water. Avoid contamination of feed and foodstuffs. Keep out of the reach of children.

Keep children and pets off treated turf until material has been washed into the soil by watering or rain.

Toxic to fish and wildlife. Keep out of lakes, ponds, and streams. Bird feeding on treated areas may be harmed. Do not apply to any area not specified on the label.

IMPORTANT

On field and vegetable crops make preplant broadcast or row (where applicable) application to soil after plowing and disc or incorporate immediately.

On berry crops, make application at base of plants and incorporate into soil. Do not apply when fruit is present.

On turf, lawns, nursery and greenhouse soils, apply granules uniformly using a lawn fertilizer spreader or suitable granular equipment. Do not incorporate the application into the soil immediately.

On tree fruits and pineapples, make soil application only when fruit is present.

*Where a range of rates is given, use the higher rate of Chlordane on low-muck or highly organic soils.

ANTIDOTE

External: In case of spillage on skin, wash promptly with soap and water.
Internal: Emetic of 1 tablespoon of mustard in tumbler of water. Call a physician.

Do not re-use empty container.
Destroy by burying with wastes or burning (stay away from smoke and fumes).

CHLORDANE 25G

For Soil Insect Control

ACTIVE INGREDIENT:

Technical Chlordane* 25%
INERT INGREDIENTS 75%
TOTAL 100%

*Equivalent to 15% octachloro-4, 7-methanotetrahydroindane and 10% related compounds.

CAUTION

KEEP OUT OF THE REACH OF CHILDREN

See Left Panel for Additional
Precautionary Statements

BUYER ASSUMES ALL RISKS OF USE,
STORAGE OR HANDLING OF THIS MATERIAL NOT IN STRICT ACCORDANCE WITH DIRECTIONS GIVEN HERewith.

ACCEPTED

Net Contents 25 Lbs.

USDA Reg. No. 8343-60

GABRIEL
CHEMICALS LTD.

Robbinsville, N. C.

DIRECTIONS FOR USE

Crop (Or Use)	Insect	Lbs. Per Acre Chlordane 25G*	
		Row	Broadcast
Field Crops Corn (field and sweet)	Corn Rootworm (Northern & Southern)	4	8
	Corn Field Ants		
	Corn Root Aphids		
	Seed Corn Beetle Larvae		
	Seed Corn Maggot	8	10-16
	Cutworms		
	White Grubs		
	Wireworms		
	Japanese Beetle Larvae		10-40
	Asiatic Garden Beetle Larvae		10-20
Vegetable Crops	Cutworms		
	Wireworms		10-16
	White Grubs		
	Asiatic Garden Beetle Larvae		10-20
	White Fringed Beetle Larvae		10-20
	Japanese Beetle Larvae		20-40
	Flea Beetle Larvae (potatoes and sweet potatoes)		10-20
	Ants		6-8
	White Grubs		10-16
	Cutworms		10-16
Fruit Crops	Wireworms		
	Japanese Beetle Larvae		40
	Asiatic Garden Beetle Larvae		10-20
	Green June Bug Larvae		10-20
	White Fringed Beetle Larvae		10-20
	Root Weevil Larvae		20-40
	Rootworms (blackberries, blueberries, raspberries, strawberries)		20-40
	Ants		6
	Ticks		6
	Chiggers		
Crop (Or Use) Ornamental Turf, Lawns, Nursery and Greenhouse Soils	Crickets		
	European Earwigs		
	Grasshoppers		
	Mosquitoes (Adult)		10-20
	Rose Chafer		
	Asiatic Garden Beetle Larvae		
	European Chafer Larvae		
	Green June Bug Larvae		
	White Fringed Beetle Larvae		
	Wireworms		

Chlordane 25G*
Oz 1000
Sq Ft Pounds A