

# AGRISECT

PARATHION 10 GRANULES

## WARNING

INGREDIENTS: ACTIVE  
 Parathion (0,0-diethyl 0-p-nitrophenyl phosphorothioate) 10%  
 INERT 90%  
 100%

**DANGER KEEP OUT OF THE REACH OF CHILDREN**

POISONOUS IF SWALLOWED, INHALED, OR ABSORBED THROUGH SKIN!

RAPIDLY ABSORBED THROUGH SKIN!

DO NOT GET IN EYES, ON SKIN OR ON CLOTHING!

\*Before using, see first aid treatment on left panel of this label.



POISONING SYMPTOMS: headache, blurred vision, weakness, nausea, cramps, diarrhea and discomfort in chest.

ANTIDOTE: ATROPINE is the specific antidote. Obtain emergency supply of Atropine 1/100 grain tablets from your physician. Keep on hand.

CALL A PHYSICIAN IMMEDIATELY if persons handling or working with Parathion develop poisoning symptoms.

### FIRST AID TREATMENT

IF SWALLOWED-give tablespoonful of salt in glass of warm water.

Repeat until vomit fluid is clear. Have victim lie down & be quiet.

INHALATION-remove patient from contaminated atmosphere.

SKIN-in case of contact, remove contaminated clothing and immediately wash skin thoroughly with soap and water.

EYES-in case of contact, flush immediately with warm water for at least 15 minutes.

INFORMATION FOR PHYSICIAN-(Treatment)-give Atropine preferably by injection, grains 1/30 to 1/15 (2 to 4 mg.), at once every hour or oftener as needed to achieve and maintain full atropinization. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary.

Observe patient continuously for 48 hours.

THE BUYER ASSUMES ALL RISKS OF USE, STORAGE, OR HANDLING OF THIS MATERIAL NOT IN STRICT ACCORDANCE WITH DIRECTIONS GIVEN HERewith.

Net 50 Pounds

AGRISECT  
CHEMICAL CORPORATION

Wear natural rubber gloves, protective clothing and goggles. Wear a mask or respirator of a type passed by the U.S. Dept. of Agriculture for Parathion protection. Airplane pilots should wear full-face canister-type mask. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated.

Do not contaminate feed or food.

Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

### DIRECTIONS FOR USE

Application should be made only by trained personnel using approved protective equipment. Do not apply with hand equipment.

POTATOES: Wireworms-apply at rate of 50 lbs per acre as a pre-plant broadcast soil treatment. Work into the top 3-4 inches of soil by disking immediately after application.

### OBSERVE THE FOLLOWING USE PRECAUTIONS

Observe use limitations given on the label for specific crops. In order that pesticidal residues on food and forage crops will not exceed tolerances established by the Federal Food & Drug Administration, use only at recommended rates and intervals, and do not apply closer to harvest than specified. Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals or to adjoining food, fibre or pasture crops as well as for damages caused by drift from his property to that of others.

Highly toxic to fish & wildlife. Do not contaminate any body of water nor apply to any area not specified on the label. To protect bees, do not apply when crops are in bloom. Remove or cover hives if application is necessary during bloom.

DO NOT use this product on feed or forage to be fed to dairy animals or to livestock being furnished for slaughter.


Consult local Agricultural Extension Service for additional information as the timing, number and rate of applications needed will vary with local conditions.

ROBBINSVILLE, NEW JERSEY • NEW YORK, NEW YORK

DO NOT REUSE EMPTY CONTAINERS. DESTROY BY BURYING WITH WASTE OR BURNING. STAY AWAY FROM SMOKE OR FUMES.

U.S.D.A. REG. NO. 8343-

with comments



ACCEPTED WITH COMMENTS