



POTATO SEED TREATER

A READY TO USE DUST CONTAINING DITHANE M 45

ACTIVE INGREDIENTS:

A co-ordination product of zinc ion and manganese ethylene bisdithiocarbamate 7.0%

In which the ingredients are manganese zinc ethylene bisdithiocarbamate ion

1.40% .175% 5.425% 93.00% TOTAL 100.00%

INERT INGREDIENTS

CAUTION

KEEP OUT OF THE REACH OF CHILDREN

DIRECTIONS FOR USE

Potato-(seed pieces)-seed piece decay (Fusarium sambucinum) --Apply dust at rate of one pound of Potato Seed Treater per 100 pounds of cut seed.

Apply in convenient container or by duster attachment over belt. Cut pieces should be treated within six hours of cutting.

If planting is to be delayed more than one or

two days the treated pieces should be stored for two days in open crates before bagging.

CAUTION

May cause irritation of nose, throat, eyes and skin. Do not breathe dust. In case of skin contact wash with water. For eyes, wash copiously with water and get medical attention. Fish may be killed if their waters are contaminated with this product.

IMPORTANT: Keep away from fire and sparks. Store in a cool, dry place. Do not allow to become wet or overheated in storage. This may bring on chemical changes which will impair the fungicidal effectiveness of Dithane M 45 and may also generate flammable vapors. Keep container closed when not in use.

CONTENTS 50 LBS.

U.S.D.A. REG. NO. 8343

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

ACCEPTED 3/11/69 UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC PESTICIDE REGISTERED UNDER NO. 8343 SUBJECT TO ATTACHED COMMENTS.

8343-86

GABRIEL CHEMICALS LTD.

ROBBINSVILLE, NEW JERSEY