

**DIRECTIONS FOR USE IN
FOOD HANDLING ESTABLISHMENTS**

FOOD HANDLING ESTABLISHMENT — Places other than private residences in which exposed food is held, processed, prepared or served.

FOOD AREAS — APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY.

Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing) preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation also would be considered a food area).

Apply ¼ % solution in small amounts directly into cracks and crevices using equipment capable of delivering a pin stream in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment and equipment legs and bases, where cockroaches hide.

When diluted with water, do not apply in conduits, motor housings, and electric switch boxes.

When diluted with deodorized base oil, de-energize electrical equipment prior to application. After application, allow time for oil to evaporate before starting motors or placing switches in "on" position.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

SERVING AREAS — Facilities where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held.

Apply ¼ % solution as a spot treatment to selective surfaces such as baseboards, under elements of construction into cracks and crevices. Avoid treating surfaces likely to be contacted by food. (Do not apply when facility is in operation or foods are exposed).

NON-FOOD AREAS — Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Apply ¼ to ½ % solution to spot-treat baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where cockroaches hide or through which they may enter.



CONTAINS 2# ACTIVE INGREDIENTS PER GALLON

FOR USE BY PEST CONTROL OPERATORS

ACCEPTED
MAR 28 1975
Under the Federal Insecticide, Fungicide, and Rodenticide Act, amended, for the pesticide registered under EPA Reg. No. 8343-91

ACTIVE INGREDIENTS	BY WEIGHT
Chlorpyrifos [0,0-Diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate]	24.0%
Aromatic Petroleum Derivative	68.6%
INERT INGREDIENTS	7.4%
TOTAL	100.0%

DURSBAN — Trademark of The Dow Chemical Company.
U.S. Patent No. 3,244,586

WARNING Keep Out of Reach of Children

See side panel for additional warnings.

MAY BE FATAL IF SWALLOWED. DO NOT GET IN EYES OR ON SKIN. MAY BE ABSORBED THROUGH SKIN. MAY BE IRRITATING TO THE EYES AND SKIN. DO NOT WEAR CONTAMINATED CLOTHING. WASH THOROUGHLY AFTER HANDLING. AVOID BREATHING SPRAY PARTICLES. HANDLE CONCENTRATE IN VENTILATED AREA. KEEP AWAY FROM FOOD, FOODSTUFFS AND WATER SUPPLIES. DO NOT LET CHILDREN OR PETS CONTACT TREATED AREAS UNTIL THOROUGHLY DRY. FLUSH CONTAMINATED EYES AND SKIN WITH PLENTY OF WATER AND FOR EYES GET MEDICAL ATTENTION.

EPA REG. NO. 8343-91
EPA Est. 904-NJ-1
NET CONTENTS GALLONS

1 5 30 55



**DIRECTION
AND INDUSTRI**

DURSBAN 2E mixes readily with water, kerosene, oil or deodorized kerosene (0.25%) concentrate. Use the higher concentration for cockroach infestations.

amount spray mix desired
1 gallon
3 gallons
5 gallons
10 gallons

Use as a spot treatment by a paint brush to areas where cockroaches hide. These areas include cracks, crevices, under refrigerators, stoves, cabinet drainpipes. Apply so as to reach into cracks, crevices, under food, foodstuffs, water supply. Do not use on food handling equipment should they become contaminated. Repeat treatment 7-10 days after treatment is not effective on cockroaches. Repeat treatment as necessary.

COMBUSTIBLE LIQUID. STORE NEAR HEAT OR OPEN FLAME. PROMPTLY REMOVE FROM CONTAINER IN A SAFE PLACE.

ENVIRONMENTAL
THIS PRODUCT IS TOXIC TO AQUATIC LIFE. DO NOT DISCHARGE INTO WATER BY CLEANING OR DISPOSAL OF WASTES.

BUYER ASSUMES ALL RESPONSIBILITY FOR HANDLING OF THIS MATERIAL. ALWAYS READ AND FOLLOW DIRECTIONS.

ROBBINSVILLE, N.C.



DURSBAN 2E

CONTAINS 2# ACTIVE INGREDIENTS PER GALLON

FOR USE BY PEST CONTROL OPERATORS

ACCEPTED
MAR 28 1975
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 8343-91

ACTIVE INGREDIENTS	BY WEIGHT
Chlorpyrifos [0,0-Diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate]	24.0%
Aromatic Petroleum Derivative	68.6%
INERT INGREDIENTS	7.4%
TOTAL	100.0%

DURSBAN — Trademark of The Dow Chemical Company, U.S. Patent No. 3,244,586

WARNING Keep Out of Reach of Children

See side panel for additional warnings.

MAY BE FATAL IF SWALLOWED. DO NOT GET IN EYES OR ON SKIN. MAY BE ABSORBED THROUGH SKIN. MAY BE IRRITATING TO THE EYES AND SKIN. DO NOT WEAR CONTAMINATED CLOTHING. WASH THOROUGHLY AFTER HANDLING. AVOID BREATHING SPRAY PARTICLES. HANDLE CONCENTRATE IN VENTILATED AREA. KEEP AWAY FROM FOOD, FOODSTUFFS AND WATER SUPPLIES. DO NOT LET CHILDREN OR PETS CONTACT TREATED AREAS UNTIL THOROUGHLY DRY. FLUSH CONTAMINATED EYES AND SKIN WITH PLENTY OF WATER AND FOR EYES GET MEDICAL ATTENTION.

EPA REG. NO. 8343-91
EPA Est. 904-NJ-1
NET CONTENTS GALLONS
 1 5 30 55



DIRECTIONS FOR HOUSEHOLD AND INDUSTRIAL ROACH CONTROL

DURSBAN 2E mixes readily with water or oil. Dilute required amount of DURSBAN 2E in water or base oil such as #2 fuel oil or deodorized kerosene. Mix according to the following table (0.25%) concentration on light cockroach infestations. Use the higher concentration (0.50%) to quickly reduce heavy cockroach infestations.

amount spray mix desired	amount DURSBAN 2E	
	for 0.25%	for 0.50%
1 gallon	1.2 ounces	2.4 ounces
3 gallons	3.6 ounces	7.2 ounces
5 gallons	6.0 ounces	12.0 ounces
10 gallons	12.0 ounces	24.0 ounces

Use as a spot treatment by applying as a coarse spray or with a paint brush to areas where cockroaches normally are found. These areas include cracks in walls, baseboards, behind refrigerators, stoves, cabinets, beneath sinks and around drainpipes. Apply so as to avoid spray mist from contacting food, foodstuffs, water supplies and utensils. Dishes and food handling equipment should be washed thoroughly should they become contaminated. **NOTE:** A period of 4-7 days after treatment is normally required for maximum effect on cockroaches. Repeat treatment as needed.

WARNING

COMBUSTIBLE LIQUID. DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME. DO NOT REUSE CONTAINER. PROMPTLY CRUSH AND BURY OR DISCARD IN A SAFE PLACE.

ENVIRONMENTAL CAUTION

THIS PRODUCT IS TOXIC TO FISH. DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT OR DISPOSAL OF WASTES.

BUYER ASSUMES ALL RISKS OF USE, STORAGE OR HANDLING OF THIS MATERIAL NOT IN STRICT ACCORDANCE WITH DIRECTIONS GIVEN HEREWITH.

ROBBINSVILLE, NEW JERSEY 08801