DATE OF ISSUANCE EPA REGISTRATION US ENVIRONMENTAL PROT ON AGENCY 11 ⊹8356~3 OFFICE OF PESTICIDES PROGRAMS TERM OF ISSUANCE REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460 NAME OF PESTICIDE PRODUCT NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION Citra - Fec (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended) NAME AND ADDRESS OF REGISTRANT (Include ZIP code) Studiogramma late states, conco 711 Laut 11th Street Smith Loga, 21 37md4 L NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number. On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. This product is conditionally registeres in accordance with elerasection 3(c)(7)(A) provided that your 1. Submit/cite all data required for registrate on/or registration of your product under FIFRA section 3(c)(b) which the Agency requires all registrants of similar products to submit such data. 2. Add the phrase "LPA Registration Bo. 6350-3" to your label before you releast the product for shipment. Submit five (5) copies of your right; ranted new ring belong you release the product for surpment. Refer to the A-T/ and pages for a runder of description or simal printer labeling. 4. In this conditions are not complied with, and registing on with the subject to cancellation in accordance with Filter section (1). The real below for shipment of the product constitutes acceptance of this constitutes A stamped copy of the lamel is enclosed for your factor to Propuet Hanager (31) Districctants Branch Registration Division (75-7070) Enclosures ATTACHMENT IS APPLICABLE SIGNATURE OF #PPROVING OFFICIAL DATE EPA Form 8570-6 (Rev. 5-76)

83. - - 2

CENTER PANEL

CITRA-FEC

DISINFECTANTDEODORIZER FOR HOSPITAL, INSTITUTIONAL,
INDUSTRIAL, SCHOOL, DAIRY and OTHER
FARM USE

ACTIVE INGREDIENT

Diisobutylphenoxyethoxyethyl dimethyl Benzyl Ammonium Chloride

15.0%

INERT INGREDIENTS

85.0%

And and add

KEEP OUT OF REACH OF CHILDREN

OCT 1 7 1986

DANGER

Statement of Practical Treatment

\$356-3.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No.

EPA Establishment No.

54489-TN-001

Net Contents

1 Gallon

Manufactured by:

Stuchbery-Ward Manufacturing Co. 711 East 11th Street Chattanooga, Tennessee 37404

FOR SALE FOR USE AND STORAGE BY Maintenance Personnel Only

LEFT PANEL

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC
ANIMALS

DANGER

Keep out of Reach of Children, Corrosive.
Causes severe eye and skin damage. Do not get
in eyes, on skin, or on clothing. Wear goggles
or face shield and rubber gloves when handling.
Harmful or fatal if swallowed. Avoid contamination
of food.

STORAGE AND DISPOSAL

- -Do not contaminate water, food, or feed by storage disposal.
- -Do not store on side.
- -Avoid creasing or impacting of side walls.


Pesticide Disposal


Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray or mixture of rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal

Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

Do not reuse empty container (bottle). Wrap container and put in trash.





ACCEPTED
Will COUNTRY STREET

OCT 1 7 1986

RIGHT PANEL

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Apply Citra-Fec with a cloth, mop or mechanical spray device so as to thoroughly wet surface. Treated surfaces must remain wet for 10 minutes. Fresh solution should be prepared daily or when used solution becomes visibly dirty.

"Disinfection in Hospitals, Nursing Homes and other Health Care Institutions."

For disinfecting floor, walls, countertops, bathing areas, lavatories, bed frames, tables, chairs, garbage pails and other non-porous surfaces.

Aid 5 1/2 oz. Citra-Fec to 5 gallons water. Apply to previously cleaned hard surface with mop or cloth. At this use-level Citra-Fec is effective against Pseudomonas aeruginosa.

"Disinfectant in Non-medical institutions (i.e. Educational, Penal, Military), Industry and Schools"

For disinfecting floors, walls, bedframes, countertops, tables hairs, garbage pails, bathroom fixtures and other hard surfaces.

Add 2 1/4 oz. of Citra-Fec to 5 gallson of water. Apply to previously cleaned hard surface with mop or cloth.

At 2 1/4 oz./5 gallon use-level Citra-Fec is effective against Samonella choleraesius and Staphlococcus aureus.

"Disinfection of Poultry Hatcheries, Houses, Swine and other Animal Quarters and Kennels."

Poultry brooders, watering founts, feeding equipment, swine and other animal quarters (such as stalls and kennel areas) can be disinfected after thorough cleaning by applying a solution of 2 1/4 oz. of Citra-Fec in 5 gallons of water with a mop, cloth or brush. Small utensils should be immersed in this solution.

Prior to disinfection, all poultry, swine, other animals and their feeds "must be removed from the premises. This includes emptying all troughts, racks and other feeding and watering devices.

Remove all litter and droppings from floors, walls and other surfaces occupied or traversed by Poultry, Swine or other animals.

After disinfection, ventilate buildings. Coops or other closed spaces. Do not house Poultry, Swine or other animals or employ equipment until treatment has been absorbed, set or dried.

All treated equipment that contact feed or drinking water must be rinsed with potable water before reuse.

13

OCT 1 7 1986

try denot rather EPA hey > 8356-3

