

This product has been formulated to aid in the reduction of cross-contamination in institutions, schools and hospitals. It is a one-step disinfectant-cleaner that is effective against a broad spectrum of bacteria, is virucidal, fungicidal, and will prevent the growth of mold and mildew and their odors when used as directed. This product is an effective one-step sanitizer for use on non-food contact surfaces.

When used as directed, this product will deodorize surfaces in toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause mal odors.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER

Keep out of reach of children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food.

STORAGE AND DISPOSAL

- Do not contaminate water, food, or feed by storage or disposal.
- Do not store on side.
- Avoid creasing or impacting side walls of container. Do not reuse empty container.

FOR SALE, USE AND STORAGE BY MAINTENANCE PERSONNEL ONLY.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray or mixture of rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is a proven "one-step" cleaner-disinfectant-sanitizer-fungicide-mildewstat-virucide in the presence of moderate amounts of organic soil.

Apply to walls, floors and other hard (inanimate) non-porous surfaces such as tables, chairs, countertops, sinks and bedframes with a cloth, mop or mechanical spray device so as to thoroughly wet surfaces. For heavily soiled areas, a preliminary cleaning is required. Prepare a fresh solution daily or when used solution becomes visibly dirty.

Disinfection - To disinfect hard, non-porous surfaces, in hospitals, add 2 oz. per gallon of water. Treated surfaces must remain wet for 10 minutes. At this use-level, this product is also virucidal, fungicidal and mildewstatic. At 1 oz. per gallon, the solution will disinfect hard non-porous surfaces in schools, industry and non-medical institutions.

Sanitizing - To sanitize porous or non-porous, non-food contact-surfaces, add 1/2 oz. per gallon of water. Treated surfaces must remain wet for 60 seconds.

UNO

**DISINFECTANT - CLEANER - SANITIZER
FUNGICIDE-MILDEWSTAT-VIRUCIDE*-DEODORIZER
With Organic Soil Tolerance for Hospitals,
Institutional and Industrial Use.**

ACTIVE INGREDIENTS:

Octyl Decyl Dimethyl Ammonium Chloride	1.14%
Dioctyl Dimethyl Ammonium Chloride	0.57%
Didecyl Dimethyl Ammonium Chloride	0.57%
Alkyl (C14-50%, C12-40%, C16-10%) Dimethyl Benzyl Ammonium Chloride	1.52%

INERT INGREDIENTS:

ACCEPTED
AUG 21 1981
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under 8370-15 EPA Reg. No.

100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER PELIGRO

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

(SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS,

MANUFACTURED BY:



3021 W. 36th Street
Chicago, Illinois 60632
(312) 847-3484

BEST AVAILABLE COPY

272

UNO

DISINFECTANT - CLEANER - SANITIZER FUNGICIDE-MILDEWSTAT-VIRUCIDE* - DEODORIZ With Organic Soil Tolerance for Hospitals, Institutional and Industrial Use.

ACTIVE INGREDIENTS:

Octyl Decyl Dimethyl Ammonium Chloride	1.14%
Dioctyl Dimethyl Ammonium Chloride	0.57%
Didecyl Dimethyl Ammonium Chloride	0.57%
Alkyl (C14-50%, C12-40%, C16-10%) Dimethyl Benzyl Ammonium Chloride	1.52%
INERT INGREDIENTS:	99.20%
	100.00%

ACCEPTED
AUG 21 1981
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended for the pesticide
registered under 8371-15
EPA Reg. No.

KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO
Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.
If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.
(SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS)

MANUFACTURED BY:

3021 W. 36th Street
Chicago, Illinois 60632
(312) 847-3484



DIRECTIONS FOR USE

For hospitals and nursing homes, add 2 oz. per gallon of water. The broad spectrum of this product has been evaluated in the presence of 5% serum and found to be effective against the following organisms by the AOAC Use-Dilution test.

<i>Pseudomonas aeruginosa</i>	<i>Enterobacter aerogenes</i>
<i>Staphylococcus aureus</i>	<i>Salmonella choleraesuis</i>
<i>Salmonella choleraesuis</i>	<i>Streptococcus faecalis</i>
<i>Escherichia coli</i>	<i>Shigella dysenteriae</i>
<i>Serratia marcescens</i>	<i>Brevibacterium ammoniagenes</i>
<i>Klebsiella pneumoniae</i>	

AOAC Fungicidal Test

This product at 1 oz. per gallon is an effective fungicide against *Trichophyton mentagrophytes* (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas, exercise facilities etc.

Mold and Mildew Control

At 1 oz. per gallon, dilution will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, non-porous surfaces (as indicated in general instructions above). Allow to dry on surface and repeat when mildew growth returns.

Virucidal Performance

*At 1 oz. per gallon use-level, this product was evaluated in the presence of 5% serum and found to be effective against Influenza A/Brazil Virus on inanimate environmental surfaces.

For schools, non-medical institutional and industrial uses

At 1 oz. per gallon of water, this product delivers excellent cleaning and germicidal effectiveness. It is effective against *Staphylococcus aureus*, *Salmonella choleraesuis* and *Escherichia coli*. The same AOAC tests used above to confirm suitable performance for hospitals were used.

Sanitizing Non-Food contact surfaces (such as floors, walls, tables, etc.)

At a 1/2 oz. per gallon dilution, this product is an effective sanitizer against *Staphylococcus aureus* and *Klebsiella pneumoniae* in the presence of 5% serum on porous and non-porous environmental surfaces.

KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

***CONTACT TIME:** Leave surface wet for 10 minutes with 1 oz per gallon use-solution.*

CLEANING PROCEDURE: Blood and other body fluids containing HIV must be thoroughly cleaned from surfaces and objects before application of this product.

PERSONAL PROTECTION: Clean-up should always be done wearing protective latex gloves, gowns, masks and eye protection.

DISPOSAL OF INFECTIOUS MATERIAL: Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to local regulations for infectious waste disposal.

PELIGRO

SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.

EPA Reg. No. 8370-15
EPA Est. 8370-IL-1

Net Contents: One Gallon
(128 fl. oz.)

BEST AVAILABLE COPY