

NET WEIGHT 20 LBS.
Covers 5,000 Sq. Ft. (50'x100')

gro-fine HiN

LIGHT WEIGHT PREMIUM WEED & FEED

With 2,4-D and MCPP

22 - 6 - 6

GUARANTEED FERTILIZER ANALYSIS

ACTIVE INGREDIENTS	1.86
Diethanolamine Salt of [2-(2-Methyl-4-Chlorophenoxy)propionic acid]	0.86
Dimethylamine salt of 2,4-Dichlorophenoxyacetic acid	1.00
INERT INGREDIENTS	78.14
TOTAL	100.00

Equivalent to 0.61 [2-(2-Methyl-4-Chlorophenoxy)propionic acid]
Equivalent to 0.83 2,4-Dichlorophenoxyacetic acid

GUARANTEED ANALYSIS

TOTAL NITROGEN (N)	22.00
14.0 Urea Nitrogen	
7.0 Water Insoluble Nitrogen	
AVAILABLE PHOSPHORIC ACID (P ₂ O ₅)	6.00
SOLUBLE POTASH (K ₂ O)	6.00
Iron (Fe)	1.00

INSTRUCTIONS

This product controls Dandelion, Plantain, Canada Thistle, Ground Ivy (Creeping Charlie), Pennywort, Common and Giant Ragweed, Chicory, Common Chickweed, Mouse ear Chickweed, Red Clover, White Clover, Stitchwort, Knotweed.

For best results, apply when grass is moist from dew, rain or sprinkling. Apply when weeds are young and actively growing. Apply contents of this bag evenly to 5,000 square feet (50 x 100). For best results apply at temperatures above 60 degrees F., except Chickweed can be controlled at lower temperature. Do not mow or water for 24 hours after treatment. Watering will wash off weed killer. Grass seed may be sown 3 weeks after treatment. Repeat applications if necessary.

IMPORTANT:

Use only on established lawns (not pastures). Do not use on Centipede Grass, St. Augustine Grass, Bent Grass, Dichondra, desirable clovers and ground covers. Do not overapply. Do not apply to new lawns until after the third mowing. Do not store near and avoid contamination of foods, seeds, insecticides, fungicides, other fertilizers. Avoid drift to desirable plants. Vapors from this product may injure susceptible plants in the immediate vicinity. Do not contaminate water used for irrigation or domestic purposes. Do not apply in any manner not specified on the label.

PRECAUTIONARY STATEMENTS

Hazard to Humans: Harmful if swallowed. Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after handling this product and before eating or smoking.

Environmental Hazard: Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of washes.

DISPOSAL: DO NOT USE EMPTY CONTAINER. WRAP CONTAINER AND PUT IN TRASH COLLECTION.

SPREADER SETTINGS

SEARS CALIBRATED	JACKSON	SCOTT	CENTRAL (MODEL 1662)
5	5	5	5½

Non Warranty: Conditions of use are beyond seller's control. Seller's liability is limited to product's replacement or purchase price refund. Seller makes no warranty, express or implied, concerning product's use beyond terms on label.

FORMULATED AND PACKED

BY

KNOX FERTILIZER & CHEMICAL CO., INC.
KNOX, IND. 46534

NET WEIGHT 20 LBS.
Covers 5,000 Sq. Ft. (50'x100')




**PREMIUM
WEED & FEED**

With 2,4 D and MCPP

23 - 4 - 9

Controls Chickweed, Clover, Dandelion, Ground Ivy, Knotweed and others listed on back of bag



CAUTION: KEEP OUT OF REACH OF CHILDREN!
SEE BACK PANEL FOR ADDITIONAL CAUTIONS

**Shaw's
PREMIUM
WEED & FEED**

**Shaw's
PREMIUM
WEED & FEED**

For the preparation of MCPA-containing herbicide formulations

Active |
2-Meth
Inert In

**CAU
KEEF
HARI
MAY
AVOI
SKIN
AVOI**

In case
minutes
Do not s
is toxic
disposal
Thorough
reuse co
Do not b

For Ind
Use for t
products
are exem
Act.

Net Co

**BASI
Parsip**

ACCEPTED WITH COMMENTS

U-46™ Her
Ludwigshaf

MCPA ACID

8203-18
NP

ACCEPTED
August 20, 1973
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 8203-18

For Manufacturing into various herbicidal formulations

Active Ingredient	
2-methyl-4-chlorophenoxyacetic acid	94.00%
Inert Ingredients	6.00%
	<u>100.00%</u>

E.P.A. Registration No. 8203-18

WARNING

Do not store near, or in the same room as seed, fertilizer, other pesticides, growing plants, etc.

Store at room temperature - DO NOT ALLOW TO FREEZE.

Do not contaminate water supplies, irrigation ditches, ponds, lakes and streams.

CAUTION: KEEP OUT OF REACH OF CHILDREN

Avoid contact with skin, eyes or clothing. In case of eye contact, flush eyes with plenty of water. Wash exposed skin with plenty of soap and water. Remove and wash contaminated clothing and shoes before re-use.

Avoid spray drifts onto susceptible plants such as vegetables, flowers, grapes, tomatoes, cotton, beans and other legumes, etc. Use coarse sprays as these are less likely to drift. Do not spray at all in the near vicinity of susceptible plants. Do not contaminate water intended for irrigation or domestic use. Thoroughly clean spray equipment with a suitable chemical cleaner before using for other purposes, or do not use same spray equipment for other purposes. Do not transport with or store near fertilizers, seeds, insecticides or fungicides. Be sure before using that the use of this product conforms to all applicable regulations. Do not reuse empty container. Wash thoroughly with water and detergent. Discard in a safe place.

KEEP OUT OF ANY BODY OF WATER

DESTROY empty containers by piercing top and bottom and burying in non-crop land.

DO NOT STORE WITH FOODSTUFFS

NOTICE TO BUYER

Seller's guarantee shall be limited to the terms of the label and subject thereto the buyer assumes any risk to persons or property arising out of the use or handling and accepts the product on these conditions.

CHIPMAN CHEMICALS LIMITED

P.O. Box 3100, Station "C"
Hamilton, Ontario, L8H 7K5

NET WEIGHT 20 LBS.
Covers 5,000 Sq. Ft. (50'x100')

gro-fine HiN

gro-fine HiN WEED & FEED 22-6-6

ACCEPTED
MAR 15 1976
Under the Federal Insecticide, Fungicide, and Herbicide Act, as amended, for the pesticide registration number
EPA Reg. No. 8378-5



WEED & FEED

CAUTION: KEEP OUT OF REACH OF CHILDREN!
...SEE BACK PANEL FOR ADDITIONAL CAUTIONS.

22-6-6

kills weeds & feeds grass

MINIMUM GUARANTEED HERBICIDAL ANALYSIS

ACTIVE INGREDIENTS:	1.86%
Diethanolamine Salt of [2-(2-Methyl-4-Chlorophenoxy)propionic acid]	0.86%
Dimethylamine salt of 2,4-Dichlorophenoxyacetic acid	1.00%
INERT INGREDIENTS:	98.14%
TOTAL	100.00%

MINIMUM GUARANTEED FERTILIZER ANALYSIS

TOTAL NITROGEN (N)	22.00%
1.0% Ammoniacal Nitrogen	
14.0% Urea Nitrogen	
7.0% Water Insoluble Nitrogen	
AVAILABLE PHOSPHORIC ACID (P O ₅)	6.00%
SOLUBLE POTASH (K ₂ O)	6.00%
Iron (Fe)	1.00%

EPA Reg. No. 8378-5 EPA Establishment No. 8378-IN 1

NET WEIGHT 20 LBS.
Covers 5,000 Sq. Ft. (50'x100')

gro-fine HiN

LIGHT WEIGHT PREMIUM WEED & FEED

With 2,4-D and MCPP

22 - 6 - 6

GUARANTEED FERTILIZER ANALYSIS

ACTIVE INGREDIENTS:	1.86%
Diethanolamine Salt of [2-(2-Methyl-4-Chlorophenoxy)propionic acid]	0.86%
Dimethylamine salt of 2,4-Dichlorophenoxyacetic acid	1.00%
INERT INGREDIENTS:	98.14%
TOTAL	100.00%

Equivalent to 0.61% [2-(2-Methyl-4-Chlorophenoxy)propionic acid]
Equivalent to 0.83% 2,4-Dichlorophenoxyacetic acid (2,4-D)

GUARANTEED ANALYSIS

TOTAL NITROGEN (N)	22.00%
1.0% Ammoniacal Nitrogen	
14.0% Urea Nitrogen	
7.0% Water Insoluble Nitrogen	
AVAILABLE PHOSPHORIC ACID (P O ₅)	6.00%
SOLUBLE POTASH (K ₂ O)	6.00%
Iron (Fe)	1.00%

Derived from: Primary Plant Foods, Ammonium Phosphate, Urea, Ureaform, Muriate of Potash
Derived from: Secondary Plant Foods, Iron Phosphate
Potential acidity equivalent to 960 lbs. Calcium Hydroxide per 100 lbs. of product

INSTRUCTIONS

This product controls Dandelion, Plantains, Canada Thistle, Ground Ivy (Creeping Charlie), Pennywort, Common and Giant Ragweed, Chicory, Common Chickweed, Mouse-ear Chickweed, Red Clover, White Clover, Stitchwort, Knotweed.

For best results, apply when grass is moist from dew, rain or sprinkling. Apply when weeds are young and actively growing. Apply contents of this bag evenly to 5,000 square feet (50 x 100). For best results apply at temperatures above 60 degrees F., except Chickweed can be controlled at lower temperature. Do not mow or water for 24 hours after treatment. Watering will wash off weed killer. Grass seed may be sown 3 weeks after treatment. Repeat applications if necessary.

IMPORTANT:

Use only on established lawns (not pastures). Do not use on Centipede Grass, St. Augustine Grass, Bent Grass, Dichondra, desirable clovers and ground covers. Do not overapply. Do not apply to new lawns until after the third mowing. Do not store near and avoid contamination of foods, seeds, insecticides, fungicides, other fertilizers. Avoid drift to desirable plants. Vapors from this product may injure susceptible plants in the immediate vicinity. Do not contaminate water used for irrigation or domestic purposes. Do not apply in any manner not specified on the label.

PRECAUTIONARY STATEMENTS

Hazard to Humans: Harmful if swallowed. Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after handling this product and before eating or smoking.

Environmental Hazard: Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

DISPOSAL: DO NOT USE EMPTY CONTAINER. WRAP CONTAINER AND PUT IN TRASH COLLECTION.

SPREADER SETTINGS

SEARS CALIBRATED	JACKSON	SCOTT	CENTRAL (MODEL 1662)
5	5	5	5 1/2

Non Warranty: Conditions of use are beyond seller's control. Seller's liability is limited to product's replacement or purchase price refund. Seller makes no warranty, express or implied, concerning product's use beyond claims on label.

FORMULATED AND PACKED

BY
KNOX FERTILIZER & CHEMICAL CO., INC.
KNOX, IND. 46534

gro-fine HiN WEED & FEED 22-6-6