

8378-10

12-10-81

REC NO. 78671

1/3

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460 NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREГИSTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	EPA REGISTRATION NO. 8378-10	DATE OF ISSUANCE DEC 10 1981
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT	
NAME AND ADDRESS OF REGISTRANT (Include ZIP code) <div style="text-align: center;"> <p>□</p> <p>Knox Fertilizer & Chemical Co., Inc.</p> <p>RD #3</p> <p>Knox, IN 46534</p> <p>└</p> </div>		
<p>NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with the provisions of Section 3(c)(7)(A) of the Act, since you have agreed that you will submit and/or cite all data required for registration/reregistration of your product under FIFRA Section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.</p> <p>If these conditions are not complied with, the registration will be subject to cancellation in accordance with Section 6(e) of the Act.</p> <p>Robert J. Taylor Product Manager (IS) Fungicide-Pesticide Branch Registration Division (IS-767C)</p> <p><input type="checkbox"/> ATTACHMENT IS APPLICABLE</p>		
SIGNATURE OF APPROVING OFFICIAL <i>[Signature]</i>		DATE 12/10/81

4/3

Shaw's

ACCEPTED
DEC 1 0 1981
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 8378-10



CRABGRASS CONTROL AND FERTILIZER

25-3-3

COVERS 5,000 SQ. FT.

CRABGRASS CONTROL AND FERTILIZER

Shaw's CRABGRASS CONTROL AND FERTILIZER

ACTIVE INGREDIENT	By Weight
N-butyl-N-ethyl-a, a, a-Trifluro-2, 6-dinitro-p-toluidine	1.15%
INERT INGREDIENTS	98.85%
TOTAL	100.00%

~~Contains 0.25 lbs. Balan per 20 lbs.~~

Balan is a product of Elanco Products Company, a division of Eli Lilly and Company.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED:** Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.
- IF ON SKIN:** Wash with plenty of soap and water.
- IF INHALED:** Remove victim to fresh air.
- IF IN EYES:** Flush with plenty of water. Get medical attention if irritation persists.

(SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS)

EPA Reg. No. 8378-10 EPA Est. No. 8378-IN-1

NET WT. 20 LBS. (9.07 kg)

**KNOX FERTILIZER & CHEMICAL COMPANY, INC.
KNOX, INDIANA 46534**

NET WT. 20 LBS. (9.07 kg)



3/3

CRABGRASS PREVENTER WITH FERTILIZER

GUARANTEED ANALYSIS 25-3-3

Total Nitrogen (N)	25%
1.2% Ammoniacal Nitrogen	
6.5% Coated Slow Release Urea Nitrogen	
17.3% Urea Nitrogen	
Available Phosphoric Acid (P ₂ O ₅)	3%
Soluble Potash (K ₂ O)	3%
Derived from Urea, Sulfur-Coated Urea, Diammonium Phosphate, and Muriate of Potash	

The Coated Slow Release Nitrogen is from Sulfur-Coated Urea. Feeds up to 180 days under normal growing conditions.

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling.

ENVIRONMENTAL HAZARD

This pesticide is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

GENERAL INFORMATION

When used as directed this product will provide plant food for your lawn and will control smooth and hairy crabgrass, green and yellow foxtail, barnyardgrass and goosegrass (silver crabgrass or crowfoot), by killing plants as seeds germinate. It does not control established weeds.

Use only on established lawns listed below which are tolerant to the herbicide in this product when applied as directed. SEE PRECAUTIONS.

- | | |
|-----------------------------|--------------------|
| Bluegrass (perennial) | Bermudagrass |
| Ryegrass (perennial) | Centipedegrass |
| Fescue (except fine leaved) | St. Augustinegrass |
| Bahiagrass | Zoysiagrass |

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply when weather conditions favor runoff or drift from the target area.

Apply SHAW'S Crabgrass Preventer to established lawns in the spring before germination of annual weeds. Be sure the entire package (20 lbs.) is applied evenly over 5000 sq. ft. of lawn area.

Use a good lawn spreader and apply evenly over the turf without skips or misses. A more uniform application can be made by spreading half the required amount of the product over the area to be treated and then applying the remaining half at right angles or crosswise.

SPREADER SETTINGS

STA-GREEN CYCLONE 4 1/4	SCOTTS PRECISION FLOW 7	SEARS BROADCAST, IMPERIAL ROTO-SPRED MARK IV 4 1/4	SEARS 20", IMPERIAL MARK III 9
---------------------------------------	---------------------------------------	--	--

RESEEDING: Chemicals which effectively control annual weed seeds may also affect new desirable turfgrass seedlings. Reseeding should be delayed for at least 6 weeks after applications. When reseeding, it is necessary that proper moisture be maintained until grass seedlings are established. To insure satisfactory reseeding results after using this product, the amount of seed used should be increased.

PRECAUTIONS: Do not apply in the spring to turfgrass planted the previous fall. Do not apply to bentgrass or dichondra turf. Do not apply to newly sprigged areas of Bermuda grass, St. Augustinegrass, or Centipedegrass until these turfs are well established. If verticutting is done, do not apply for 2 to 3 weeks. Do not let livestock graze treated areas. Do not feed forage from treated areas to livestock.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited. Keep in a dry place.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinseate that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: Dispose of bags according to approved Federal, State or local procedures under the Resource Conservation and Recovery Act.

NOTICE: The seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risks of use and/or handling of this material when such use and/or handling is contrary to label instructions.

KNOX FERTILIZER & CHEMICAL COMPANY, INC.
KNOX, INDIANA 46534