

## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Mr. Robert F. Bischoff Agent for Knox Fertilizer Company, Inc C/O Total Turf Consulting LLC 26 A. A Cooper Rd Meigs, GA 31765

DEC 16 2008

Subject: Label Notification(s) for Pesticide Registration Notice 2007-4

Dear Registrant:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated October 14, 2008 for:

#### EPA Registration 8378-18 Shaw's Premium Turf Food with Crabgrass Control

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Banza Djapao of my staff at 703-305-7269.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

| Please read instructions of   | n reverse before comple   | ting form.   |  | Form Approv   | ed. OMB No.                        | 2070-0060                                       | ). Approval expires 2-28-95                                |
|---|---|--|--|---|------------------------------------|---|--|
| <b>\$EPA</b>  | Environmenta  | United States I Protection Ington, DC 2046   |  | <b>/</b>  | Registra Amend Other               |   | OPP Identifier Number                                      |
|   |   | Application  | n for Pesticio   | de - Section  | n 1                                | <del></del>                                     | ·  |
| 1. Company/Product Numb<br>8378-18  | Der   |  | . 1  | Product Manager<br>e I. Miller  |                                    | 3. Pro  | posed Classification                                       |
| 4. Company/Product (Nam<br>Shaw's Premium Tur   |   | ss Control   | PM#<br>23  | · · · · · · · · · · · · · · · · · · ·   |                                    |   | None Nestricted  |
| 5. Name and Address of A<br>Knox Fertilizer Com<br>P. O. Box 248<br>Knox, IN 46534              | •   | ode)   | (b)(i), m<br>to:<br>EPA F  |   | milar or iden                      | <b>NOTIF</b>                                    | FIFRA Section 3(c)(3) possition and labeling CATION 6 2008 |
|   |   |  | Section - I  | 1   |                                    |   |  |
| Amendment - Explain Resubmission in re  | sponse to Agency letter   | r dated  |  | Final printed lal<br>Agency letter d<br>"Me Too" Appl<br>Other - Explain      | ated<br>ication.                   | se to   |  |
|   | e per PR Notice 2007-4.<br>is 156.10, 156.140, 156.1<br>I understand that it is a<br>istent with the requiremen | This notification i<br>144, 156.146, and<br>violation of 18 U.<br>nts of 40 CFR Pa | s consistent with th<br>I 156.156. No othe<br>S.C. sec.1001 to w<br>rts 156.10, 156.140<br>der sections 12 and | r changes have b<br>illfully make any t<br>1, 156.144, 156.14<br>14 of FIFRA. | een made to the<br>false statement | ne labeling of<br>to EPA. I for                 | r the Confidential Statement urther understand that if the |
|   | · · · · · · · · · · · · · · · · · · ·   |  | Section - I  | <u> </u>  |                                    |   | · · · · · · · · · · · · · · · · · · ·                      |
| 1. Material This Product V Child-Resistant Packaging Yes √ No * Certification must be submitted | Unit Packaging  Ves  No  If "Yes" Unit Packaging wgt  | No. per<br>container   | Water Soluble P  Yes  ✓ No  If "Yes"  Package wgt  | ackaging  No. per container   | 2. Type o                          | f Container  Metal Plastic Glass Paper Other (S | pecify)  |
| 3. Location of Net Content  | s Information  Container  | 4. Size(s) Reta  | il Container<br>50 lbs   | 5.  | Location of La                     |   | ns   |
| 6. Manner in Which Label  | is Affixed to Product   | Lithogra<br>Paper g<br>Stencile  | aph<br>Iued<br>sd  | Other _   |                                    |   | · .  |
|   |   |  | Section - I'   | V   |                                    |   |  |
| 1. Contact Point (Comple  | te items directly below   | for identification   | of individual to be  | contacted, if n   | ecessary, to p                     | rocess this                                     | application.)  |
| Name<br>Robert F. Bischoff  |   | 1  | Fitte<br>Agent, TotalTurf  | Consulting LLC  |                                    | Telephone<br>(317) 873                          | No. (Include Area Code)<br>-0222                           |
| •   | tements I have made or<br>any knowlingily false or<br>e law.  |  | all attachments the  | -   |                                    |   | 6. Date Application<br>Resolved<br>(Stamped)               |
| 2. Signature  |   | 3  | . Title  |   |                                    |   |  |
| Rober J.  | Bishoff   |  | Agent, TotalTurf Co  | onsulting LLC   |                                    |   |  |
| 4. Typed Name   | , 0   | 5  | . Date   | obor 44 00  | 00                                 |   |  |
| Robert F. Bischoff  |   | 1  | Uct  | ober 14, 20   | υδ                                 |   |  |

### TotalTurf Consulting LLC 26 A. A. Cooper Rd. Meigs, GA 31765

Direct: 843-384-2807

Fax: 229-683-3426

E-Mail: rbcooper@juno.com

October 14, 2008

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U. S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Attn: Joanne I. Miller

Subject: Shaw's Premium Turf Food with Crabgrass Control

EPA Reg. No. 8378-18

Notification to Comply with PR Notice 2007-4

Dear Ms. Miller:

In response to PR Notice 2007-4 concerning container reuse and related container label statements for pesticide products, labeling for the subject product has been revised to comply with this Notice. The revised label is being submitted by notification on behalf of Knox Fertilizer Company, P. O. Box 248, Knox, IN 46534 by TotalTurf Consulting LLC, an authorized agent for Knox Fertilizer Company.

The following documents are included in the subject submission:

Cover Letter

Application for Pesticide (EPA Form No. 8570-1)

One Copy of Highlighted Final Printed Label (Coded as 20081014.Final Label)

If there are any questions or additional information is needed concerning this submission, do not hesitate to contact me at (317) 873-0222 or Raymond B. Cooper at (843) 384-2807.

Sincerely,

Robert F. Bischoff

Agent

TotalTurf Consulting LLC 26 A. A. Cooper Road

Robert F. Bischof

Meigs, GA 31765

# Shaw's® Premium Turf Food with Crabgrass Control

NOTIFICATION
DEC 1 6 2008

For control of Crabgrass and Most Other Annual Weed
Grasses on Home Lawns, Golf Courses, Parks and
Other Ornamental & Recreational Turf. FOR USE ON
ESTABLISHED: Bluegrass-perennial - Ryegrassperennial - Fescue varieties - Bahiagrass Bermudagrass - Centipedegrass - St. Augustinegrass Zoysiagrass

#### **ACTIVE INGREDIENTS:**

| Benfluralin; N-butyl-N-ethyl-alpha,alpha,alpha,trifluoro-2,6-dinitro-p-toluidine | 0.84%   |
|--|---------|
| Trifluralin; Alpha,alpha,alpha,trifluoro-2,6-dinitro-N,N-dipropyl-p-toluidine    | 0.43%   |
| OTHER INGREDIENTS:   | 98.73%  |
| TOTAL  | 100.00% |

EPA Reg. No. 8378-18

EPA EST. No. 8378-IN-1

Shaw's® is a registered trademark of Knox Fertilizer Company, Inc.

NET WEIGHT 18 LBS. covers 3,300 to 6,600 sq. ft.

#### GUARANTEED FERTILIZER ANALYSIS

| Nitrogen                | XX%        |
|-------------------------|------------|
| Ammonical (N)           | XX%        |
| Urea (N)>               | <b>(X%</b> |
| Sulfur Coated Urea (N)> | XX%        |
| Phosphoric Acid (P2O5)  | XX%        |
| Soluble Potash (K2O)    | XX%        |

Primary Plant Food derived from Urea, Sulfur Coated Urea, Muriate of Potash, Ammoniated Phusphate. Potential Acidity XX lbs. Calcium Carbonate per ton.

## KEEP OUT OF REACH OF CHILDREN

### WARNING

#### FIRST AID

<u>IF IN EYES:</u> Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

<u>IF ON SKIN OR CLOTHING:</u> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

<u>IF SWALLOWED:</u> Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. <u>Do not give anything by mouth to an unconscious person.</u>

<u>IF INHALED:</u> Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center, or doctor, or when going for treatment. You may also contact 1-800-992-5994 for emergency medical treatment information.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes substantial but temporary eye injury. Harmful if absorbed through the skin. Do not get in eyes or on clothing. Avoid contact with skin. Prolonged, or frequently repeated skin contact may cause allergic reactions in some individuals.

#### Personal Protective Equipment

Applicators and handlers must wear: Long-sleeved shirt and long pants, Chemical resistant gloves made of any waterproof material, Shoes plus socks, and Goggles, faceshield, or safety glasses. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

#### **User Safety Recommendations**

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is extremely toxic to freshwater marine and estuarine fish and aquatic invertebrates, including shrimp, and oysters. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply in a manner which will directly expose canals, lakes, streams, ponds, marshes, or estuaries to aerial drift. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment washwaters or rinsate.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact person or pet either directly, or through drift. Keep people and pets out of the area during application. Only protected handlers may be in the area during application. Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

#### Non-Agricultural Use Requirements

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses. Do not enter or allow other people (or pets) to enter the treated area until dusts have settled. If watering in is required after the application - except for those people involved in the watering-in - do not enter or allow other people (or pets) to enter the treated areas until the watering-in is complete and the surface is dry.

#### WHEN TO APPLY FOR CRABGRASS CONTROL

When applied according to these directions this product can be used safely on the following turfgrass varieties: Perennial Bluegrass varieties, Perennial Rye grass varieties, Bermudagrass, Bahiagrass, Centipedegrass, Fescue varieties, St. Augustinegrass and Zoysiagrass growing in home lawns, golf courses, parks and all other commercial, recreational and ornamental turfgrass areas. Will not harm most common ornamental trees and shrubs when used as directed.

#### OTHER WEEDS CONTROLLED

This product contains a combination of Benfluralin and Trifluralin pre-emergence Herbicides plus a Lawn Food. It should be applied to established turf for the control of Crabgrass (Smooth and Hairy), Goosegrass (Silver Crab or Crowfoot), Barnyardgrass (Watergrass), Foxtail (Green and Yellow), and Annual Bluegrass.

#### WHEN TO APPLY

Apply to turf prior to germination of weed seeds since established weeds will not be controlled. Apply only to healthy established turf grass lawns.

#### WHEN AND HOW TO TIME THE APPLICATION

Successful pre-emergence control of the annual grassy weeds as listed requires proper application timing. It must be applied 1 to 2 weeks prior to the germination of the weed seeds. All summer annual weeds do not germinate at the same time. For this reason application timing must coincide with the normal germination period of any one of the annual grassy weeds. If not, poor and erratic weed control will result due to improper application.

#### WATER THE LAWN AFTER APPLICATION

It is not necessary but optimum weed control performance will be obtained if treated areas are irrigated with  $\frac{1}{4}$  to  $\frac{1}{2}$  inch water (or equivalent rain occurs) soon after application. Any cultural practices that disturb the soil such as verticutting, should be done prior to application of this product.

#### IMPORTANT PRECAUTIONS IN USING THIS PRODUCT

- 1. DO NOT apply in the spring to Bermuda grass which has been overseeded with winter grasses (annual rye) since thinning will occur.
- 2. DO NOT use on Dichondra, nor to newly sprigged areas of Bermuda grass, St. Augustine grass or Centipede grass, nor to Bentgrass or putting greens until these turfs are well established.
- 3. DO NOT apply in spring to turfgrass planted the previous fall. This product may thin established Annual Bluegrass (Poa Annua) and Fine-Leafed Fescue lawns when used at higher rates than 157 lbs. per acre (2.0 lb. A.I. per Acre). Do not overdose.
- 4. DO NOT apply more then 314 lbs. per acre per year for use on cool season turfgrasses or 472 lbs. per acre per year for use on warm season turfgrasses.
- 5. DO NOT make more than 2 applications per year.

## "SPRING GERMINATING" ANNUAL GRASSES: CRABGRASS, FOXTAIL, BARNYARDGRASS

- A. Northern Cool Season Grasses For preemergence control, apply 118 to 157 lbs. per acre, (equal to 1.5 to 2 lbs. active ingredient/acre) applied in the spring one to two weeks prior to the onset of conditions favorable for annual weedy grass seed germination. One 18 lb. bag will cover 5,000 to 6,600 sq. ft. Use for 5,000 sq. ft. when turf is completely overrun with weeds. Use for 6,600 sq. ft. when weeds are sparse and the turf is in a yearly lawn maintenance program.
- B. <u>Southern Warm Season Turf grass</u> For preemergence control apply 157 to 236 lbs. per acre (equal to 2 to 3 lbs. active ingredient per acre), in the late winter or early spring one to two weeks prior to the onset of conditions favorable for annual weedy grass seed germination. One 18 lb. bag will cover 3,300 to 5,000 sq. ft. Use for 3,300 sq. ft. where turf is completely overrun by weeds. Use for 5,000 sq. ft. when weeds are sparse or the turf is in a yearly crabgrass control program.

### "LATE SPRING-EARLY SUMMER GERMINATING" ANNUAL GOOSEGRASS (SILVER CRAB)

Although classified as a summer annual grass, Goosegrass normally germinates 4 to 6 weeks later than the crabgrass, foxtails and other summer annual grass species. Applications of this product should therefore, be timed accordingly.

- A. <u>Northern Cool Season Turf grasses</u>—For preemergence control apply 157 lbs./acre (equal to 2 lbs. active ingredient per acre) of this product in late spring or early summer one to two weeks prior to the expected germination period of Goosegrass. Use 18 lbs. to cover 5,000 sq. ft.
- B. <u>Southern Warm Season Turf grasses</u> For preemergence control, apply 157 to 236 lbs. per acre (equal to 2 to 3 lbs. active ingredient per acre) of this product in late spring or early summer one to two weeks, prior to the expected germination of Goosegrass. Use one 18 lb. bag to cover for 3,300 to 5,000 sq. ft. Use for 3,300 sq. ft. where turf is completely overrun by weeds. Use for 5,000 sq. ft. where weeds are sparse and the area is in a yearly lawn maintenance program.

## APPLY TWICE FOR FULL SEASON CONTROL IN NORTHERN AND SOUTHERN TURFGRASSES

In areas of the United States where preemergence control of both early germinating annual grasses (Crabgrass, Foxtail, and Barnyardgrass) and the later germinating Goosegrass is desired, two

20081014.Final Label 5

applications of this product at the recommended rate, spaced 8 to 10 weeks, may be made to provide full season control of these annual grass species.

#### POA ANNUA (ANNUAL BLUEGRASS) CONTROL

In areas of heavy infestation of Annual Bluegrass, its elimination will leave areas of thin turf. Employ proper cultural practices to establish a new turf.

- A. Northern Cool Season Turf Grasses For preemergence control apply 157 lbs. per acre (equal to 2 lbs. active ingredient per acre) of this product in late summer or early fall and again in late winter or spring one to two weeks prior to expected germination of annual bluegrass. One 18 lb. bag will treat 5,000 sq. ft. of turf grass.
- B. Southern Warm Season Turf grasses For preemergence control apply 236 lbs. per acre (equal to 3 lbs. active ingredient per acre) of this product per acre in the later summer or early fall one to two weeks prior to expected germination of poa annua. One 18 lb. bag will treat and feed 3,300 sq. ft. of turfgrass. In southern areas where germination continues for extended periods of time a second application at 236 lbs. per acre can be made 10 to 12 weeks after the initial treatment.

#### RESEEDING TREATED AREAS

- 1. Delay reseeding 6 weeks when applying at the rate of 118 or 157 lbs./acre equal to 1.5 to 2.0 lbs. active ingredient/acre, or when using one 18 lb. bag to cover 5,000 to 6,600 sq. ft.
- 2. Delay reseeding 12 to 16 weeks when applying at rate of 236 lbs./acre equal to 3 lbs. of a.i. per acre or when using one 18 lb. bag to cover 3,300 sq. ft. of turfgrass. When reseeding increase the amount of seed put down by 10-15%.

#### SPREADER SETTINGS

The following spreader settings are for use with new equipment. Your spreader may need recalibrating since proper application is based on equipment condition with regard to age and use, your walking speed and the unevenness of the terrain. Poor weed control will result from uneven or improper application.

| Spreader   | 18# bag per<br>sq. ft. | Northern Lawns<br>Crabgrass etc. Poa Annua | Southern Lawns<br>Crabgrass etc. Poa Annua |
|------------|------------------------|--|--|
| Scott #35  | 3,300                  | XX   | XX   |
|            | 5,000                  | XX   | XX   |
|            | 6,600                  | XX   | ××   |
| Cyclone B1 | 3,300                  | XX   | XX   |
| •          | 5,000                  | XX   | XX   |
|            | 6,600                  | XX   | ××   |

18 lbs. to treat 3,300 sq. ft. = 236 lbs./acre = 3.00 lbs. A.I./acre

18 lbs. to treat 5,000 sq. ft. = 157 lbs./acre = 2.00 lbs. A.I./acre

18 lbs. to treat 6,600 sq. ft. = 118 lbs./acre = 1.50 lbs. A.I./acre

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. <u>PESTICIDE STORAGE</u>: Store in original, closed container only. <u>PRODUCT DISPOSAL</u>: Nonrefillable container. Do not reuse or refill this container, offer for recycling if available. <u>IF EMPTY</u>: Do not reuse this bag. Place in trash or offer for recycling if available. <u>IF PARTLY FILLED</u>: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### TERMS AND CONDITIONS OF USE

If terms of the following Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies are not acceptable, return unopened package at once to the seller for a full refund of purchase price paid. Otherwise, use by the buyer or any other user constitutes acceptance of the terms under Warranty Disclaimer, Inherent Risks of Use and Limitations of Remedies. WARRANTY DISCLAIMER

Seller warrants that this product conforms to the chemical description on the labels and is reasonably fit for the purposes stated on the labels when used in strict accordance with the directions, subject to the inherent risks set forth below. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

#### **INHERENT RISKS**

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperature, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, manner of application or other factors, all of which are beyond the control of the Seller. All such risks shall be assumed by buyer.

#### LIMITATION OF REMEDIES

To the extent consistent with applicable law, the exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Seller's election, one of the following:

- 1. Refund of purchase price paid by buyer or user for product bought, or
- 2. Replacement of amount or product used.

Seller shall not be liable for losses or damages resulting from handling or use of this product unless Seller promptly notifies of such loss or damage in writing. To the extent consistent with applicable law, in no case shall Seller be liable for consequential or incidental damages or losses.

The terms of this Warranty Disclaimer and Inherent Risks of Use above and this Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of Seller or the Seller is authorized to vary or exceed the terms of the "Warranty Disclaimer" or this "Limitation of Remedies" in any manner.

KNOX FERTILIZER COMPANY, INC.
P.O. BOX 248
KNOX, IN 46534
NET WEIGHT 18 LBS. (8.18 kg.)

NOTIFICATION
DEC 1 6 2008

Batch No.