		- F		
			EPA REGISTRATION NO.	DATE OF ISSUANCE
		AL PROTECTION AGENCY TICIDES PROGRAMS	8378-22	UEC 12 1986
REGIS	TRATION DIVISIO	N (TS-767)	TERM OF ISSUANCE	
ν,	ASHINGTON, DC	20460 .	Conditional	
NOTICE OF F	ESTICIDE:	REGISTRATION REREGISTRATION	NAME OF PESTICIDE PRODUCT	
	Federal Insecti lenticide Act, d	icide, Fungicide,	Shaw's Premium Gre	en Weed and
		· · · · · · · · · · · · · · · · · · ·	Feed 32-4-4	
NAME AND ADDRESS	OF REGISTRAN	IT (Include ZIP code)		
۳			٦	
		und Chemical Co., 1	nc .	
Parate				
Kn⊕x, t	r 4/534			
L		e <b>#</b>	7	
submitted to and ac	cepted by the l		m that accepted in connection w to use of the label in commerce. er.	
		ned by the registrant, the ale, and Rodenticide Act.	pove named pesticide is hereby f	Registered/Reregistered under
A copy of the label	ling accepted is	n connection with this Regi	stration/Reregistration is return	ed herewith.
health and the envi	ronment, the Act.	dministrator, on his motion, The acceptance of any nam	or approval of this product by thi may at any time suspend or can e in connection with the registra exclusive use of the name or to i	cel the registration of a pest- tion of a product under this
		conditionally regi	stered in accordance	with FIFRA
your produc	t under Fl	_	for registration/rere- b) when the Agency requit such data.	<del>-</del>
2. Ma for shipmen		seling changes list	eed telev before you r	elease the product
a.	Add the	phrase "EPA Regist	ratior " ∺378-22."	
b.	Under Di	RECTIONS FOR USE,	add the fellowing pre	cautions:
	De	not use on Blue ar	ass, fescue, rye, ben	ands
			ns. Do not use on di	
			Augustine grasses. D	
			e desirable clovers a	
			product to "wind drif	
			or crnamental shrubbe	
		•		- %
ATTACHMENT	IS APPLICABLE	:		

SIGNATURE OF APPROVING OFFICIAL

°DEC: 2 1986

3. Submit one (1) copy of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Richard F. Mountfort (Froduct Manager (23)
Fungicide-Herbicide Branch
Registration Division (TS-767C)

Enclosures

## SHAW'S ( ZMIUM GREEN WEED & FEED 3( 1-4

# FOR LAWNS AND ORNAMENTAL TURF COVERS 5,000 SQ. FT. (50' x 100')

This weed and feed product is a remarkably effective lawn fertilizer which combines fast and long-lasting feeding action, plus effective weed control. This product produces a thick, green turf while killing weeds to make way for new turf growth.

Shaw's Premium Green Weed & Feed 32-4-4 is designed for the control of dandelion, clover, and many other broadleaf weeds. Weeds contacted by this product gradually die and disappear from the lawn. See back panel for a list of weeds controlled by Shaw's Premium Green Weed & Feed 32-4-4.

## **ACTIVE INGREDIENTS:**

Isooctyl Ester of 2,4-Dichlorophenoxyacetic Acid*	1.35%
Isooctyl Ester of 2-(2-methyl-4-chlorophenoxy) Propionic Acid**	1.37%
INERT INGREDIENTS9	7.28%

BY ISOMER SPECIFIC ASSAY, EQUIVALENT TO:

\*0.90% of 2,4-Dichlorophenoxyacetic Acid

\*\*0.90% of 2-(2-methyl-4-chlorophenoxy) Propionic Acid

#### GUARANTEED ANALYSIS:

Primary Plant Foods derived from Ammonium Phosphate, Sulfur Coated Urea, Urea, and Muriate of Potash

Chlorine (Cl) Maximum......4

The urea nitrogen in this product has been coated to provide 6% coated slow release urea nitrogen.

#### KEEP OUT OF REACH OF CHILDREN

## CAUTION

IF SWALLOWED: Get Medical Attention

IF IN EYES: Flush Eyes with Water for 15 Minutes

Get Medical Attention

IF ON SKIN: Wash Skin with Soap and Water

EPA REG. NO. 8378 -

EPA EST NO. 8378-LN-1

MANUFACTURED BY
KNOX FERTILIZER & CHEMICAL COMPANY
KNOX, INDIANA 46534
NET WEIGHT 15 LBS.

#### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wash thoroughly after handling.

## **ENVIRONMENTAL HAZARDS**

Do not apply directly to water. Do not apply when conditions favor drift from target areas.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THE ENTIRE LABEL before using this product.

This product may be used for control of broadleaf weeds in lawns such as: B'NDWEED, BLACK MEDIC, BLUE LETTUCE, BUCKHORN, BURDOCK, CHICKWEED, CHICORY, CINQUEFOIL, CLOVER, COCKLEBUR, CROTON, I ANDELION, DOCK, FANWEED, GALINSOGA, GOLDENROD, GROUND IVY, HAWKWEED, HEAL-ALL, HENBIT, JEWELWEED, JIMSON WEED, KOCHIA, KNOT-WEED, LAMBSQUARTERS, MALLOW, MORNING GLORY, MUSTARD, NETTLES, OXALIS, PENNYWORT, PEPPER GRASS, PIGWEED, PLANTAIN, POVERTY WEED, PUSLANE, RAGWEED, SHEPHERD"S PURSE, SMARTWEED, SPEEDWELL, SPOTTED SPURGE, THISTLE, VERVAINS, VETCH, WILD ASTER, WILD LETTUCE, WILD RADISH, and YARROW.

WHEN TO APPLY: Best results are obtained when weeds are growing rapidly in spring or early fall. IMPORTANT: Apply when grass is moist (after a rain, sprinkling or dew). For most effective broadleaf weed killing action, avoiding unnecessary disturbance, including watering, of treated areas for 48 hours after application. Watering will wash off weed killing material. Do not reseed for at least 3 to 4 weeks after application. Do not apply to newly seeded or sodded lawn until after 3 mowings.

HOW TO APPLY: This 15 pound bag should be used on 5000 square feet. Apply evenly with a lawn spreader either as one pass application or a two pass application, criss-crossing the area at half the rate each time. Lawns that are heavily overrun by weeds and that are in poor condition may require more than ... one application of this product. A suggested second application should be made in approximately 30 days. Lawns can be reserved to 5 weeks after weeds are killed.

## (REAR PANEL CONTINUED)

## (DIRECTIONS FOR USES CONTINUED)

The following settings are approximate for applying contents of this package at a suggested rate of 3.0 pounds per 1,000 square feet. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed. Clean spreader thoroughly after use.

#### SPREADER SETTINGS

MAKE	SETTING	MAKE	SETTING
Cyclone Scotts 35	5 1/4 - 5 3/4 5 1/2	Central K-Mart	
Scotts	C-1 - J-1	Montgomery Ward	6 3/4

## STORAGE AND DISPOSAL

STORAGE: Always store product in original container and in locked storage area. Do not contaminate other pesticides, fertilizers, seeds, water, tood or feed by storage or disposal.

PRODUCT DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the hazardouse Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Alternate Statement (below) for Residential Use Only (i.e., No claims stated for golf courses, etc.)

## STORAGE AND DISPOSAL

STORAGE: Store in original container and keep any bags containing unused product in an area inaccessible to children and domestic animals. Do not store near food or feedstuff. To prevent cross-contamination, do not store near other fertilizers, or near herbicides, insecticides, fungicides, or seeds.

PRODUCT DISPOSAL: To dispose of bags which contain unused product, securely wrap bag in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse empty bag. Fold empty bag and discard in trash.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk or use and/or handling of this material when such use and/or handling is contrary to label instructions.