

(Front Panel)

1053  
pm 23  
8378-24

SHAW'S

PREMIUM WEED AND FEED  
FORMULA 2

TREATS 5,000 SQ. FEET (50' x 100')

THIS PRODUCT IS A PREMIUM GRADE HERBICIDE AND TURF FOOD COMBINATION WHICH CONTROLS A WIDE SPECTRUM OF BROADLEAF WEEDS WHILE PROVIDING BOTH FAST AND LONG FEEDING ACTION.

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid*	0.425%
Dimethylamine Salt of 2-(2-Methyl-4-Chlorophenoxy)propionic Acid**	0.428%
Dimethylamine Salt of 2-(2,4-Dichlorophenoxy)propionic Acid***	0.423%
INERT INGREDIENTS:	98.724%
TOTAL	100.000%

BY ISOMER SPECIFIC ASSAY, EQUIVALENT TO:

- \*0.35% of 2,4-Dichlorophenoxyacetic Acid
- \*\*0.35% of 2-(2-Methyl-4-Chlorophenoxy)propionic Acid
- \*\*\*0.35% of 2-(2,4-Dichlorophenoxy)propionic Acid

REC-80  
MAY 6 1987  
8378-24

GUARANTEED ANALYSTS:

Total Nitrogen (N)	25%
1.0% Ammoniacal Nitrogen	
24.0% Urea Nitrogen	
Available Phosphoric Acid (P <sub>2</sub> O <sub>5</sub> )	3%
Soluble Potash (K <sub>2</sub> O)	3%

Primary Plant Foods derived from Ammonium Phosphate, Sulfur Coated Urea, Urea, Triple Super Phosphate, and Muriate of Potash

Chlorine (Cl) Maximum ..... 2.5%

The urea nitrogen in this product has been coated to provide 6.8% coated slow release urea nitrogen.

TRIAMINE<sup>(TM)</sup> TRADEMARK OF RIVERDALE CHEMICAL COMPANY Patent Applied For

KEEP OUT OF REACH OF CHILDREN

CAUTION

- IF SWALLOWED: Get Medical Attention.
- IF IN EYES: Flush Eyes with Water for 15 Minutes.  
Get Medical Attention.
- IF ON SKIN: Wash Skin with Soap and Water.

SEE REAR PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG. NO 8378-

EPA EST. NO. 8378-IN-1

MANUFACTURED BY  
KNOX FERTILIZER AND CHEMICAL CO.  
KNOX, IN 46534

NET WEIGHT - 16 LBS.

Shaw's Premium Weed and Feed - Formula 2)

(Rear Panel)

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

Do not apply directly to water or wetlands. Do not apply when conditions favor drift from target areas.

GENERAL INFORMATION

Shaw's Premium Weed and Feed - Formula 2 is a stable mixture of three phenoxy herbicides. Weeds contacted by this product gradually die, and disappear from the lawn. It is for use on Lawn, Ornamental Turf (not pastures) and Golf Fairways, Aprons, Tees and Roughs. This product is a remarkably effective lawn fertilizer which combines both fast and long-lasting feeding action plus effective weed control.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THE ENTIRE LABEL before using this product.

- ✓ This product may be used on Blue Grass, Fescue, Rye, Bermuda, Bahia, and Zoysia Lawns. DO NOT USE on Dichondra, Carpet Grass and St. Augustine grass. DO NOT USE this product where desirable clovers are present or allow the product to "wind drift" onto flowers, vegetables, ornamentals, shrubs, trees or other desirable plants.
- ✓ This product was designed for control of broadleaf weeds in lawns such as: Black Medic, Buckhorn, Burdock, Chicory, Chickweed, Clover, Dock, Dandelion, English Daisy, Ground Ivy, Heal-All, Knotweed, Lambsquarter, Mallow, Morning Glory, Pigweed, Plantain, Poison Ivy, Poison Oak, Purslane, Ragweed, Red Clover, Red Sorrell, Stitchwort, Speedwell, Spurge, White Clove, Wild Carrot, Wild Garlic, Wild Onion, Wild Lettuce, Yarrow and other Broadleaf weeds.
- ✓ WHEN TO APPLY: Best results are obtained when weeds are growing rapidly in spring or early fall. IMPORTANT: Apply when grass is moist (after a rain, sprinkling or dew). For most effective broadleaf weed killing action, avoid unnecessary disturbance, including watering, of treated areas for 48 hours after application. Watering will wash off weed killing material. Do not reseed for at least 3 to 4 weeks after application. Do not apply to newly seeded or sodded lawn until after 3 mowings.
- ✓ HOW TO APPLY: This 16 pound bag should be used on 5000 square feet. Apply evenly with a lawn spreader either as one pass application or a two pass application, criss-crossing the area at half the rate each time. Lawns that are heavily overrun by weeds and that are in poor condition may require more than one application of this product. A suggested second application should be made in approximately 30 days.
- ✓ The following settings are approximate for applying contents of this package at a suggested rate of 3.2 pounds per 1,000 square feet. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed.

(Shaw's Premium Weed and Feed - Formula 2)

(Rear Panel cont.)

SPREADER SETTINGS

<u>MAKE</u>	<u>SETTING</u>	<u>MAKE</u>	<u>SETTING</u>
Central Calibrated	5	Sears Broadcast	3
Cyclone Broadcast	3 3/4	Sears	5
Jackson	5	Scotts Calibrated	4

The above spreader settings are approximate. Check your spreader on 250 square feet and adjust to apply at the rate of .8 lbs. per 250 square feet. Clean spreader thoroughly after use.

STORAGE AND DISPOSAL

STORAGE: Always store product in original container and in locked storage area. Do not contaminate other pesticides, fertilizers, seeds, water, food or feed by storage or disposal.

PRODUCT DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and Local authorities, by burning. If burned, stay out of smoke.

Alternate Statement (below) for Residential Use Only (ie, No claims stated for golf courses, etc.)

STORAGE AND DISPOSAL

STORAGE: Store in original container and keep any bags containing unused product in an area inaccessible to children and domestic animals. Do not store near food or feedstuffs. To prevent cross-contamination, do not store near other fertilizers, or near herbicides, insecticides, fungicides, or seeds.

PRODUCT DISPOSAL: To dispose of bags which contain unused product, securely wrap bag in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse empty bag. Fold empty bag and discard in trash.

WARRANTY: Knox Fertilizer and Chemical Company warrants that this herbicide conforms to the chemical description on its label. When used in accordance with label directions under normal conditions, this herbicide is reasonably fit for its intended purposes. Since timing, method of application, weather, plant, and soil conditions, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks of any such use.

