



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY Washington, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

December 12, 2013

Gary Libman, Agent **Knox Fertilizer Company** c/o GNL Consultation Services, LLC 13332 Lodestone Tr. SE Albuquerque, NM 87123

Subject:

Notification per PR Notice 98-10 (alternate brand name & marketing claim)

Dimension 130 Turf Herbicide with Plant Food

EPA Reg. No. 8378-53

Application Dated November 15, 2013

Dear Mr. Libman:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the subject product. The Registration Division (RD) has conducted a review of this request and finds that the action falls within the scope of PRN 98-10. The label submitted with the application has been date-stamped "Notification" and will be placed in our records.

In addition, the alternate brand name "LawnScape Premium Crabgrass Preventer plus Fertilizer" for this product has been added to our records.

If you have any questions, please contact Mindy Ondish at (703)605-0723 or at ondish.mindy@epa.gov.

Sincerely,

Kathryn V. Montague **Product Manager 23**

Herbicide Branch

Registration Division (7505P)

Murdy On Hoh, for

Office of Pesticide Programs

SEPA	verse before completin United S Environmental Pro		Form App	F	Registrati Amendm		OPP Identifier Number	
	Washington,	DC 20460			Other	-	·	
	Application for Pesticide - Section I							
1. Company/Product Number 8378-53			2. EPA Product Me Kathryn Montac			│ ┌──	posed Classification	
4. Company/Product (Name) LawnScape Premium Cra	barass Preventer plus fe	rtilizer	PM# 23 Herbicide Br	anch			None Restricted	
5. Name and Address of Appl Knox Fertilizer Company							FIFRA Section 3(c)(3) mposition and labeling	
PO Box 248 Knox, IN 465	34	•	EPA Reg. No. NA					
Check if this	is a new address	· 	Product Name NA					
		Sec	ction - II					
Amendment - Explain	below.					• NO1	TIFICATION	
	nse to Agency letter dated		Agency letter dated "Me Too" Application.			D	DEC 1 2 2013	
× Notification - Explain b	oelow.		Other - Ex	kplain belo	ow.			
Explanation: Use addition					.1			
Notification for name Law	inScape Premium Crabg	rass Preventer p	olus Fertilizer and a	nd easy t	o use on th	e front p	oanel .	
		Coo	dia III					
a Bass in This Deadon Mill	Do Docksond Inc.		tion - III					
1. Material This Product Will Child-Resistant Packaging	Unit Packaging	Wate	r Soluble Packaging		2. Type of C	onteiner		
Yes*	Yes		Yes			Metal		
× No	× No	×	No			Plastic Glass		
* Certification must be submitted	and the part of the contract o	. per If "Ye ntainer Packs	es" No. pe ege wgt contail		×	Paper Other (S	pecify)	
3. Location of Net Contents I	nformation 4. Si	ze(s) Retail Conte	ainer	5 <u>. Loc</u>	ation of Labe	Directio	ns	
⊠ Lebel □ C	ontainer vari	es			On Label On Labelin	g accom	panying product	
6. Manner in Which Label is Affixed to Product X Lithograph Paper glued Stenciled								
Section - IV								
1. Contact Point /Complete	items directly below for ide	ntification of indi	ividual to be contacte	d, if nece	ssary, to pro	cess this	application.)	
Name Gary Libman		Title Regula	atory Agent for Kno	×		Telephon 505.301	a No. (finalside Area Code) .2822	
Certification Certify that the statements I have made on this form and all attachments thereto are true, accurate and complete.								
I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.								
2. Signature		3. Title			C i		, , , ,	
San C	Xonan	Regula	atory Agent for Kno)X		•		
4. Typed Name		5. Date						
Gary Libman		Nove	mber 15, 2013					



Specializing in Regulatory Affairs and Quality Assurance

November 16, 2013

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) US Environmental Protection Agency 1200 Pennsylvania Avenue NW Washington DC 20460

Attn: Kathryn Montague PM 23

Subject: LawnScape Premium Crabgrass Preventer plus Fertilizer

EPA Reg number 8378-53 Notification per PR Notice 98-10

Alternate Brand name and minor addition to verbiage on label

I have enclosed labeling with requisite alternate brand name and verbiage for this registered product. The revised labeling is being submitted by notification on behalf of Knox Fertilizer Company, PO Box 248, Knox, IN 46534, by Gary Libman, Principal GNL Consultation Services LLC, an authorized agent for Knox Fertilizer Company.

The following documents are included in the subject submission:

- a. This cover letter
- b. Application for pesticide, for 8570-1
- c. One copy of the highlighted printed label copy in word document
- d. One copy of the highlighted printed label copy in pdf format

Please note the following certification:

This notification to add alternate brand name per PR Notice 98-10 is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or to the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Section 1001 to willfully make any false statement to EPA. I further understand if this notification is not consistent with the terms of PR Notice 98-10 and 40 SFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If you have any questions, please do not hesitate to call me at 1.505.301.2822 or Libman@Comcast.net.

Respectfully submitted,

Gary Libman, Principal **GNL Consultation Services LLC** 13332 Lodestone Trail, SE Albuquerque, NM 87123 Libman@Comcast.net 1.505.301.2822

5/8

LawnScape® Premium Crabgrass Preventer plus Fertilizer

This product is a selective herbicide that provides control of listed annual grasses and broadleaf weeds in established lawns and ornamental turf.

Not for use on turf being grown for sale or other commercial use, or for commercial seed production, or for research purposes.

ACTIVE INGREDIENT:	
Dithiopyr*	0.13%
INERT INGREDIENTS:	<u>99.87</u>
•	Total 100.00°

*CA5 # 97886-45-8

Fertilizer Guaranteed Analysis					
Nitrogen	XX%				
Phosphate	XX%				
Potash	XX%				
	a, Ammoniated Phosphate, and Muriate of Potash				

Product protected by U.S. Patent No. 4,692,184. Other patents pending.

EPA REG. NO. 8378-53

EPA EST. NO. 8378-IN-1

Read the entire label before using this product. Use only according to label instructions.

NOTICE: Before using this product, read the entire Precautionary Statements, Terms and Conditions of Use, Directions for Use, Use Precautions, and Storage and Disposal Instructions. If the Terms and Conditions of Use are not acceptable, return the product unopened within thirty days of purchase to the place of purchase.

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Net Weight XX lbs. (XX kg.)

----Optional Marketing Statements to add to Front Panel------

- A Selective Herbicide Plus Fertilizer Combination Product that Provides Control of Crabgrass and Other Weeds in Established Lawns and Ornamental Turfgrasses.
- Premium Granular Fertilizer Providing the Nutrients Needed for Beautiful Healthy Lawn.
- Contains Dimension® A Highly Effective Herbicide for Crabgrass Control! Can be Applied Up to 4 Weeks Later Than Other Pre-Emergent Herbicides as an Early Post Emergent Herbicide for Control of Crabgrass.
- This Bag Treats Up to XXX Square Feet,
- Controls Crabgrass and Other Annual Grasses.
- Feeds Your Lawn and Promotes Thick Green Grass.
- Controls Crabgrass.
- · Feeds your Lawn.
- XX Nitrogen Slow Release Nitrogen for Continuous Greening.
- XX Phosphorous Helps Develop a Stronger Root System.
- XX Potash Vital for Growth. Improves Plant Hardiness and Drought Resistance.
- Covers XXX Square Feet.
- · Phosphorus Free.
- Stops Crabgrass Before it Starts.
- Feeds up to 4 Months.
- Prevents Crabgrass up to 4 Weeks After Germination.
- Controls Crabgrass, Oxalis, Spurge, Chickweed, Henbit and Many Other Listed Grassy and Broadleaf Weeds for up to 4 Months.
- Non-staining.
- Easy to Use

-----End Optional Marketing Statements-----

NOTIFICATION
DEC 1 2 2013



	FIRST AID
IF IN EYES	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	 Call a poison control center or doctor for treatment advice.
IF	Move person to fresh air.
INHALED	 If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
	HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-858-7378 from 6:30 a.m. to 4:30 p.m. Pacific Time, everyday, for emergency medical treatment information.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS and DOMESTIC ANIMALS

CAUTION: CAUSES EYE IRRITATION. HARMFUL IF INHALED. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. Avoid breathing dust. Remove contaminated clothing and wash before reuse. Prolonged or frequently repeated skin contact while handling this material may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and highly toxic to other aquatic organisms including oysters and shrimp. Use with care when applying to turf areas adjacent to any body of water. Drift or runoff may adversely affect aquatic organisms in adjacent aquatic sites. Do not apply when weather conditions favor drift from treated areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. 'Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

GENERAL INFORMATION

This product is a combination product that provides both weed control and the required nutrients for optimum turfgrass growth in a single product.

It is a selective herbicide that can be applied up to 4 weeks later than other crabgrass preventers and will provide up to 4 months control of crabgrass.

It will also control other grass and broadleaf weeds listed on this label if applied prior to their seed germination.

This product may be applied to established lawns and ornamental turfgrasses composed of the following tolerant grass species:

Cool-Season Turfgrasses
Creeping Bentgrass
Fines Fescues
Kentucky Bluegrass
Perennial Ryegrass
Tall Fescues

Warm-Season Turfgrasses
Bahiagrass
Bermudagrass
Buffalograss
Carpetgrass
Centipedegrass
5t. Augustinegrass
Zoysiagrass

This product may be applied in the spring or fall prior to the weed seed germination in established lawns and ornamental turfgrass.

This product provides preemergence control of crabgrass and other weeds when applied prior to their germination, and it may also provide postemergence control of seedling crabgrass. The postemergence control provided by this product is limited to crabgrass. It only will provide control up to 4 weeks after crabgrass germination if applied for post emergent control. Do not apply this product later than 4 weeks after crabgrass germination.

For control of other grasses and broadleaf weeds, this product must be applied as a preventative treatment before their emergence. Only crabgrass will be controlled with applications made 4 weeks after germination.

Improved weed control may occur when this product is applied within a few days after mowing and further mowing is delayed until the turfgrass has been watered or receives adequate rainfall to dissolve the fertilizer granules.

Reseeding, Overseeding, Or Sprigging

Reseeding, overseeding, or sprigging of turfgrasses listed on this label into areas that have been previously treated with this product must be delayed until 8 weeks after application. Reseeding, overseeding, or sprigging before 8 weeks after application may injure or prevent the establishment of the newly reseeded, overseeded or sprigged turfgrass.

Use on New Lawns of Kentucky Bluegrass, Perennial Ryegrass and/or Fall Fescue

To establish a new lawn of Kentucky Bluegrass, Perennial Ryegrass and/or Fall Fescue, this product may be applied 2 weeks after the first sign of germination. For other tolerant turfgrasses listed on this label, wait until the grass is well established (2 mowings) before applying this product.

USE PRECAUTIONS

- This product should only be applied to lawns and ornamental turfgrasses that are well established. Do not apply to lawns or turfarasses that are under stress.
- DO NOT apply more than 8.8 pounds of this product/ 1,000 sq. ft. per application and no more than 13.4 pounds of this product/ 1,000 sq. ft. per year (1,000 square feet = 100 X 10 feet).
- DO NOT use clippings from treated turf for mulching around vegetables or fruit trees.
- Keep people and pets off treated areas until dust has settled.

APPLICATION DIRECTIONS

This product will provide control of crabgrass and other grass and broadleaf weeds listed below when applied prior to germination in established lawns and ornamental turfgrasses.

Weeds Controlled by this product:

Grass Weeds: Broadleaf Weeds: Annual Bluegrass Bittercress Annual Ryegrass Buttercup Coalie (... Barnyardgrass Carolina Geranium Crabarass Chickweed ! [[Crowfootgrass Common Lespedeza Goosegrass Common Purslanc Green Foxtail Coin Speec'viell Kikuyugrass (seedling) Croseping Cixalis . Perennial Ryegrass <!lènbit Smutgrass (seedling) Parsley-piert Yellow Foxtail Pineappleweed Prostrate Spurge Spotted Epurgal Yellow Woodsorrel

APPLICATION TIMING

This product may be applied either in the spring or in the fall for the control of weeds.

When this product is applied in the fall, a sequential or second application may be made the following spring to provide up to 4 months control of weeds.

If this product is applied in the fall, DO NOT reseed, overseed or sprig turfgrasses before 12 weeks after application of this product due to potential injury to newly reseeded, overseeded or sprigged turfgrasses.

Length of Control:

This product will provide up to 4 months of control of listed weeds when applied according to label directions.


The actual length of control will vary depending on use rate, weather conditions, conditions of the turfgrass, intensity of weed pressure, and the location or "Region" within the United States that this product is being applied.

Please check the map below to determine the region of the U.S. that applies to your particular use area, and find the number of pounds of this product needed in your area based on the length of weed controlled given in the tables below.

Post Emergence Crabgrass Control

For post emergent crabgrass control, apply this product at the recommended rates when crabgrass is small (3-4 leaf). This product will not control large tillered crabgrass. Applications will control existing crabgrass and prevent further emergence.

Use "Regions" within the United States



(Pound		MENDED USE RATES o apply 1,000 square fo			
	Length of Weed Control				
Regions of U.S.	2-3 Months Control	3-4 Months Control	Early Post Emergence Control		
North	2.2 (0.13 lb. AI/acre)	3.1 (0.17 lb. AI/acre)	4.0- 8.8 (0.22- 0.50 lb. AI/acre)*		
South	3.4 (0.19 lb. AI/acre)	4.0 - 4.5 (0.22- 0.26 lb. AI/acre)*	4.0- 8.8 (0.22- 0.50 lb. AI/acre)*		

DO NOT apply more than 8.8 pounds of this product per 1,000 sq. ft. per application and no more than 13.4 pounds of this product/ 1,000 sq. ft. per year (1,000 square feet = 100 X 10 feet).

In the State of New York: Do not exceed 0.25 pounds active ingredient Dithiopyr per acre per year (4.4 lbs. product/1000 sq. ft.). Do Not Apply More Than Once Per Year To The Same Area.

*Use the higher rate in areas of high weed pressure.

APPLICATION EQUARMENT AND INSTRUCTIONS

This product can be applied with a drop or rotary spreader designed to apply granular herbicides.

For best results, apply this product evenly and uniformly over the turfgrass area avoiding streaking, skips or overlaps. Avoid the use of spreaders that would apply this product in narrow rows or concentrated bands.

Before each application, calibrate the spreader according to the equipment manufacturer's directions. Adjust the spreader settings such that the spreader delivers the appropriate application rates of this product as recommended above.

A more uniform application can be made by spreading one-half of the recommended amount of this product over the turfgrass area and then applying the remaining one-half of this product at a right angle to the previous application direction.

Check application equipment frequently to insure equipment is functioning properly and applying a uniform distribution of this product.

Spreader Settings

	lhe of -	Spreader roduct to		00 sa f+		
Spreader	2.2	3.1	3.4	4.0	4.5	8.8
(Will list all	lbs.	lbs	lbs	lbs.	lbs.	lbs.
or some of	103.	103	103	103.	103.	105.
the following					į	
on marketing						
label)	1		1	1 .	1	
Cyclone	Х	X	X	X	X	X
Scotts	X	×	×	×	X	X
Earthway	X	×	X	X	×	Х
Earthway Bost	Х	X	X	X	X	X
Earthway Drop	Х	X	Х	X	X	X
Earthway Ev-	X	X	×	X	X	X
n-Spread						
Lesco	Х	x	X	X	×	X
Lesco High	X	X	X	X	X	X
Wheel						
Prizelawn	X	X	×	X	X	X
Ortho Drop	X	X	X	X	×	X
(5000)						
Ortho Rotary	X	X	X	X	Χ.	X
(6000)	L					
Precision Red	X	X	X	X	X	X
Devil Rotary					ļ	
Prizelawn	Х	X	X	X	X	X
Republic EZ	X	X	X	X	X	X
Drop						
Republic EZ	X	X	×	×	X	X
Grow	ļ					
Scotts Drop	X	X	X	X	X	X
Scotts	Х	X	X	X	X	X
AccuGreen						
Scotts Easy	X	X	×	×	X	X
Green						
Scotts	X	X	X	×	X	×
SpeedyGreen		\		1	de	
Scotts Basic	x	×	x	×.	Y Y	×
Scoris Basic	^	^	1	6-6-6-6	χ ε ε ε ε	1^
····	-		1	,	ļ	
Scotts Lawn	×	X	18:	X	×	×
Pro				1 (1.	
Scotts	×	X	x	×	\ X	×
Edgeguard	1				4.	
Mini		,	4,,	1	[:	
Scotts	X	X	X X	X	×	×
Edgeguard						
Deluxe	1				-	
Spyker	X	X	X	X	X	X
				 		

STORAGE AND DISPOSAL

Do not contaminate water, foodstuffs, feed, or seed by storage or disposal.

<u>PESTICIDE STORAGE</u>: Store this product only in its original container in a dry, cool, secured storage area. Do not contaminate water, foodstuffs, feed, or seed by storage or disposal.

<u>PESTICIDE DISPOSAL</u>: As a responsible environmental practice, where possible, it is recommended that all of the contents of the bag be used, carefully following label directions and precautions. <u>IF EMPTY</u>: Do not reuse this bag. Place in trash.

IF PARTLY FILLED: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

<u>SPILL</u>: In case of spill, sweep up and dispose of material according to Pesticide Disposal directions listed above.

<u>CONTAINER DISPOSAL</u>: Nonrefillable container. Do not reuse or refill this container, offer for recycling if available.

TERMS AND CONDITIONS OF USE

If terms of the following Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies are not acceptable, return unopened package at once to the seller for a full refund of purchase price paid. Otherwise, use by the buyer or any other user constitutes acceptance of the terms under Warranty Disclaimer, Inherent Risks of Use and Limitations of Remedies.

WARRANTY DISCLAIMER

Seller warrants that this product conforms to the chemical description on the labels and is reasonably fit for the purposes stated on the labels when used in strict accordance with the directions, subject to the inherent risks set forth below. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

INHERENT RISKS

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperature, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, manner of application or other factors, all of which are beyond the control of the Seller. All such risks shall be assumed by buyer.

LIMITATION OF REMEDIES

The exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Seller's election, one of the following:

- Refund of purchase price paid by buyer or user for product bought, or
 Replacement of amount or product used.
- Seller shall not be liable for losses or damages resulting from handling or use of this product unless Seller promptly notifies of such loss or damage in writing. In no case shall Seller be liable for consequential or incidental damages or losses.

The terms of this Warranty Disclaimer and Inherent Risks of Use above and this Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of Seller or the Seller is authorized to vary or excess the terms of the Warranty Disclaimer or this Limitation of Remedies in any manner.

Manufactured by: Knox Fertilizer Company, Inc. PO Box 248 Knox, Indiana 46534

Net Weight XX lbs. (XX kg.)

Batch No.