

8378-54

4/9/2010

1 of 7



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

Mr. Robert F. Bischoff  
Agent for Knox Fertilizer Company, Inc  
C/O Total Turf Consulting LLC  
26 A. A Cooper Rd  
Meigs, GA 31765

APR 9 2010

Subject: Label Notification(s) for Pesticide Registration Notice 2007-1

Dear Registrant:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-1 dated March 23, 2010 for:

**EPA Registration 8378-54 Gro-Fine Bayleton Fungicide**

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-1 and finds that the label change(s) requested falls within the scope of PRN-2007-1. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Banza Djapao of my staff at 703-305-7269.

Sincerely,

A handwritten signature in black ink, appearing to be "Linda Arrington".

Linda Arrington  
Notifications & Minor Formulations Team Leader  
Registration Division (7505P)  
Office of Pesticide Programs

20f7



United States  
Environmental Protection Agency  
Washington, DC 20460

Registration  
 Amendment  
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 8378- 54	2. EPA Product Manager Tony Kish	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Gro-Fine Bayleton Fungicide	PM# 22	
5. Name and Address of Applicant (Include ZIP Code) Knox Fertilizer Company, Inc. P. O. Box 248 Knox, IN 46534 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. <u>N/A</u> Product Name <u>N/A</u>	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	<b>NOTIFICATION</b>  APR 9 - 2010
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of label change relative to PR Notice 2007-1. This notification is consistent with the guidance in PR Notice 2007-1 and the requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec.1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR Notice 2007-1 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:					
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input checked="" type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 10; 20; 30; 40; 50 lbs		5. Location of Label Directions <input checked="" type="checkbox"/> on label	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input checked="" type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)					
Name Robert F. Bischoff		Title Agent, TotalTurf Consulting LLC		Telephone No. (Include Area Code) (317) 873-0222	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment both under applicable law.					6. Date Application Received (Stamped)
2. Signature <i>Robert F. Bischoff</i>		3. Title Agent, TotalTurf Consulting LLC			
4. Typed Name Robert F. Bischoff		5. Date March 23, 2010			



4097

NOTIFICATION

APR 9 - 2010

# Gro-Fine Bayleton® Fungicide

Contains 0.5% Bayleton® Fungicide - For Systemic Control of Certain Diseases on Turf  
FOR CONTROL OF LAWN DISEASE ON BLUEGRASS, FESCUE, RYEGRASS, BERMUDAGRASS,  
ZOYSIAGRASS, ST. AUGUSTINEGRASS AND BENTGRASS.

For the prevention or cure of Dollar Spot, Copper Spot, Powdery Mildew, Red Thread, Rusts, Brown Patch, Anthracnose, Stripe Smut, Fusarium Blight, Summer Patch and Zoysia Patch.

**ACTIVE INGREDIENT:**

1-(4-chlorophenoxy)-3,3-dimethyl-1-(1H-1,2,4-triazol-1-yl)-2-butanone .....	0.50%
INERT INGREDIENTS .....	99.50%
<b>TOTAL</b>	<b>100.00%</b>

EPA Reg. NO. 8378-54

EPA Est. No. 8378-IN-1

Bayleton® Turf Fungicide is a registered trademark of Bayer Corp.  
Gro-Fine\* is a registered trademark of Knox Fertilizer Co., Inc.

## KEEP OUT OF REACH OF CHILDREN CAUTION

### FIRST AID

**IF SWALLOWED** - Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF IN EYES** - Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

**IF ON SKIN OR CLOTHING** - Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

**IF INHALED** - Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Have this product container or label with you when calling a poison control center or doctor, or when going for treatment.

See additional Precautionary Statements on this label.

### PRECAUTIONARY STATEMENTS

#### Hazard to Humans and Domestic Animals

**CAUTION:** Harmful if swallowed, inhaled or absorbed through the skin. Causes moderate eye irritation. Avoid breathing vapor, dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating or smoking. Wash contaminated clothing with soap and hot water before re-use.

**ENVIRONMENTAL HAZARDS**

Do not apply directly to water, or to intertidal areas below the mean high water mark. Do not contaminate water by disposal or equipment washwaters. Apply this product only as specified on this label. This chemical demonstrates the properties and characteristics associated with chemicals detected in ground water. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow may result in ground water contamination. Do not make applications when weather conditions favor drift from target areas.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes. Do not use on crops grown for food or forage.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE:** Store product in original bag in a dry, cool secured area. **PESTICIDE DISPOSAL: IF EMPTY:** Do not re-use empty bag. Place bag in trash or offer for recycling if available. **IF PARTLY FILLED:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain. **SPILL:** In case of spill, sweep up and use as per label instructions or dispose of as indicated above. **CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container, offer for recycling if available.

**APPLICATION**

Bayleton® is absorbed rapidly and works systemically from within the plant. Rainfall or sprinkler irrigation soon after application will assure rapid system uptake. Control will be less effective on turf suffering from drought stress. Therefore in order to achieve maximum control, turf should be maintained in a vigorously growing state through good cultural practices. Apply when the turf is fully established and actively growing. Apply Preventative Rates prior to appearance of disease and/or when damage from disease is anticipated. Apply Curative Rate when disease is first observed. Note: Apply the specified amount of Gro-Fine Fungicide with a standard granular applicator calibrated to uniformly apply recommended amount of product per 1,000 sq. ft. Make application when turf is dry and following the mowing operation. Do not mow until a minimum of  $\frac{1}{4}$  inch of water has been applied to the treated area.

Disease	Recommended Applications-Turfgrass Disease Control		Remarks
	How much to use per 1,000 sq. ft.		
	Preventative	Curative	
Dollar Spot ( <i>Sclerotinia homoeocarpa</i> )	3 lbs.	-	PREVENTATIVE RATE: Apply recommended rate on 30-day intervals. Protective activity of product may extend for as long as 60 days dependent upon environmental conditions.
	1.5 lbs.	-	PREVENTATIVE RATE: Apply recommended rate on 14-day intervals. Protective activity of product may extend for as long as 30 days dependent upon environmental conditions.
	-	6 lbs.	CURATIVE RATE: To control existing infections, apply the curative rate. Re-application should be no closer than 14 days. When infections have been controlled, subsequent applications should be applied on a preventative schedule and rate.

6097

<p>Copper Spot (<i>Gloeocercospora sorghi</i>) Powdery Mildew (<i>Epypishe graminis</i>) Corticium Red Thread (<i>Laetisara fuciformis</i>) Rusts (<i>Puccini</i> spp.) Brown Patch/<i>Rhizoctonia</i> Blight <i>Rhizoctonia (solani)</i> (suppression)</p>	<p>3 lbs.</p>	<p>6 lbs.</p>	<p>PREVENTATIVE RATE: Apply at 15 to 30 day intervals. When environmental conditions favor light to moderate disease development, use a linger interval. Protective activity of this product can be greater than 30 days depending on environmental conditions.</p> <p>CURATIVE RATE: To control existing infections, apply the curative rate. Re-application should be no closer than 14 days. When infections have been controlled, subsequent applications should be applied on a preventative schedule and rate.</p>
<p>Anthracnose (<i>Collectatrichum Graminicola</i>)</p>	<p>6 lbs.</p>	<p>-</p>	<p>PREVENTATIVE RATE: Apply at 30 day intervals and repeat as necessary for seasonal control. Dependent upon environmental conditions, residual control may be extended to 45 days.</p>
	<p>3 lbs.</p>	<p>-</p>	<p>PREVENTATIVE RATE: Apply at 30-day intervals and repeat as necessary for seasonal control. Dependent upon environmental conditions, residual control may be extended to 30 days.</p>
	<p>-</p>	<p>6 lbs.</p>	<p>CURATIVE RATE: To control existing infections, apply the curative rate. Re-application should be no closer than 14 days. When infections have been controlled, subsequent applications should be applied on a preventative schedule and rate.</p>
<p>Stripe Smut</p>	<p>6 lbs.</p>	<p>-</p>	<p>Make a single application in spring as grass growth begins.</p>
<p>Fusarium Blight (<i>Fusarium culmorum</i>) (<i>Fusarium poae</i>) Summer Patch (<i>Magnaporthe poae</i>) (Except California)</p>	<p>6 lbs.</p>	<p>-</p>	<p>Apply 1<sup>st</sup> applications in mid-June or 30 days prior to time this blight normally becomes evident. Application should be made on 30 day intervals.</p>
<p>Fusarium Blight (<i>Fusarium culmorum</i>) (<i>Fusarium poae</i>) Summer Patch (<i>Magnaporthe poae</i>) (California only)</p>	<p>6 to 12 lbs.</p>	<p>-</p>	<p>Apply 1<sup>st</sup> applications in mid-June or 30 days prior to time this blight becomes evident. Application should be made at the 6 lb. rate on the 15 day intervals or at the 12 lb. rate on the 30 day intervals.</p>
<p>Zoysia Patch "Large Patch" of Zoysia (<i>Rhizoctonia solani</i>)</p>	<p>6 to 12 lbs.</p>	<p>-</p>	<p>Make first application in early fall (mid-September to mid-October) prior to development of disease symptoms. A second application in early Spring may be necessary in areas where disease pressure is known to be heavy.</p>



