



## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Mr. Robert F. Bischoff Agent for Knox Fertilizer Company, Inc C/O Total Turf Consulting LLC 26 A. A Cooper Rd Meigs, GA 31765

APR 9 2010

Subject: Label Notification(s) for Pesticide Registration Notice 2007-1

Dear Registrant:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-1 dated March 23, 2010 for:

EPA Registration 8378-56 Shaw's Turf Food / Crabgrass Control Barricade 50

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-1 and finds that the label change(s) requested falls within the scope of PRN-2007-1. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Banza Djapao of my staff at 703-305-7269.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

Agency	<del></del>	egistrat Imendm Other	ent	
or Pesticide - Sec	tion I			
1	_		3. Pro	posed Classification
PM# 23				
(b)(i), my product to: EPA Reg. No.	is simila V/A			
Agency let "Me Too" Other - Exp  on Is consistent with the guid is have been made to the labully make any false statement	ter dated Application Italian beloe ance in P reling or to	w.  R Notice 200 ne confidenti I further und	AP  07-1 and to all statemore derstand to	ent of formula of this that if this notification is not
Section - III				
	T.	Time of C	onteiner	
Yes No No. per		<b>V</b>	Metal Plastic Glass Paper	pecify)
Container	5. Loca	1	l Directio	ns
	r	Oil label		······································
Section - IV			·	
individual to be contacted,	if neces	sary, to pro	cess this	application.)
ent, TotalTurf Consulting	ПС	1	<b>Felephon</b> (317) 873	ອ No. (ເຮີຍlude Area Code) -0222 ຶ
	2. EPA Product Man Kathryn Montagu PM# 23 6. Expedited Rev (b)(i), my product to: EPA Reg. No. Product Name Section - II  Final printe Agency let "Me Too" Other - Exp on is consistent with the guids have been made to the lab ally make any false statement of 40 CFR 156.10 and 40 Cl and 14 of FIFRA.  Section - III  Vater Soluble Packaging Yes V No "Yes" ackage wgt No. per container 25;30;36;40; 46; 50 lbs  onteiner 25;30;36;40; 46; 50 lbs  onteiner Container	For Pesticide - Section I  2. EPA Product Menager Kathryn Montague  PM# 23  6. Expedited Reveiw. In (b)(i), my product is similar to: EPA Reg. No. Product Name    Final printed labels in Agency letter dated "Me Too" Application of the Indian printed labeling or the Indian printe	Other  For Pesticide - Section I  2. EPA Product Manager Kathryn Montague  PM# 23  6. Expedited Reveiw. In accordant (b)(i), my product is similar or identicate. EPA Reg. No. Product Name    Final printed labels in repsonse Agency letter dated   "Me Too" Application.   Other - Explain below.   Other - Explain below.   Other - Section II.)   On is consistent with the guidance in PR Notice 200 is have been made to the labeling or the confidentially make any false statement to EPA. I further under 140 CFR 156.10 and 40 CFR 152.46, this product and 14 of FIFRA.   Section - III   Vater Soluble Packaging	Cor Pesticide - Section I  2. EPA Product Menager Kathryn Montague  PM# 23  6. Expedited Reveiw. In accordance with (b)(i), my product is similar or identical in corto: EPA Reg. No. Product Name    Final printed labels in repsonse to Agency letter dated   "Me Too" Application.   Other - Explain below.   Agency letter dated   Montage

3. Title

5. Date

Agent, TotalTurf Consulting LLC

March 23, 2010

EPA Form 8570-1 (Rev. 3-94) Previous editions are obsolete.

4. Typed Name

Robert F. Bischoff

White - EPA File Copy (original)

0000C

Yellow - Applicant Copy

# TotalTurf Consulting LLC 26 A. A. Cooper Rd. Meigs, GA 31765

March 23, 2010

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7505P)
U. S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Attn: Linda Arrington

Subject: Shaw's Turf Food/Crabgrass Control Barricade 50

EPA Reg. No. 8378-56

Notification per PR Notice 2007-1

Removal of Toll Free Number from the Disposal Instructions Section

As allowed by PR Notice 2007-1 (Section II.C.3.), the subject product label has been revised to show the removal of the statement "or 1-800-CLEANUP" from the Disposal Instructions Section. The revised label is being submitted by notification on behalf of Knox Fertilizer Company, P. O. Box 248, Knox, IN 46534 by TotalTurf Consulting LLC, an authorized agent for Knox Fertilizer Company.

The following documents are included in the subject submission:

Cover Letter

Application for Pesticide (EPA Form No. 8570-1)

One Copy of Highlighted Final Printed Label (Coded as 20100323.Final Label (PRN2007-1)) (Pages 1-4) One Copy of Highlighted Final Printed Supplemental Label (Coded as 20100323.Final Label (PRN2007-1) (Pages 5-10)

If there are any questions or additional information is needed concerning this submission, do not hesitate to contact me at (317) 873-0222 or Raymond B. Cooper at (843) 384-2807.

Sincerely,

Robert F. Bischoff

Agent

TotalTurf Consulting LLC 26 A. A. Cooper Road Meigs, GA 31765

Robert J. Bischoff

## Shaw's Turf Food/Crabgrass Control Barricade® 50

For Preemergence Control of Grass and Broadleaf Weeds in Established Turf Grasses. (excluding golf course putting greens) and Lawns - Also for Landscape Ornamentals Including Established Perennials and Wildflower Plantings. (See Supplemental Label). **ACTIVE INGREDIENT:** 

INERT INGREDIENTS: ..... TOTAL

## KEEP OUT OF REACH OF CHILDREN CAUTION

EPA REG. NO. 8378-56

EPA EST. NO. 8378-IN-1

See the following section, Precautionary Statements, Hazards to Humans and Domestic Animals, for additional information. Barricade® is a registered trademark of Syngenta

#### **GUARANTEED FERTILIZER ANALYSIS**

XX%

Total Nitrogen (N) Available Phosphoric Acid (P2O5) Soluble Potash (K2O)

XX% XX%

Ingredients: Ureaformaldehyde, Urea, Sulfur Coated Urea, Ammonium Phosphate, Muriate of Potash

### PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye injury (irritation). Harmful if inhaled or absorbed through the skin. Avoid contact with skin, eyes, or clothing, Avoid breathing dust. Wash thoroughly with soap and water after handling. Prolonged or frequently repeated skin contact while handling the material may cause allergic reactions in some individuals.

#### FIRST AID

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. No not give anything by mouth to an unconscious person.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing, Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center, or doctor, or going for treatment.

#### **ENVIRONMENTAL HAZARDS**

This product has low solubility in water. At the limit of solubility, this product is toxic to fish. However, at concentrations above the level of water solubility, it may be toxic to fish. Do not apply directly to water, to areas where surface water is present gift, in gertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic erguffishs in adjacent sites. Do e 0 not contaminate water when disposing of equipment washwaters.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container away from other fertilizer, feed, or foodstuffs and separated from other pesticides. PESTICIDE DISPOSAL: IF EMPTY: Do not reuse this bag. Place in trash or offer for recycling if available. IF PARTLY FILLED, Call your local solid waste against for all posal instancions. Never place unused product down any indoor or outcoordinain. If product is spilled, sweep up and use as per label instructions or dispose of as indicated above. <u>CONTAINER DISPOSAL</u>: Nonrefillative configurations. Do not reuse or refill this container, offer for recycling if available.

ceee



#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product is a turf fertilizer and a preemergence herbicide that provides residual control of many grass and broadleaf weeds in established turf grasses (excluding golf course putting greens), and lawns, landscape ornamentals, established perennials and wildflower plantings. It controls susceptible weeds by inhibiting weed seeds germination and root development. Most effective weed control will be obtained when it is activated by at least  $\frac{1}{2}$  inch of rainfall, irrigation, or shallow (1 to 2 inches) incorporation, prior to weed seed germination and within 14 days following application.

Not for use on plants being grown: (1) for sale or other commercial use: (2) for commercial seed production or: (3) for research. For use on plants intended for esthetic purposes or climatic modification and being grown in ornamental gardens, or parks, or on golf courses or lawns and grounds. Do not graze or feed livestock forage cut from areas treated with this product. Do not apply aerially. Do not apply to golf course putting greens. Failure to follow the directions for use and precautions on this label may result in poor weed control, crop injury, or illegal residues.

#### ESTABLISHED TURF

This product is a pre-emergence herbicide that, when properly applied, will control certain grass and broadleaf weeds in established turf grass and lawns. The maximum amount of material that may be applied per year is given for each turf grass species in the <u>Maximum Annual Rates</u> section of this label. Most effective weed control in turf grasses will be obtained when this product is activated by at least  $\frac{1}{2}$  inch of rainfall or irrigation prior to weed seed germination and within 14 days following application. See the map for approximate crabgrass seed germination dates.



January 1 to March 20

#### **USE PRECAUTIONS**

The following precautions apply to the use of this product in turf grasses and lawns: (1) Application of this product may thin emerged annual bluegrass and newly overseeded grasses. (2) Do not apply to overseeded turf within 60 days after seeding or until after the second mowing whichever is longer. Injury to desirable seedlings is likely if this product is applied before seedling secondary roots are in the second inch of soil, not thatch plus soil. (3) Do not (harvest) treated sod before 120 days after application. Do not apply to newly set sod until the following year. (4) Application to turf stressed by drought, low fertility, or pest damage may result in turf injury. (5) Disturbing the herbicide barrier with cultural practices such as disking may result in reduced weed control. (6) Do not apply this product to putting greens, or areas where dichondra, colonial bentgrass, velvet bentgrass or annual bluegrass (Poa annua) are desirable species.

#### Rates of Application

This product may be applied as a single application or in sequential applications to control weeds germinating throughout the year. All applications must be made prior to germination of the target weeds. This product will not control established weeds. Maximum use rate selection should be based on turf species. The length of time of residual weed control provided by this product is related to the rate applied.

#### Maximum Annual Rates

This product is recommended for use on the turf grass species listed in the following table. Do not exceed the maximum yearly rate as given in the following table:

Turf Species	Lbs. Product/Acre	Lbs. a.i./Acre	
Creeping Bentgrass	130 lbs.	0.65 lb. 000	
Creeping Red Fescue	150 lbs.	0.75 lb.	
Buffalograss	200 lbs.	1.00 lb. 0 0 0 0	
Kentucky Bluegrass	a	000000	
Perennial Ryegrass	n		
Bermudagrass	300 lbs.	େ <u>ୁ ପ୍ରେମ</u> lb. ୃ °ୃୃ	
Bahiagrass	u.		
Centipedegrass	•	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
Seashore Paspalum	u	6	
St. Augustinegrass	u.	, , , , , , , , , , , , , , , , , , ,	
Tall Fescue (including turf type)	u	ы оссос С	
Zoysia	ū	* ccco	

0000



5

(1) These are the maximum rates per calendar year by species limitations. (2) May be used on newly-sprigged or plugged Bermudagrass at rates not to exceed 104 lbs./A. Newly-sprigged or plugged Bermudagrass stolon rooting may be temporarily retarded. Suppression only of Foxtail, Goosegrass and Rescuegrass due to reduced product rates used in sprigging situations. Do not apply more than 300 lbs. of this product per calendar year. Use higher rates of product to achieve higher levels of fertility and longer periods of weed control for each turf type, but do not exceed the maximum application rates specified in the Maximum Annual Rates section.

#### WEEDS CONTROLLED

When used in accordance with this label this product will provide control of the following weeds:

Barnyardgrass Henbit Pursiane, common Bluegrass, Annual (Poa Annua) **Itchgrass** Pursley, Florida **Johnsongrass** Rescuegrass(3) Carpetweed Shepherd's Purse<sup>(2)</sup> Chickweed, Common Junglerice Knotweed Chickweed, Mauseear (from seed) Signalgrass, Broadleaf Crabgrass (large, smooth) Kochia Speedwell, Persian Lambsquarter, common Sprangletop Crowfoot grass Cupgrass, Wooly Lovegrass Spurae, Prostrate Panicum (Texas, Fall, Browntop) Witchgrass Foxtails, Annual Pigweed Goosegrass(1) Woodsorrel, Yellow

(from seed)

(1)In many areas a single application of 130 to 300 lbs/A will control goosegrass. However, under goosegrass pressure and/or on extended growing season, most effective weed control may be obtained by making an initial application of 130 to 200 lbs./A followed after 60 to 90 days by a second application at doses that would not exceed those given in the <u>Maximum Annual Rates section</u>. Do not exceed the maximum rate for turf grass species listed in the <u>Maximum Annual Rates section</u>. (2) Application for this weed should be made in late summer, fall, or winter prior to germination. (3) Suppression Only. Sequential application may be made as long as the total amount of product applied does not exceed the maximum annual application rates recommended for each turf species. All applications must be made prior to germination of the weed seeds.

#### WHEN TO APPLY AFTER OVERSEEDING TURF

Do not apply to overseeded turf within 60 days after seeding or until after the second mowing, whichever is longer. Injury to desirable seedlings is likely if this product is applied before seedling secondary roots are in the second inch of soil, not thatch plus soil.

#### WHEN TO OVERSEED AFTER APPLICATION

This product will inhibit the germination of turf species if overseeded to soon after application. Follow rates and intervals in the table below for best overseeding/reseeding results.

Product rate lb	Product rate lbs./Acre		te Ibs./Acre Months Before Overseeding		
Product	a.i./A	North	Transition	South	
100	0.50	4	4	4	
130	0.65	5	4	4	
150	0.75	6	5	5	
160	0.80	-	6	6	
200	1.00	-	7	7	
228	1.14	-	-	9	
260	1.30	-	-	10	
300	1,50	-	-	12	
		L			

#### **Applications Directions**

Apply uniformly with suitable, calibrated application equipment.

#### Spreader Recommendations

Spreader settings for 1000 sq. ft.	130 lbs. Product/A	150 lbs. Product/A	200 lbs. Product/A	300 lbs. Product/A
Scott's Evergreen 18"	XX	XX	XX coc	ο ο ο ο ο ο ο ο ο ο ο ο ο ο ο ο ο ο ο
Scott's Speedy Brdct.	XX	XX	XX 6	XX <sup>o</sup>
Red Devil Broadcast	XX	XX	XX	° XX°
Republic EZ Drop 18"	XX	XX	XX	° xx°°
Republic EZ Broadcast	XX	XX	XX	oo cXXcoo

Calibrate your spreader according to the manufacturer's directions. Initial spreader setting may require adjustment to deliver the recommended Application rate under actual application conditions. Apply this product uniformly over the area to be treated a vivid

0 000





streaking, skips and overlaps during application. Calibration of spreader may be needed if conditions of area to be treated changes and rate or speed of application are changed.

NOTICE: Buyer and user assume all risk and liability of use, storage and/or handling of this product not in accordance with the terms of this label. If these terms are not acceptable, return unopened package at once to the seller for a full refund of purchase price paid.

\*FOR USE ON LANDSCAPE ORNAMENTALS

(including Established Perennials and Wildflower Plantings). This product may be applied for residual preemergence weed control in ornamental plantings.

FOR COMPLETE DETAILS AND DIRECTIONS FOR USE ON ORNAMENTAL PLANTS REFER TO THE SUPPLEMENTAL LABEL FOR USE OF THIS PRODUCT ON LANDSCAPE ORNAMENTALS.

NET WEIGHT XX LBS.
KNOX FERTILIZER COMPANY, INC.
P.O. BOX 248
KNOX, IN 46534

Batch No.