

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Mr. Robert F. Bishoff
Agent for Knox Fertilizer Company, Inc
C/O Total Turf Consulting LLC
26 A. A Cooper Rd
Meigs, GA 31765

DEC 2 2 2008

Subject: Label Notification(s) for Pesticide Registration Notice 2007-4

Dear Registrant:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated October 14, 2008 for:

EPA Registration 8378-60 Shaw's Granular Insect Control 10

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Banza Djapao of my staff at 703-305-7269.

Sincerely,

7 1 1 A 1 .

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

Please read instructions on	<u>I reverse befor</u> e comple	ting form.	<u> </u>		Form Apr	orgved	. OMB	No. 20	70-0060). Approva	/ 6 Lexpires 2-28	-9	
	Ų	United States				Registr		strat	ion	OPP Identifier Number			
⇒EPA	Environmenta Washi	I Protection of the Protection		ncy			Ame Othe	endm	ent				
		Application	n for l	Paeticio	le - Sect	tion		31		<u> </u>			
1. Company/Product Numb		Application	711 101 1	 			•		3 Pr/	Posed Cles	eification		
8378-60			2. EPA Product Manager George LaRocca						3. Proposed Classification				
4. Company/Product (Name) Shaw's Granular Insect Control 10			PM# 13							None	Nestricte	Œ	
5. Name and Address of A	pplicant (Include ZIP Co	de)		6. Expe	dited Rev	eiw.	In acc	cordano	e with	FIFRA Sec	tion 3(c)(3)		
Knox Fertilizer Company, Inc.			(b)(i), my product is similar or identical MCTIP Circle labeling										
P. O. Box 248			\\\(\text{to:}\) \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\										
Knox, IN 46534						N/A			OE.	C 22 20	18		
Check if th	is is a new address			Produc	t Name	V/A	· · · · · · · · · · · · · · · · · · ·					_	
			Sec	tion - I					٠				
Amendment - Expla	in below.				Final printed	d label	ls in rep	sonse 1	:o				
Resubmission in response to Agency letter dated					Agency lette "Me Too" A			-					
				_		•							
Notification - Explain below.					Other - Expl	lain be	elow.						
Explanation: Use addition	onal page(s) if necessar	γ. (For section	ı I and Se	ction II.)									
Notification of label change	per PR Notice 2007-4.	This notification	is consiste	ent with the	guidance in	PR N	otice 20	07-4 an	d the req	uirements o	f EPA's		
regulations at 40 CFR Parts	s 156.10, 156.140, 156.1	44, 156.146, ar	d 156.156	. No other	changes hav	ve bee	n made	to the k	abeling o	r the Confid	ential Stateme	nt	
of Formula for this product. amended label is not consist	י a understand that it is a י stent with the requiremen	violation of 18 t its of 40 CFR P	J.S.C. sec arts 156.10	.1001 to Wi	156.144 15	any tais 36 146	se state and 15	ment to	EPA. TII his produ	unther under uct mat be in	stand that if the	е	
FIFRA and I may be subject							,						
			Sect	ion - II	<u> </u>							-	
1. Material This Product W	ill Be Peckaged In:												
Child-Resistant Packaging	Unit Packaging		Water Soluble Packaging 2. Type of					pe of C	f Container				
Yes								Metal					
✓ No ✓ No			✓ No						/ Plastic Glass				
* Certification must If "Yes" Unit Packaging wgt.		No. per container	If "Yes	No. per	No. per container			Paper Other (Specify)					
be submitted	Onit Fackaging wgt.		rackas	o wyt)		-		Other (2	pacity/		_	
3. Location of Net Contents	s Information	4. Size(s) Ret	ail Contai	ner	1	5. Lo	cation	of Label	Directio	กร		_	
✓ Label Container			50 lbs On La					Label	bel				
6. Manner in Which Label is Affixed to Product			graph Other										
*	· · · · · · · · · · · · · · · · · · ·	Paper Stenci		1	· •					·			
	<u> </u>			ion - IV									
1. Contact Point Complete	e items directly below f	or identificatio		duel to be	contacted,	if nec	essary,						
Name Robert F. Bischoff			Title	otalTurf (Consulting L	10		ı	elephone 317) 873		de Area Code)	1	
	<u> </u>										C	_	
Certify that the state	ements i have made on	Certifica this form and		ments the	reto ara trus	. ACCI	ırate ar	nd comm	lete.	6. Deto An Receive	-		
	ny knowlinglly false or							nment d		្តែនេះ	(riped)		
2. Signature			3. Title	· · · · · · · · · · · · · · · · · · ·						ι.	,		
Robert F. Brochoff			Agent, TotalTurf Consulting LLC				,	. (.(e' 6 % 1 (
4. Typed Name	. 16		5. Date	· · · · · · · · · · · · · · · · · · ·						(()		

Robert F. Bischoff

October 14, 2008

TotalTurf Consulting LLC 26 A. A. Cooper Rd. Meigs, GA 31765

Direct: 843-384-2807 Fax: 229-683-3426 E-Mail: rbcooper@juno.com

October 14, 2008

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U. S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Attn: George LaRocca

Subject: Shaw's® Granular Insect Control 10

EPA Reg. No. 8378-60

Notification to Comply with PR Notice 2007-4

Dear Mr. LaRocca:

In response to PR Notice 2007-4 concerning container reuse and related container label statements for pesticide products, labeling for the subject product has been revised to comply with this Notice. The revised label is being submitted by notification on behalf of Knox Fertilizer Company, P. O. Box 248, Knox, IN 46534 by TotalTurf Consulting LLC, an authorized agent for Knox Fertilizer Company.

The following documents are included in the subject submission:

Cover Letter

Application for Pesticide (EPA Form No. 8570-1)

One Copy of Highlighted Final Printed Label (Coded as 20081014.Final Label)

If there are any questions or additional information is needed concerning this submission, do not hesitate to contact me at (317) 873-0222 or Raymond B. Cooper at (843) 384-2807.

Sincerely,
Robert A. Beschoff

Robert F. Bischoff

Agent

TotalTurf Consulting LLC

26 A. A. Cooper Road

Meigs, GA 31765

20081014.Final Label

Shaw's® Granular Insect Control 10

FOR LAWN AND HOME INVADING PESTS

- Kills Insects in Lawns.
- Lawn & Garden Insect Control
- Treats up to 5,000 10,000 15,000 sq. ft.
- Controls Home Invading Pests.
- 10 pounds treats up to 5,000 sq. ft.
- For Grass & Dichondra Lawns
- For Outdoor Use on Home Lawns.
- Contains DeltaGard* Insecticide.
- Ready-To-Use
- Kills: Ants, Armyworms (inc. Fall, Yellow-striped, etc.), Bear Tick,
 Bermudagrass Mites, Billbugs (adult), Black Legged Tick, Boxelder bugs,
 Brown Dog Ticks, Centipedes, Chiggers, Chinch Bugs, Clover Mites,
 Cockroaches, Crickets, Cutworms, Darkling Ground Beetles, Digger
 Wasps, Essex Skipper, Field Crickets, Fiery Skipper, Fire Ants, Flea
 Beetle (in Dichondra), Grasshoppers, Hyperodes (Turfgrass Weevil),
 Japanese Beetle (adult), Lawn Moths, Leafhoppers, Lone Star Tick,
 Silverfish & Firebrats, Sod Webworms, Sowbugs, Spiders, Spittlebugs,
 Springtails, Ticks, Vegetable Weevils (in Dichondra), Western Black
 Legged Tick (Ixodes pacificus), Adult Mealybugs, Deer Tick (Ixodes
 dammini).
- Provides contact & residual control for up to 4 weeks.
- Soluble Granule
- Complete release of active ingredient.
- · For outdoor use in ornamental plant beds.
- Kills Ticks (including ticks that carry Lyme disease)

ACTIVE INGREDIENT:

 Deltamethrin:
 0.1%

 OTHER INGREDIENTS:
 99.9%

 100.00%

EPA REG. NO. 8378-60

EPA EST. NO. 8378-IN-1

NOTIFICATION

DEC 2 2 2008

Shaw's $\!\!\!\!\!^{\otimes}$ is a registered trademark of Knox Fertilizer Company, Inc.

KEEP OUT OF REACH OF CHILDREN CAUTION FIRST AID

IF SWALLOWED: Call a physician or Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice. Have this product container or label with you when calling a poison control center, or doctor, or when, going for treatment.

liPRECAUCION AL USARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicado ampliamente. (TO THE USER: If you cannot read Engsh, do not use this product until the labe! has been fully explained to you.)

See Back Panel for Additional Precautions

In case of Medical emergencies or health and safety inquiries, or in case of fire, leaking, or damaged containers, information may be obtained by calling 1-800-334-7577.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS and DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic invertebrates (crab, shrimp, etc.). Do not apply directly to water. Use with care when applying in areas adjacent to any body of water. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Not for use in commercial greenhouses, nurseries, on sod farms or grass grown for seed.

- Determine size of area to be treated measure and multiply length times width.
- 2. Determine appropriate spreader setting using chart.
- Treat as directed thorough coverage is important. Water in thoroughly with a half inch of water. This product is extremely toxic to fish. Use with care when applying in areas adjacent to any body of water or coastal marsh. Do not apply on saturated soil. Do not allow runoff to occur. Do not contaminate ornamental fish ponds.
- 4. Food utensils such as spoons and measuring cups must not be used for food purposes after use in measuring pesticides. Do not allow children or pets on treated areas until granules have been watered into the soil and grass or soil is dry.
- To avoid potential marking or discoloration of concrete surfaces (patios, sidewalks, driveways, pavers, or similar material), it is recommended that granules applied to these surfaces be removed.

In the State of New York, this product may not be applied to lawns that directly border coastal marshes. For control of turf insects other than ticks in New York State, a second application may be made after two weeks if target insect activity persists.

STORAGE AND DISPOSAL

Do not contaminate water, foodstuffs, feed, or seed by storage or disposal. <u>PESTICIDE STORAGE</u>: Store this product in its original container in a dry, cool, secured storage area.

PESTICIDE DISPOSAL: Nonréfillable container Do not reuse or réfill this container offer for recycling if available

As a responsible environmental practice, where possible, it is recommended that all of the content of the bag be used, carefully following label directions and precautions.

<u>IF EMPTY:</u> Do not reuse the bag. Place in trash or offer for recycling if available.

<u>IF PARTLY FILLED:</u> Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

<u>SPTLL:</u> In case of spill, sweep up and dispose of material according to Festicide Disposal directions listed above.

OVERALL LAWN TREATMENT FOR GRASS AND DICHONDRA LAWNS TO CONTROL: Ants, Armyworms, (including Fall, Yellow-Striped, etc.), Bermudagrass Mites, Billbugs (adult), Boxelder Bugs, Centipedes, Chiggers, Chinch Bugs, Clover Mites, Cockroaches, Crickets, Cutworms, Darkling Ground Beetles, Digger Wasps, Essex Skipper, Field Crickets, Fizry, Skipper, Fire Ants, Flea Beetle (in dichondra), Grasshopper, Hyperc des (Turfgrass Weevil), Japanese Beetle (adult), Lawn Moths, Leafhoppers, Adult Mealybugs, Silverfish & Firebrats, Sod Webworms, Sowbugs, Spiders, Spittlebugs, Springtails, Vegetable Weevils (in dichondra).

20081014.Final Label

Apply this product uniformly to home lawns, under shrubbery and to other ornamental recreational turf grass areas. Treat when insects first appear using granules at the rate of 2 to 3 pounds per 1,000 sq. ft. or, for heavy lawns such as St. Augustine grass, 3 pounds per 1,000 sq. ft. using a fertilizer spreader. See <u>Spreader Settings Chart</u>. To help obtain uniform distribution, apply one-half required amount of product in one direction, then apply the balance at a right angle. Immediately after application, water the lawn thoroughly with a half inch of water. Treat not more than once a week during the growing season.

CHINCH BUGS: Start treatments when temperatures reach 80°F or above. A second application may be necessary in 6 weeks if insect activity continues. TICK CONTROL (OUTDOORS) In summer months, ticks frequently become established in lawns and pet resting areas surrounding the home. For best control of Ticks (including but not limited to Bear Tick, Black-legged Tick, Brown Dog Tick, Deer Tick, Lone Star Tick, Western Black-Legged Tick, Wood Tick); a regular treatment program should be followed. Treat once a month as directed above when pests first appear in late spring (May-June) and continue until late summer (September-October). Fall temperatures below 50°F decrease pest activity. Eliminating weeds around the home and mowing lawns frequently reduces the hiding places for these pests. NOTE: Dogs, cats, their kennel or bedding area should also be treated with a registered product. In addition, if ticks are indoors on carpets or pet resting areas, use a registered product, ideally in combination with an Insect Growth Regulator. It is very important that all three sites - outdoors, indoors and also the pet be treated with appropriate labeled products to achieve satisfactory control. If any of these areas are not treated, it could serve as a source of reinfestation to the entire premises.

SOB WEBWORMS (CRAMBUS SPP) Sod Webworms are the light brown caterpillars $\frac{1}{4}$ to $\frac{3}{4}$ inches long that hide in the grass during the day and feed on the grass blades at night. Adult Webworms, usually referred to as Lawn Moths (about 1 inch in length with long snout) emerge from the grass at dusk. They fly over the lawn laying eggs that later hatch into destructive caterpillars. Damage appears first as small brown spots which, if not treated, may rapidly develop into large brown areas of severely damaged or dead grass. If Lawn Moths (Sod Webworm Adults) are noticed in large numbers at dusk, or at first sign of damage to lawn, treat entire lawn evenly by following Overall Lawn Treatment directions.

BAND (PERIMETER) TREATMENT AROUND HOUSE FOUNDATION To help prevent infestation of buildings by Ants, Boxelder Bugs, Brown Dog Ticks, Centipedes, Clover Mites, Cockroaches, Crickets, Field Crickets, Sowbugs, Spiders, Springtails(Collembola), and Ticks; treat a band 5 to 10 feet wide around and adjacent to the building where pests are active and may find entrance. Treat at a rate of 1 to $1\frac{1}{2}$ pounds per 500 sq. ft or 2 to 3 lbs. per 1,000 sq. ft.

FLOWER, SHRUB AND ORNAMENTAL PLANT BEDS

To control Ants, Fire Ants, Cockroaches, Crickets, Cutworms, Sowbugs, Pillbugs, Grasshoppers, Armyworms, Brown Dog Ticks and Springtails apply granules evenly over soil within the beds and under shrubbery. Use the same dosage recommended for control of these pests in lawns. Water thoroughly with $\frac{1}{2}$ inch of water.

SPOT TREATMENT

ANTS NESTING OUTDOORS: This product may be used outdoors for the control of ants, including: Acrobat, Argentine, Big Headed, Cornfield, Field, Harvester, Leafcutter, Little Black, Pavement and Pyramid Ants. If possible, it is best to try to locate nest and treat this first. Nests will usually be found in the ground but may be concealed under stones, boards, slabs or in stumps or logs. Product should be applied to thoroughly cover the nest (1 to 2 teaspoons) and sprinkled gently with sufficient water to dissolve granules. In addition to treating ant nests or mounds, entry points of buildings (used by ants) and the soil surface along the perimeter of the building should be treated.

DIGGER WASPS: Apply 1 to 2 teaspoons of granules in and around each individual ground nest opening. Make the application at dusk when the wasps are not active.

IMPORTED FIRE ANTS: Apply two tablespoons over each 8" to 10" diameter mound and up to 2 feet around to prevent escape of the Queen. Immediately after application, water the granules into the soil gently with a light sprinkling to avoid disturbing the colony. Use at least 1 gallon of water per mound, but no more than 2 gallons. Use of high pressure watering equipment may disturb the colony and cause migration of the ants, thus reducing the effectiveness of the treatment. For maximum effectiveness, apply in cool weather (65 - 80°F), or in early morning or late evening for best results. Treat new mounds as they appear.

SPREADER SETTINGS

Note: Spreader settings are approximate and variation can occur between identical models. User should calibrate spreader by accurately weighing a few pounds into your spreader and applying to a measured area. Then adjust spreader setting if necessary to assure correct rate of application.

SPREADER SETTINGS CHART

Spreader Make	Setting to Deliver lbs/1,000 sq.ft.					
	2	3				
Scotts Drop Spreaders	Х	Х				
Republic EZ Drop	X	X				
Cyclone Model B1 Rotary	Х	X				
Sears Craftsman Broadcast	Х	X				

READ ENTIRE LABEL BEFORE USING

Read the entire Directions for Use, Conditions, Disclaimer of Warranties, and Limitations of Liability before using this product. If the terms are not acceptable, return the unopened container at once. By using this product, user and buyer accept the following Conditions, Disclaimer of Warranties and Limitations of Liability,

<u>CONDITIONS</u>: The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Knox Fertilizer Company, Inc. All such risks shall be assumed by the user or buyer. <u>Disclaimer of Warranties</u>: There are no warranties express or implied, of merchantability or of fitness for a particular purpose or otherwise, which extend beyond the statements made on this label. No agent of Knox Fertilizer Company, Inc. is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. Knox Fertilizer Company, Inc. disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

<u>LIMITATIONS OF WARRANTIES</u>: The exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price, or at Knox Fertilizer Company, Inc. option the replacement of the product.

[OPTIONAL FRONT PANEL WORDING CONTINUED:]

- [GUARANTEED TO WORK OR MONEY BACK]
- [QUICK KILL OF FIRE ANTS]
- [QUICK KILL OF STINGING ANTS]
- [KILLS FIRE ANTS ON CONTACT]
- [10 LB. TREATS UP TO 150 FIRE ANT MOUNDS]
- [5 LB. TREATS UP TO 75 FIRE ANT MOUNDS]
- [25 LB. TREATS UP TO 375 FIRE ANT MOUNDS]
- KILLS FIRE ANT WORKERSKILLS FIRE ANT QUEENS
- AIDS IN CONTROL OF MOLE CRICKETS
- KILLS INSECTS QUICKLY
- EXCELLENT VALUE FOR THE MONEY
- GUARANTEED CONTROL OF LAWN & HOME INVADING INSECTS, OR YOUR MONEY BACK
- KILLS ON CONTACT
- LONG-LASTING RESIDUAL ACTION
- EASY & QUICK TO APPLY WITH A DROP OR BROADCAST SPREADER

20081014.Final Label

- LONG-LASTING INSECT CONTROL
- BRACKETS "[]" DENOTES OPTIONAL WORDING.

Distributed by: Knox Fertilizer Company, Inc. PO Box 248 Knox, Indiana 46534

Net Weight 10 lbs. (4.54 kg.)



NOTIFICATION

DEC 2 2 2008