

8378-60

04-15-2010

1/6



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Mr. Robert F. Bischoff
Knox Fertilizer Company, Inc.
P.O. Box 248
Knox, IN 46534

APR 15 2010

Subject: Label Notification(s) for Pesticide Registration 2007-4

Dear Mr. Bischoff:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated for March 23, 2010

EPA Registration Number: 8378-60 Shaw's Granular Insect Control 10

The Registration Division (RD) has conducted a review of this request for applicability Under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on non-refillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact Melody Banks on 703 305-5413.

Sincerely,

A handwritten signature in black ink, appearing to read "Richard Gebken".

Richard Gebken
Product Manager
Insecticide Branch
Registration Division (7504P)



United States
Environmental Protection Agency
 Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 8378- 60	2. EPA Product Manager Richard Gebken	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Shaw's Granular Insect Control 10	PM# 10	
5. Name and Address of Applicant (Include ZIP Code) Knox Fertilizer Company, Inc. P. O. Box 248 Knox, IN 46534 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. <u>N/A</u> Product Name <u>N/A</u>	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	NOTIFICATION APR 15 2010
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
 Notification of label change relative to PR Notice 2007-1. This notification is consistent with the guidance in PR Notice 2007-1 and the requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec.1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR Notice 2007-1 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
* Certification must be submitted	If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt No. per container		<input checked="" type="checkbox"/> Glass	<input type="checkbox"/> Paper
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 10; 50 lbs	5. Location of Label Directions <input checked="" type="checkbox"/> on label		
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph Paper glued Stenciled			<input checked="" type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Robert F. Bischoff	Title Agent, TotalTurf Consulting LLC	Telephone No. (Include Area Code) (317) 873-0222
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Agent, TotalTurf Consulting LLC	
4. Typed Name Robert F. Bischoff	5. Date March 23, 2010	

3/6

TotalTurf Consulting LLC
26 A. A. Cooper Rd.
Meigs, GA 31765

Direct: 843-384-2807
Fax: 229-683-3426

E-Mail: rbcooper@juno.com

March 23, 2010

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7505P)
U. S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Attn: Linda Arrington

Subject: Shaw's Granular Insect Control 10
EPA Reg. No. 8378-60
Notification per PR Notice 2007-1
Removal of Toll Free Number from the Disposal Instructions Section


As allowed by PR Notice 2007-1 (Section II.C.3.), the subject product label has been revised to show the removal of the statement "or 1-800-CLEANUP" from the Disposal Instructions Section. The revised label is being submitted by notification on behalf of Knox Fertilizer Company, P. O. Box 248, Knox, IN 46534 by TotalTurf Consulting LLC, an authorized agent for Knox Fertilizer Company.

The following documents are included in the subject submission:


- Cover Letter
- Application for Pesticide (EPA Form No. 8570-1)
- One Copy of Highlighted Final Printed Label (Coded as 20100323.Final Label (PRN2007-1))

If there are any questions or additional information is needed concerning this submission, do not hesitate to contact me at (317) 873-0222 or Raymond B. Cooper at (843) 384-2807.

Sincerely,



Robert F. Bischoff
Agent
TotalTurf Consulting LLC
26 A. A. Cooper Road
Meigs, GA 31765



APR - 6 2010

Shaw's® Granular Insect Control 10

FOR LAWN AND HOME INVADING PESTS

- Kills Insects in Lawns.
- Lawn & Garden Insect Control
- Treats up to 5,000 10,000 15,000 sq. ft.
- Controls Home Invading Pests.
- 10 pounds treats up to 5,000 sq. ft.
- For Grass & Dichondra Lawns
- For Outdoor Use on Home Lawns.
- Contains DeltaGard® Insecticide.
- Ready-To-Use
- Kills: Ants, Armyworms (inc. Fall, Yellow-striped, etc.), Bear Tick, Bermudagrass Mites, Billbugs (adult), Black Legged Tick, Boxelder bugs, Brown Dog Ticks, Centipedes, Chiggers, Chinch Bugs, Clover Mites, Cockroaches, Crickets, Cutworms, Darkling Ground Beetles, Digger Wasps, Essex Skipper, Field Crickets, Fiery Skipper, Fire Ants, Flea Beetle (in Dichondra), Grasshoppers, Hyperodes (Turfgrass Weevil), Japanese Beetle (adult), Lawn Moths, Leafhoppers, Lone Star Tick, Silverfish & Firebrats, Sod Webworms, Sowbugs, Spiders, Spittlebugs, Springtails, Ticks, Vegetable Weevils (in Dichondra), Western Black Legged Tick (*Ixodes pacificus*), Adult Mealybugs, Deer Tick (*Ixodes dammini*).
- Provides contact & residual control for up to 4 weeks.
- Soluble Granule
- Complete release of active ingredient.
- For outdoor use in ornamental plant beds.
- Kills Ticks (including ticks that carry Lyme disease)

NOTIFICATION

APR 15 2010

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS and DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic invertebrates (crab, shrimp, etc.). Use with care when applying in areas adjacent to any body of water. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Not for use in commercial greenhouses, nurseries, on sod farms or grass grown for seed.

Apply this product directly to the lawn or garden area. Water treated area as directed on this label. Do not water to the point of run-off. Do not make applications during rain. Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

ACTIVE INGREDIENT:

Deltamethrin:	0.1%
OTHER INGREDIENTS:	99.9%
	100.00%

EPA REG. NO. 8378-60

EPA EST. NO. 8378-IN-1

Shaw's® is a registered trademark of Knox Fertilizer Company, Inc.

1. Determine size of area to be treated - measure and multiply length times width.
2. Determine appropriate spreader setting using chart.
3. Treat as directed - thorough coverage is important. Water in thoroughly with a half inch of water. This product is extremely toxic to fish. Use with care when applying in areas adjacent to any body of water or coastal marsh. Do not apply on saturated soil. Do not allow runoff to occur. Do not contaminate ornamental fish ponds.
4. Food utensils such as spoons and measuring cups must not be used for food purposes after use in measuring pesticides. Do not allow children or pets on treated areas until granules have been watered into the soil and grass or soil is dry.
5. To avoid potential marking or discoloration of concrete surfaces (patios, sidewalks, driveways, pavers, or similar material), it is recommended that granules applied to these surfaces be removed.

In the State of New York, this product may not be applied to lawns that directly border coastal marshes. For control of turf insects other than ticks in New York State, a second application may be made after two weeks if target insect activity persists.

KEEP OUT OF REACH OF CHILDREN CAUTION FIRST AID

IF SWALLOWED: Call a physician or Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice. **Have this product container or label with you when calling a poison control center, or doctor, or when going for treatment.**

PRECAUCION AL USARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicado ampliamente. (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

See Back Panel for Additional Precautions

In case of Medical emergencies or health and safety inquiries, or in case of fire, leaking, or damaged containers, information may be obtained by calling 1-800-334-7577.

STORAGE AND DISPOSAL

Do not contaminate water, foodstuffs, feed, or seed by storage or disposal. **PESTICIDE STORAGE:** Store this product in its original container in a dry, cool, secured storage area.

PESTICIDE DISPOSAL: As a responsible environmental practice, where possible, it is recommended that all of the contents of the bag be used, carefully following label directions and precautions.

IF EMPTY: Do not reuse the bag. Place in trash or offer for recycling if available.

IF PARTLY FILLED: Call your local solid waste agency for disposal instructions.

SPILL: In case of spill, sweep up and dispose of material according to Pesticide Disposal directions listed above.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container, offer for recycling if available.

OVERALL LAWN TREATMENT FOR GRASS AND DICHONDRA LAWNS TO CONTROL: Ants, Armyworms, (including Fall, Yellow-Striped, etc.), Bermudagrass Mites, Billbugs (adult), Boxelder Bugs, Centipedes, Chiggers, Chinch Bugs, Clover Mites, Cockroaches, Crickets, Cutworms, Darkling Ground Beetles, Digger Wasps, Essex Skipper, Field Crickets, Fiery Skipper, Fire Ants, Flea Beetle (in dichondra), Grasshopper, Hyperodes (Turfgrass Weevil), Japanese Beetle (adult), Lawn Moths, Leafhoppers, Adult Mealybugs, Silverfish & Firebrats, Sod Webworms, Sowbugs, Spiders, Spittlebugs, Springtails, Vegetable Weevils (in dichondra).

Apply this product uniformly to home lawns, under shrubbery and to other ornamental recreational turf grass areas. Treat when insects first appear using granules at the rate of 2 to 3 pounds per 1,000 sq. ft. or, for heavy lawns such as St. Augustine grass, 3 pounds per 1,000 sq. ft. using a fertilizer spreader. See Spreader Settings Chart. To help obtain uniform distribution, apply one-half required amount of product in one direction, then apply the balance at a right angle. Immediately after application, water the lawn thoroughly with a half inch of water. Treat not more than once a week during the growing season.

CHINCH BUGS: Start treatments when temperatures reach 80°F or above. A second application may be necessary in 6 weeks if insect activity continues.

TICK CONTROL (OUTDOORS) In summer months, ticks frequently become established in lawns and pet resting areas surrounding the home. For best control of Ticks (including but not limited to Bear Tick, Black-legged Tick, Brown Dog Tick, Deer Tick, Lone Star Tick, Western Black-Legged Tick, Wood Tick); a regular treatment program should be followed. Treat once a month as directed above when pests first appear in late spring (May-June) and continue until late summer (September-October). Fall temperatures below 50°F decrease pest activity. Eliminating weeds around the home and mowing lawns frequently reduces the hiding places for these pests.

NOTE: Dogs, cats, their kennel or bedding area should also be treated with a registered product. In addition, if ticks are indoors on carpets or pet resting areas, use a registered product, ideally in combination with an Insect Growth Regulator. It is very important that all three sites - outdoors, indoors and also the pet be treated with appropriate labeled products to achieve satisfactory control. If any of these areas are not treated, it could serve as a source of reinfestation to the entire premises.

SOB WEBWORMS (CRAMBUS SPP) Sod Webworms are the light brown caterpillars $\frac{1}{2}$ to $\frac{3}{4}$ inches long, that hide in the grass during the day and feed on the grass blades at night. Adult Webworms, usually referred to as Lawn Moths (about 1 inch in length with long snout) emerge from the grass at dusk. They fly over the lawn laying eggs that later hatch into destructive caterpillars. Damage appears first as small brown spots which, if not treated, may rapidly develop into large brown areas of severely damaged or dead grass. If Lawn Moths (Sod Webworm Adults) are noticed in large numbers at dusk, or at first sign of damage to lawn, treat entire lawn evenly by following Overall Lawn Treatment directions.

BAND (PERIMETER) TREATMENT AROUND HOUSE FOUNDATION

To help prevent infestation of buildings by Ants, Boxelder Bugs, Brown Dog Ticks, Centipedes, Clover Mites, Cockroaches, Crickets, Field Crickets, Sowbugs, Spiders, Springtails(Collembola), and Ticks; treat a band 5 to 10 feet wide around and adjacent to the building where pests are active and may find entrance. Treat at a rate of 1 to 1 $\frac{1}{2}$ pounds per 500 sq. ft. or 2 to 3 lbs. per 1,000 sq. ft.

FLOWER, SHRUB AND ORNAMENTAL PLANT BEDS

To control Ants, Fire Ants, Cockroaches, Crickets, Cutworms, Sowbugs, Pillbugs, Grasshoppers, Armyworms, Brown Dog Ticks and Springtails apply granules evenly over soil within the beds and under shrubbery. Use the same dosage recommended for control of these pests in lawns. Water thoroughly with $\frac{1}{2}$ inch of water.

SPOT TREATMENT

ANTS NESTING OUTDOORS: This product may be used outdoors for the control of ants, including: Acrobat, Argentine, Big Headed, Cornfield, Field, Harvester, Leafcutter, Little Black, Pavement and Pyramid Ants. If possible, it is best to try to locate nest and treat this first. Nests will usually be found in the ground but may be concealed under stones, boards, slabs or in stumps or logs. Product should be applied to thoroughly cover the nest (1 to 2 teaspoons) and sprinkled gently with sufficient water to dissolve granules. In addition to treating ant nests or mounds, entry points of buildings (used by ants) and the soil surface along the perimeter of the building should be treated.

DIGGER WASPS: Apply 1 to 2 teaspoons of granules in and around each individual ground nest opening. Make the application at dusk when the wasps are not active.

IMPORTED FIRE ANTS: Apply two tablespoons over each 8" to 10" diameter mound and up to 2 feet around to prevent escape of the Queen. Immediately after application, water the granules into the soil gently with a light sprinkling to avoid disturbing the colony. Use at least 1 gallon of water per mound, but no more than 2 gallons. Use of high pressure watering equipment may disturb the colony and cause migration of the ants, thus reducing the effectiveness of the treatment. For maximum effectiveness, apply in cool weather (65 - 80°F), or in early morning or late evening for best results. Treat new mounds as they appear.

SPREADER SETTINGS

Note: Spreader settings are approximate and variation can occur between identical models. User should calibrate spreader by accurately weighing a few pounds into your spreader and applying to a measured area. Then adjust spreader setting if necessary to assure correct rate of application.

SPREADER SETTINGS CHART

Spreader Make	Setting to Deliver lbs/1,000 sq. ft.	Setting to Deliver lbs/1,000 sq. ft.
	2	3
Scotts Drop Spreaders	X	X
Republic EZ Drop	X	X
Cyclone Model B1 Rotary	X	X
Sears Craftsman Broadcast	X	X

READ ENTIRE LABEL BEFORE USING

Read the entire Directions for Use, Conditions, Disclaimer of Warranties, and Limitations of Liability before using this product. If the terms are not acceptable, return the unopened container at once. By using this product, user and buyer accept the following Conditions, Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Knox Fertilizer Company, Inc. All such risks shall be assumed by the user or buyer.

Disclaimer of Warranties: There are no warranties express or implied, of merchantability or of fitness for a particular purpose or otherwise, which extend beyond the statements made on this label. No agent of Knox Fertilizer Company, Inc. is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. Knox Fertilizer Company, Inc. disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF WARRANTIES: The exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price, or at Knox Fertilizer Company, Inc. option the replacement of the product.

[OPTIONAL FRONT PANEL WORDING CONTINUED:]

20100323.Final Label (PRN2007-1)

- [GUARANTEED TO WORK OR MONEY BACK]
- [QUICK KILL OF FIRE ANTS]
- [QUICK KILL OF STINGING ANTS]
- [KILLS FIRE ANTS ON CONTACT]
- [10 LB. TREATS UP TO 150 FIRE ANT MOUNDS]
- [5 LB. TREATS UP TO 75 FIRE ANT MOUNDS]
- [25 LB. TREATS UP TO 375 FIRE ANT MOUNDS]
- KILLS FIRE ANT WORKERS
- KILLS FIRE ANT QUEENS
- AIDS IN CONTROL OF MOLE CRICKETS
- KILLS INSECTS QUICKLY
- EXCELLENT VALUE FOR THE MONEY
- GUARANTEED CONTROL OF LAWN & HOME INVADING INSECTS,
OR YOUR MONEY BACK
- KILLS ON CONTACT
- LONG-LASTING RESIDUAL ACTION
- EASY & QUICK TO APPLY WITH A DROP OR BROADCAST SPREADER
- LONG-LASTING INSECT CONTROL
- BRACKETS "[]" DENOTES OPTIONAL WORDING.

Distributed by: Knox Fertilizer Company, Inc.
 PO Box 248
 Knox, Indiana 46534

Net Weight 10 lbs. (4.54 kg.)

Batch No.

