

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Mr. Robert F. Bischoff Agent for Knox Fertilizer Company, Inc C/O Total Turf Consulting LLC 26 A. A Cooper Rd Meigs, GA 31765

DEC 2 2 2008

Subject: Label Notification(s) for Pesticide Registration Notice 2007-4

Dear Registrant:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated October 14, 2008 for:

EPA Registration 8378-68 Shaw's Turf Food with Pendimethalin 107

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Banza Djapao of my staff at 703-305-7269.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

Please reed instructions on n	overse before comple	tina form		Form A	nnroved	L OMB No 20	70-0060	% Approval expires 2-28-9
	U Environmental	nited States	•		✓	Registrati Amendme Other	on-	OPP Identifier Number
		Application	on for Pesti	cide - Se	ction	l		
1. Company/Product Number 8378-68			1	A Product Me Tompkins	anager		1	posed Classification None Restricted
4. Company/Product (Name) Shaw's Turf Food with F	Pendimethalin 107		PM# 25					
5. Name and Address of App Knox Fertilizer Compa		de)	(b)(i)	, my produc	t is sim		i in con	FIFRA Section 3(c)(3) nposition and labeling
P. O. Box 248 Knox, IN 46534			to: EPA	A Reg. No.	N/A N/A			TIFICATION EC 2 2 2008
Check if this	is a new address		Pro	duct Name	19/74			
			Section	- 11				
Amendment - Explain Resubmission in respo	onse to Agency letter	dated		Final print Agency ic "Me Too" Other - E	etter dat " Applic	ation.		·
Notification of label change peregulations at 40 CFR Parts 1 of Formula for this product. I amended label is not consiste FIFRA and I may be subject to	56.10, 156.140, 156.14 understand that it is a vont with the requirement	44, 156.146, ai violation of 18 t ts of 40 CFR P	nd 156.156. No o U.S.C. sec.1001 t Parts 156.10, 156.	ther changes I o willfully make 140, 156.144, and 14 of FIFR	have bee e any fal 156.146	en made to the la se statement to i	beling or EPA. I fu	the Confidential Statement arther understand that if the
1. Material This Product Will	Be Packaged In:							
Child-Resistant Packaging Yes No * Certification must	Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. per	Water Soluble Yes √ No If "Yes" Package wgt	No. pe		<i>J</i>	nteiner Metal Pastic Glass Paper Other (S	pacify)
be submitted					-7-4			
3. Location of Net Contents I	nformation ontainer	4. Size(s) Re	tail Container 50 lbs		5. Lo	On Label	Direction	N8
6. Manner in Which Label is A	Affixed to Product	Lithog Paper Stenc	raph glued iled	Oti	her			
			Section -	IV				
1. Contact Point (Complete i	tems directly below f	or identification	on of individual to	be contacte	d, if nec	essary, to proc	ess this	application.)
Name Robert F. Bischoff			Title Agent, TotalTu	urf Consulting	g LLC	i i	lephone (17) 873-	No. (Include Area Code) -0222
I certify that the staten I acknowledge that any both under applicable is	knowlinglly false or		all attachments			imprisonment o	ete.	6. Date Application Roceived [:{Stamped}
2. Signature	`		3. Title			1	£ (
Rolet &.	Bischof	1	Agent, TotalTur	f Consulting LI	LC		(; (;	((((((((((((((((((((
4. Typed Name		0	5. Date	atabar 4.4	1 200	, , O	C + (,	(
Robert F. Bischoff	•	Į.	U	ctober 14	⊦, ∠UU	Ö	111	

TotalTurf Consulting LLC 26 A. A. Cooper Rd. Meigs, GA 31765

Direct: 843-384-2807 E-Mail: rbcooper@juno.com

Fax: 229-683-3426

October 14, 2008

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U. S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Attn: Jim Tompkins

Subject: Shaw's® Turf Food With Pendimethalin 107

EPA Reg. No. 8378-68

Notification to Comply with PR Notice 2007-4

Dear Mr. Tompkins:

In response to PR Notice 2007-4 concerning container reuse and related container label statements for pesticide products, labeling for the subject product has been revised to comply with this Notice. The revised label is being submitted by notification on behalf of Knox Fertilizer Company, P. O. Box 248, Knox, IN 46534 by TotalTurf Consulting LLC, an authorized agent for Knox Fertilizer Company.

The following documents are included in the subject submission:

Cover Letter

Application for Pesticide (EPA Form No. 8570-1)

One Copy of Highlighted Final Printed Label (Coded as 20081014.Final Label)

If there are any questions or additional information is needed concerning this submission, do not hesitate to contact me at (317) 873-0222 or Raymond B. Cooper at (843) 384-2807.

Sincerely,
Robert & Bischoff

Robert F. Bischoff

Agent

TotalTurf Consulting LLC

26 A. A. Cooper Road

Meigs, GA 31765

Shaw's Turf Food with Pendimethalin 107

Preemergent Control of Crabgrass, Chickweed, Foxtail, Goosegrass, Knotweed, Oxalis, <u>Poa Annua</u>, and Spurgé. Supplies quick greening and extended feeding.

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice.

Have this product container or label with you when calling a poison control center, or doctor, or when going for treatment.

See side Panel for additional precautionary statements PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS and DOMESTIC ANIMALS

CAUTION: Causes eye irritation. Avoid contact with skin, eyes, or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Wash thoroughly with soap and water after handling. May be harmful if swallowed. Avoid inhalation. Do not contaminate feed or foodstuffs. Do not feed clippings to livestock. Do not graze treated areas.

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users must wear long-sleeved shirt and long pants and shoes plus socks.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent areas. Do not contaminate water when disposing of equipment washwaters or rinsate. In case of spills, sweep up and use per label instructions or dispose of as directed.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Not for use on turf grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes. Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until dusts have settled.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store product in original bag in a dry, cool, secured area. Do not contaminate water, foodstuffs, feed, or seed by storage or disposal. PESTICIDE DISPOSAL: Nonrefillable container, Do not reuse or refill this container, offen for recycling if available. As a responsible environmental practice, where possible, it is recommended that all the contents of the bag be used, carefully following label directions and precautions. IF EMPTY: Do not reuse bag. Place bag in trash or offer for recycling if available. IF PARTLY FILLED: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain. SPILL: In case of spill, sweep up and dispose of material according to PESTICIDE DISPOSAL directions listed above.

This product is a turf fertilizer and a selective preemergence herbicide for use on established turfgrass including Kentucky Bluegrass, Perennial Ryegrass, Fine Fescue, Tall Fescue, Bentgrass and Poa Annua (except putting greens and tees), Bermudagrass (non "winter-overseeded"), St. Augustinegrass, Bahiagrass, Zoysiagrass, Centipedegrass and blends of these grasses. Refer to label section entitled "Bermudagrass, Bentgrass and Poa Annua Precautions". Do not apply this product through any type of irrigation system. Do not apply aerially.

WEEDS CONTROLLED

When used at the recommended rates (See Turf Species and Rate Table) this product will prevent sprouting of the following grassy and dicot weeds and provides a nitrogen feeding.

Grassy Weeds

Dicot Weeds

Poa Annua

Common Chickweed

Barnyardgrass

Knotweed

Crabgrass-(Large, 5mooth)

Oxalis

Foxtail-(Yellow, Green)

Prostrate Spurge

Goosegrass

Fall panicum

To prevent Goosegrass, Crabgrass, Foxtail, Barnyardgrass, Fall panicum, Oxalis, Knotweed, Prostrate Spurge, apply in the spring before they sprout. To prevent Poa Annua and fall germinating chickweed, apply product to dry foliage in late summer or early fall before seeds germinate. Repeat application yearly for continued control.

ESTABLISHED TURF

When applied prior to germination of weeds this product will control weeds listed in WEEDS CONTROLLED section, in established Northern and Southern turf.

NORTHERN Cool Season GRASSES

Apply 2.1 to 3.8 lbs. per 1,000-sq. ft. prior to germination of weeds. (equiv. to 1.0 to 1.75 lbs. of Active Ingredient/acre). Do not apply to the same area more than twice per year.

SOUTHERN Warm Season GRASSES

Apply 2.1 to 4.2 lbs. per 1,000-sq. ft. prior to germination of weeds. (equiv. To 1.0 to 2.0 lbs. of Active Ingredient/acre). Do not apply to the same area more than twice per year.

Where light weed infestations are expected, the lower rates may be used. For extended weed control, repeat application is recommended. For best results, water after all application (1/4 to 1.2 inch) to remove the granules from the foliage and to move the product to the soil surface for an effective chemical herbicide barrier. Do not destroy the chemical barrier created at the soil surface by raking or aerifying the turf after applying this product.

PRECAUTIONS IN USING

Do not use on Bentgrass and Poa Annua putting greens and tees, or on dichondra. Where Bentgrass and Bentgrass-containing turf and Poa Annua are desired species, a lower rate application only is recommended. On Cool Season Turfgrass avoid application when temperatures are regularly in the 80's. This product may cause discoloration and thinning where over applications have been made if the turfgrass is under severe stress conditions (disease, drought, low temperatures-below 40 degrees F, scalping, and excessive soil moisture).

BERMUDAGRASS, BENTGRASS AND POA ANNUA PRECAUTIONS

Do not apply to dormant Bermudagrass, Bentgrass or Poa Annua (turf that is not growing actively or has frost injury). May be applied to dormant Bermudagrass if it has been maintained at $\frac{1}{2}$ inch or more high cut and is growing in medium fine textured soils such as clays and clay loams.

Where turf thinning or damage has occurred due to winter injury of Bermudagrass do not make an application until turf has greened up, is growing vigorously, and has filled in the dead areas. Application to Bermudagrass overseeded with cool season grass may injure and thin the overseeded variety. Do not apply to Bentgrass or Poa Annua after late summer.

OTHER PRECAUTIONS

Delay seeding 4 months and sprigging by 5 months after an application. For best results, the soil surface should be worked (verticut and/or etc.) to destroy any remaining chemical residue before planting. For newly planted areas, wait until the turf has been mowed up to 4 times, and is growing vigorously before application. Avoid application to cement, stone, clothing or shoes. If contact occurs, brush off particles to prevent staining. If necessary, rinse with water. If metallic surfaces (golf course equipment, automobiles, etc.) are present at the application site, do not use this product under windy conditions (5 to 10 miles per hour) due to its yellow staining potential.

APPLICATION EQUIPMENT AND INSTRUCTIONS SPREADER SETTINGS

Your used spreader may need calibrating. Since proper application is based on the spreader's condition with regard to age and use, your walking speed and the evenness of the terrain, your spreading equipment may require adjustments from the following figures. If you have reason to believe that your spreader is not calibrated correctly, test apply by placing the amount for 500 sq. ft. into your spreader and apply to your pre-measured 500 sq. ft. (5 ft. wide by 100 ft. long). The spreader settings are approximate. Different product analysis or particle size will affect bulk density and actual spreader setting needs.

Spreaders	Spread	ler Setting	Pounds per 1,000 sq. ft.			
	Spread width	2.1	2.7	3.1	3.8	4.2
Scotts R8A	7'	xx	xx	xx	xx	xx
Lesco high wheel	7'	xx	xx	xx	xx	xx
5pyker 24-22	7'	xx	xx	xx	xx	xx
Prizelawn CBR-11	7'	xx	xx	xx	xx	xx
Earthway 2400-SS	7'	xx	xx	xx	xx	xx
Vicon	5'	ХХ	xx	xx	××	xx
Lely	41/2	xx	xx	xx	xx	xx

IMPORTANT: PLEASE READ BEFORE USE

By using this product the user accepts the following: LIMITED WARRANTY: Knox Fertilizer Company warrants that (a) this product conforms to the chemical description on its label; (b) this product is reasonably fit for the purposes stated on its label, subject to the inherent risks referred to herein, when used in accordance with its directions; and (c) that the directions, warnings cautions, and other statements on this label are based upon responsible experts evaluations of reasonable tests of effectiveness, of toxicity to laboratory animals and plants, of residues on food crops, and upon reports of field experience. Testing has not been performed on all varieties of Bentgrass and Poa Annua, in all states, or under all application, weather and crop conditions. The user should exercise judgement and caution when using this product on a given variety until familiar with the performance under his growing conditions.

There are no express warranties other than those set forth herein. Knox neither makes nor intends, nor does it authorize any agent or representative to make, any other warranty, express or implied. Knox expressly excluded and disclaims all implied warranties of merchantability, fitness for particular purpose, or any other warranty of quality or performance.

This warranty does not extend to, and the user shall be solely responsible for, any loss or damage which results from the use of this product in any manner which is inconsistent with this label's directions, warning or cautions.

To the fullest extent permitted by law user's exclusive remedy and Knox's or seller's exclusive liability for any claim, loss, damage, or injury resulting from the use or handling of this product, whether or not based in contract, negligence, strict liability in tort, or otherwise, shall be limited, at Knox's option, to replacement of, or repayment of the purchase price for, the quantity of product with respect to which damages are claimed. In no event shall Knox or Seller be liable for special, indirect, or consequential damages resulting from the use or handling of this product.

	Guaranteed Analysis				
x-x-x					
Fotal Nitrogen (N)	XX%				
Available Phosphorus (P2O5)	XX%				
Soluble Potash (K2O)	XX%				

Distributed by: Knox Fertilizer Company, Inc. PO Box 248 Knox, Indiana 46534

NET WEIGHT 50 LBS. (22.7 kg.)

NOTIFICATION

DEC 2 2 2008

Batch No.