



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

APR 1 5 2010

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Mr. Robert F. Bischoff Agent, Total Turf Consulting LLC Knox Fertilizer Company, Inc. P.O. Box 248 Knox, IN 46534

RE: Notification of Removal of Toll Free Number from the Disposal Instructions Section

EPA Registration Number: 8378-69 Date of Submission: March 23, 2010

Dear Mr. Bischoff:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-1 dated March 23, 2010, for the above mentioned product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 2007-1 and finds that the actions requested fall within the scope of PRN 2007-1. The label submitted with the application has been stamped "Notification" will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely

Linda Arrington

Notifications & Minor Formulations Team Leader

Registration Division (7505P) Office of Pesticide Programs

Please read instructions on reverse before compared to	m.	Form Approve		0-0060. Approval expires 2-28-95
United S Environmental Pro Washington,	itates tection Agency	/	Registration Amendment Other	OPP Identifier Number
Appl	ication for Pestic	ide - Section	l	
1. Company/Product Number 8378- 69	l l	Product Manager yn Montague		3. Proposed Classification None Restricted
4. Company/Product (Name) Shaw's Turf Food with Pendimethalin 75	PM# 23			
5. Name and Address of Applicant (Include ZIP Code)	6. Ex	pedited Reveiw.	In accordance	with FIFRA Section 3(c)(3)
Knox Fertilizer Company, Inc. P. O. Box 248 Knox, IN 46534		my product is sime. N/A	ilar or identical	in composition and labeling
Check if this is a new address	Prod	uct Name N/A		
	Section -	II		
Amendment - Explain below. Resubmission in response to Agency letter dated. Notification - Explain below.		Final printed label Agency letter dat "Me Too" Applied Other - Explain be	ed NO	TIFICATION PR 1 5 2010
Explanation: Use additional page(s) if necessary. (For Notification of label change relative to PR Notice 2007-1. To regulations at 40 CFR 156.10 and 40 CFR 152.46, and no conformation of 18 U.S.C. Sections that the guidance of PR Notice 2007-1 and the remay be subject to enforcement action and penalties under the subject to enforcement action.	his notification is consisten other changes have been n 1001 to willfully make any equirements of 40 CFR 156	t with the guidance in nade to the labeling of false statement to EF 6.10 and 40 CFR 152 AA.	or the confidential : PA. I further under	statement of formula of this stand that if this notification is not
1 Material This Deadust Will De Backgroud by	Section -	[1]		
1. Material This Product Will Be Packaged In: Child-Resistant Packaging Yes Volume Yes No If "Yes" Unit Packaging wgt. cont	Water Soluble Yes No Per If "Yes" Package wgt	Packeging No. per container	√ Pi G	tainer letal astic lass aper ther (Specify)
3. Location of Net Contents Information 4. Size	e(s) Retail Container 50 lbs	5. Lo	on label	directions
6. Manner in Which Label is Affixed to Product	Lithograph Paper glued Stenciled	√ Other		
	Section -	IV		0
1. Contact Point Complete items directly below for iden	tification of individual to l	be contacted, if nec	essery, to proces	s this application.)
Name Robert F. Bischoff	Title Agent, TotalTur	f Consulting LLC	Tel (31 (31	ephone Ne. (ແຕ່ເນເປe Area Code) ທັງ ເຊິ່ງ373-0222
Ce I certify that the statements I have made on this fo I acknowledge that any knowlingly false or mislead both under applicable law.	rtification rm and all attachments tl ling statement may be pu	nereto are true, acci mishable by fine or	imprisonment or	te. Received
2. Signature	3. Title		cci	- C
Robert F. Bushoff	Agent, TotalTurf (Consulting LLC		0000
4. Typed Name (' Robert F. Bischoff	5. Date Ma	arch 23, 2010		

3/6

TotalTurf Consulting LLC 26 A. A. Cooper Rd. Meigs, GA 31765

Direct: 843-384-2807 Fax: 229-683-3426 E-Mail: rbcooper@juno.com

March 23, 2010

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7505P)
U. S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Attn: Linda Arrington

Subject: Shaw's Turf Food with Pendimethalin 75

EPA Reg. No. 8378-69

Notification per PR Notice 2007-1

Removal of Toll Free Number from the Disposal Instructions Section

As allowed by PR Notice 2007-1 (Section II.C.3.), the subject product label has been revised to show the removal of the statement "or 1-800-CLEANUP" from the Disposal Instructions Section. The revised label is being submitted by notification on behalf of Knox Fertilizer Company, P. O. Box 248, Knox, IN 46534 by TotalTurf Consulting LLC, an authorized agent for Knox Fertilizer Company.

The following documents are included in the subject submission:

Cover Letter

Application for Pesticide (EPA Form No. 8570-1)

One Copy of Highlighted Final Printed Label (Coded as 20100323.Final Label (PRN2007-1))

If there are any questions or additional information is needed concerning this submission, do not hesitate to contact me at (317) 873-0222 or Raymond B. Cooper at (843) 384-2807.

Sincerely,

Robert F. Bischoff

Agent

TotalTurf Consulting LLC

Robert F. Brochoff

26 A. A. Cooper Road

Meigs, GA 31765



Shaw's Turf Food with Pendimethalin 75

Preemergent Control of Crabgrass, Chickweed, Foxtail, Goosegrass, Knotweed, Oxalis, <u>Poa Annua</u>, and Spurge. Supplies quick greening and extended feeding.

NOTIFICATION

APR 1 5 2010

ACTIVE INGREDIENT:

Pendimethalin,N-(1-Ethylpropyl)-3,4-dimethyl-2,6-dinitrobenzenamine)......INERT INGREDIENTS:

0.75% 99.25%

100.00%

EPA REG. NO. 8378-69

EPA EST. NO. 8378-IN-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice.

Have this product container or label with you when calling a poison control center, or doctor, or when going for treatment.

See side Panel for additional precautionary statements PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS and DOMESTIC ANIMALS

CAUTION: Causes eye irritation. Avoid contact with skin, eyes, or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Wash thoroughly with soap and water after handling. May be harmful if swallowed. Avoid inhalation. Do not contaminate feed or foodstuffs. Do not feed clippings to livestock. Do not graze treated areas.

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users must wear long-sleeved shirt and long pants and shoes plus socks.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water, or to areas where surface water is present, or to intertidal creas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent areas. Do not contaminate water when disposing of equipment washwaters or rinsate. In case of spills, sweep up and use per label instructions or dispose of a directed.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Not for use on turk grown for fall or other commercial use as sod, or for commercial seed production, or for research purposes. Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until dusts have settled.

((00

5

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store product in original bag in a dry, cool, secured area. Do not contaminate water, foodstuffs, feed, or seed by storage or disposal. PESTICIDE DISPOSAL: As a responsible environmental practice, where possible, it is recommended that all the contents of the bag be used, carefully following label directions and precautions. IF EMPTY: Do not reuse bag. Place bag in trash or offer for recycling if available. IF PARTLY FILLED: Callyour local solid was reagency for disposal instructions. Never place unused product down any indoor or outdoor drain. SPILL: In case of spill, sweep up and dispose of material according to PESTICIDE DISPOSAL directions listed above. CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container, offer for recycling if available.

This product is a turf fertilizer and a selective preemergence herbicide for use on established turfgrass including Kentucky Bluegrass, Perennial Ryegrass, Fine Fescue, Tall Fescue, Bentgrass and Poa Annua (except putting greens and tees), Bermudagrass (non "winter-overseeded"), St. Augustinegrass, Bahiagrass, Zoysiagrass, Centipedegrass and blends of these grasses. Refer to label section entitled "Bermudagrass, Bentgrass and Poa Annua Precautions". Do not apply this product through any type of irrigation system. Do not apply aerially.

WEEDS CONTROLLED

When used at the recommended rates (See Turf Species and Rate Table) this product will prevent sprouting of the following grassy and dicot weeds and provides a nitrogen feeding.

Grassy Weeds

Dicot Weeds

Poa Annua

Common Chickweed

Barnyardgrass

Knotweed

Crabgrass-(Large, Smooth)

Oxalis

Foxtail-(Yellow, Green)

Prostrate Spurge

Goosegrass

Fall panicum

To prevent Goosegrass, Crabgrass, Foxtail, Barnyardgrass, Fall panicum, Oxalis, Knotweed, Prostrate Spurge, apply in the spring before they sprout. To prevent Poa Annua and fall germinating chickweed, apply product to dry foliage in late summer or early fall before seeds germinate. Repeat application yearly for continued control.

ESTABLISHED TURF

When applied prior to germination of weeds this product will control weeds listed in WEEDS CONTROLLED section, in established Northern and Southern turf.

NORTHERN Cool Season GRASSES

Apply 3.1 to 5.4 lbs. per 1.000-sq. ft. prior to germination of weeds. (equiv. to 1.0 to 1.75 lbs. of Active Ingredient/acre). Do not apply to the same area more than twice per year.

SOUTHERN Warm Season GRASSES

Apply 3.1 to 6.1 lbs. per 1,000-sq. ft. prior to germination of weeds. (equiv. To 1.0 to 2.0 lbs. of Active Ingredient/acre). Do not apply to the same area more than twice per year.

Where light weed infestations are expected, the lower rates may be used. For extended weed control, repeat application is recommended. For best results, water after all application (1/4 to 1.2 inch) to remove the granules from the foliage and to move the product to the soil surface for an effective chemical herbicide barrier. Do not destroy the chemical barrier created at the soil surface by raking or aerifying the turf after applying this product.

PRECAUTIONS IN USING

Do not use on Bentgrass and Poa Annua putting greens and tees, or on dichondra. Where Bentgrass and Bentgrass-containing turf and Poa Annua are desired species, a lower rate application only is recommended. On Cool Season Turfgrass avoid application when temperatures are regularly in the 80's. This product may cause discoloration and thinning where over applications have been made if the turfgrass is under severe stress conditions (disease, drought, low temperatures-below 40 degrees F, scalping, and excessive soil moisture). $\frac{1}{0.00}$ $\frac{1}{$

BERMUDAGRASS, BENTGRASS AND POA ANNUA PRECAUTIONS

Do not apply to dormant Bermudagrass, Bentgrass or Poa Annua (turf that is not growing actively or has frost frighty). May be applied to dormant Bermudagrass if it has been maintained at $\frac{1}{2}$ inch or more high cut and is growing in medium fine fextured soils such as clays and clay loams.

Where turf thinning or damage has occurred due to winter injury of Bermudagrass do not make an application until turf has greened up, is growing vigorously, and has filled in the dead areas. Application to Bermudagrass overseeded with cool season grass may injure and thin the overseeded variety. Do not apply to Bentgrass or Poa Annua after late summer.

OTHER PRECAUTIONS

Delay seeding 4 months and sprigging by 5 months after an application. For best results, the soil surface should be worked (Verticut and/or etc.) to destroy any remaining chemical residue before planting. For newly planted areas, wait until the turf has been mowed up to 4 times, and is growing vigorously before application. Avoid application to cement, stone, clothing or shoes. If contact occurs, brush aftiparticles to

6

prevent staining. If necessary, rinse with water. If metallic surfaces (golf course equipment, automobiles, etc.) are present at the application site, do not use this product under windy conditions (5 to 10 miles per hour) due to its yellow staining potential.

APPLICATION EQUIPMENT AND INSTRUCTIONS SPREADER SETTINGS

Your used spreader may need calibrating. Since proper application is based on the spreader's condition with regard to age and use, your walking speed and the evenness of the terrain, your spreading equipment may require adjustments from the following figures. If you have reason to believe that your spreader is not calibrated correctly, test apply by placing the amount for 500 sq. ft. into your spreader and apply to your pre-measured 500 sq. ft. (5 ft. wide by 100 ft. long). The spreader settings are approximate. Different product analysis or particle size will affect bulk density and actual spreader setting needs.

Spreaders	Spread	ader Setting	Pounds per 1,00	00 sq. ft.		6.1
	Spread width	3.1	3.8	4.6	5.4	
Scotts R8A	7'	xx	xx	xx	xx	xx
Lesco high wheel	7'	xx	xx	xx	xx	xx
Spyker 24-22	7'	××	xx	xx	xx	xx
Prizelawn CBR-11	7	xx	xx	xx	xx	xx
Earthway 2400-55	7'	xx	xx	xx	xx	xx
Vicon	5'	××	××	xx	xx	xx
Lely	41/2	xx	xx	xx	xx	xx

IMPORTANT: PLEASE READ BEFORE USE

By using this product the user accepts the following: LIMITED WARRANTY: Knox Fertilizer Company warrants that (a) this product conforms to the chemical description on its label; (b) this product is reasonably fit for the purposes stated on its label, subject to the inherent risks referred to herein, when used in accordance with its directions; and (c) that the directions, warnings cautions, and other statements on this label are based upon responsible experts evaluations of reasonable tests of effectiveness, of toxicity to laboratory animals and plants, of residues on food crops, and upon reports of field experience. Testing has not been performed on all varieties of Bentgrass and Poa Annua, in all states, or under all application, weather and crop conditions. The user should exercise judgement and caution when using this product on a given variety until familiar with the performance under his growing conditions.

There are no express warranties other than those set forth herein. Knox neither makes nor intends, nor does it authorize any agent or representative to make, any other warranty, express or implied. Knox expressly excluded and disclaims all implied warranties of merchantability, fitness for particular purpose, or any other warranty of quality or performance.

This warranty does not extend to, and the user shall be solely responsible for, any loss or damage which results from the use of this product in any manner which is inconsistent with this label's directions, warning or cautions.

To the fullest extent permitted by law user's exclusive remedy and Knox's or seller's exclusive liability for any claim, loss, damage, or injury resulting from the use or handling of this product, whether or not based in contract, negligence, strict liability in tort, or otherwise, shall be limited, at Knox's option, to replacement of, or repayment of the purchase price for, the quantity of product with respect to which damages are claimed. In no event shall Knox or Seller be liable for special, indirect, or consequential damages resulting from the use or handling of this product.

Guaranteed Analysis		···
X - X - X		
Total Nitrogen (N)	%	o
Primary Plant Foods Derived from: Urea, Muriate of Potash, and Ammoniated Phosphate.		·
Distributed by: Knox Fertilizer Company, Inc. PO Box 248 Knox, Indiana 46534	000000 00 C C C C C C C C C C C C C C C	, C G
NET WEIGHT 50 LBS. (22.7 kg.)	, , , , , , , , , , , , , , , , , , ,	c C

Batch No.