

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

JUN 5 1995

Sporicidin International
5901 Montrose Road
Rockville, MD 20852

Attention: Harold E. Plank, D.D.S.
Technical Director

Subject: Sporicidin Brand Disinfectant Solution
EPA Registration No. 8383-3
MOU Compliance Amendment dated December 15, 1994

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, will be acceptable provide that you make the change listed below before you release the product for shipment bearing the amended label.

1. Revise "Directions" to read "Directions for Use".

A stamped copy of your labeling is enclosed for your records. Submit five (5) copies of the final printed label prior to release of the product for shipment.

If you have any questions concerning this letter, please contact Wanda Mitchell at (703) 305-6141.

Sincerely,



Ruth G. Douglas
Product Manager (32)
Antimicrobial Program Branch
Registration Division (7505C)

CONCURRENCES

SYMBOL								
SURNAME								
DATE								

FRONT PANEL

DISINFECTANT SOLUTION (PUMP SPRAY)

Contamination and Odor Control

SPORICIDIN
Brand
Disinfectant Solution

Continuous Residual Activity
for Over 6 Months*

ACTIVE INGREDIENTS:

Phenol 1.56%
Sodium Phenate 0.06%

INERT INGREDIENTS: 98.38%

Solution is alkaline, pH 7.9-8.6

- BACTERICIDAL
- FUNGICIDAL
- VIRUCIDAL**
- TUBERCULOCIDAL
- ELIMINATES ODORS*
- PREVENTS MOLD AND MILDEW

Keep Out of Reach of Children

CAUTION:

See additional precautions on back panel

EPA Reg. No. 8383-3

Net Wt. 22 fl. oz. (651 ml)

ACCEPTED
with COMMENTS
in EPA Letter Dated:

JUN 5 1995

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, this pesticide
registered under EPA Reg. No.

8383-3

BACK PANEL

DISINFECTANT SOLUTION (PUMP SPRAY)

HOSPITAL DISINFECTION

An effective disinfectant and active deodorant for hospitals, clinics, medical and veterinary offices, laboratories, industrial clean rooms, homes, nursing homes, ambulances, hotels, restaurants, schools, airplanes, trains, boats, autos, buses, health spas and toilets.

DISINFECTANT. Acts effectively on germ-laden non-porous equipment and surfaces in medical treatment and patient rooms, operating rooms, emergency rooms, recovery rooms and bathrooms. For use on medical equipment and beds, surgical carts, counter tops, manikins, telephones, furniture, wheelchairs, walkers, sinks, floors, walls, light switches, linen hampers, shower stalls, toilet seats, trash containers, damp and musty areas, including animal enclosures. Reduces the hazards of cross-contamination on environmental surfaces.

ACTIVE DEODORIZER. *It provides continuous residual bacteriostatic activity against odor-causing organisms, for over 6 months in the presence of adequate moisture if not removed from surfaces including plastics, latex, vinyl, glass, wood, metal, porcelain, tile and paint.

♦Kills Athlete's Foot fungus on bathroom, shower, and pool surfaces. ♦Self-sanitizes surfaces against odor-causing bacteria. ♦Penetrates cracks. ♦Non-staining. ♦Contains no harmful abrasives.

SPORICIDIN Brand DISINFECTANT SOLUTION is germicidal when used as directed for disinfection but differs in composition from other Sporcidin products.

PASSES THE AOAC EFFICACY STANDARDS FOR INSTITUTIONAL AND HOSPITAL DISINFECTION. Tested against *Staphylococcus aureus*, *Streptococcus pyogenes*, *Streptococcus salivarius*, *Salmonella choleraesuis*, *Pseudomonas aeruginosa*, *Escherichia coli*, **Herpes simplex types 1 and 2 (oral and genital), Influenza A, (Japan 305/57 Asian strain), Vaccinia, and Polio type 1 viruses. HIV-1 (AIDS virus) on environmental surfaces, *Trichophyton mentagrophytes* (Athlete's Foot fungus) and *Mycobacterium tuberculosis* on environmental surfaces.

DIRECTIONS:

It is a violation of U.S. Federal Law to use this product in a manner inconsistent with its labeling.

PRECLEAN surface to remove soil and filth. Wipe dry with paper towel, cloth or sponge.

TO DISINFECT AND DEODORIZE: Thoroughly wet pre-cleaned surface with disinfectant. Ensure surface remains moist for a 10 minute contact time at room temperature (20°C/68°F or above).
NOTE: See Sporcidin Bulletin No. 303 for HIV-1 (AIDS virus) instructions.

TO PREVENT MOLD AND MILDEW: Repeat application weekly, or sooner if new growth appears.

FOR FOGGING CLEAN ROOMS: See Sporcidin Bulletin No. 301.

TO CLEAN AIR DUCTS: Manually apply to hard non-porous precleaned duct surfaces. Rinse surfaces after application.

NOTE: This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

CAUTION: Avoid direct contact with food. In case of eye contact, immediately flush with water. If necessary, consult a physician.

STORAGE AND DISPOSAL; Store at room temperature. Discard empty container in regular trash.

SPORICIDIN INTERNATIONAL

5901 Montrose Road
Rockville, MD 20852

BEST COPY AVAILABLE