



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

NOV 18 2009

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Betsy Potter Contec, Inc. 525 Locust Grove Spartanburg, SC 29303 FILE COPY

Subject:

Notification Application per PR Notice 2007-4

Sporicidin Disinfectant Solution EPA Registration Number: 8383-3 Application Date: October 21, 2009 Receipt Date: October 27, 2009

Dear Ms. Potter:

This will acknowledge receipt of your notification, submitted under the provisions of PR Notice 2007-4.

Proposed Notification:

Updated Storage and Disposal language

General Comment:

Based on a review of the material submitted, the following comment applies:

The notification application is acceptable.

Should you have any questions concerning this letter, please contact Heather Garvie at (703) 308-0034 or by email address at garvie heather@epa.gov.

Sincerely,

ShaRon Carlisle

(Acting) Product Manager 34

Regulatory Management Branch II

Antimicrobials Division (7510P)

Please read instructions on reverse before Jeting form.		Form Appre	OVE. OMB No. 20	70-0060	Print Form	
United States Environmental Protection Agency Washington, DC 20460			Registra Amendr Other			
Application for Pesticide - Section I						
1. Company/Product Number 8383-3	2	. EPA Product Man	nger	- I	posed Classification	
4. Company/Product (Name) Sporicidin Brand Disinfectant Solution	F	M# 34.			None Restricted	
5. Name and Address of Applicant (Include ZIP Code) Contec, Inc. 525 Locust Grove Spartanburg, SC 29303 Check if this is a new address 6. Expedited Review. In accordance with FIFRA Section 3(c)(3 (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Sportcidin Brand Disinfectant Solution					nposition and labeling	
Section - II						
Amendment - Explain below. Resubmission in response to Agency letter dated X Notification - Explain below.	Final printed labels in response to Agency letter dated "Me Too" Application. Other - Explain below.					
Explanation: Use additional page(s) if necessary. (For section I and Section II.) Notification of label change per PR Notice 2007-4. Copy of label is enclosed, with changes marked in red.						
Section - III						
1. Material This Product Will Be Packaged In:						
Child-Resistant Packaging Yes* No No If "Yes" No, per Unit Packaging Yes No, per Unit Packaging Yes No, per	If "Yes"	No San No. per		Metal Plastic Glass Paper		
be submitted	Package		5. Location of Lat			
Label Container						
Section - IV						
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)						
Name Betsy Potter	Title R&D Asso	ciate		Telephone 864-699-	No. (Include Area Code)	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment of the complete both under applicable law. 3. Title 8. Daté Application (Figure of the complete of the complet						
Bitzliett		R&D Associate				
4. Typed Name Betsy Potter	5. Date . 21 Octob	er 2009			((((((((((((((((((((





October 21, 2009

PM # 34
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
1200 Pennsylvania Ave., NW
Washington, DC 20460-0001

Subject:

Contec, Inc.

Sporicidin Disinfectant Solution, EPA Reg. 8383-3, Notification of label change per PR Notice 2007-4 Sporicidin Disinfectant Towelettes, EPA Reg. 8383-7, Notification of label change per PR Notice

2007-4 and PR Notice 98-10

Dear PM # 34:

This is a Notification of label change per PR Notice 2007-4 to add nonrefillable container and recycling statements to both 8383-3 and 8383-7 labels. Also per PR Notice 98-10 and clarification guidance for Net Contents Declaration statements, we are adding the weight of towelettes 8383-7 in pounds and ounces to the label.

Enclosed please find form 8570-1 and a copy of the labels with changes marked in red.

This notification is consistent with the guidance in PR Notice 2007-4 and PR Notice 98-10 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Thank you for your assistance with this submission. If you have any questions, please call me at 864-699-8321 or e-mail me at bootter@contecinc.com.

Sincerely,

Betsy Potter Contec, Inc.

PRESOAK • DISINFECT HOSPITAL DISINFECTION

INSTITUTIONAL . FOOD PROCESSING . RESIDENTIAL

INSTITUTIONAL * FOOD PROCESSING * RESIDENTIAL AM EFFECTIVE CLEANER, INSINEFECTANT AND ACTIVE DEDODRIZER FOR INSTRUMENTS, AND EQUIPMENT ON PRE-CLEANED, IABRO, MON-PRORISS, SUPFACES in healthospital treatment and patient rooms, operating rooms, schools, ambudences, broties, restaurats, boats, ignaces, buses, and the home. Recommended for medical and dental equipment, beds, surgical cards, counter tops, mannequins, telephones, keyboards, furniture, wheelchairs, walkers, sinks, floors, walks; light switches, finen hampers, shower, stalls, toiler, seats, trash containers and damp and musty areas, including animal areas, Self-santitizes against ordor-causing, lacetera and fungi. Reduces the hazards of cross-contamination.

PASSES AGAC EFFICACY STANDARDS FOR DISINFECTION IN THE PRESENCE OF 5% ORGANIC SOIL, FOR INSTITUTIONAL, HOSPITAL AND FARM PREMISE USE.

- Virucidat: Avian Influenza A (HSN2), Influenza A, (Japan 305/57 Asian strain), Oytomegalowirus, Coronavirus, Polio Type 1 virus, Vaccinia, Canine parvovirus, Herpes simplex types; 1/F and 2/6 (oral, ocular and genital), HiV-1 (AIDS Virus). See Sportedian Bulletia No. 303.
- Bactericidal: Staphylococcus aureus, Salmonella enterica, Pseudomonas aeruginosa, Methicillin resistant Staphylococcus aureus (MRSA), vanciomycin resistant Enterococcus faeclum (VRE), E. Coll. Streptococcus pyogenes, Streptococcus salivarius, Myobacterium tuberculdist.
- Fungicidal: Chaetomium globosum, Aspergilius niger, Penicillium variabile, Irichophyton mentagrophytes (Athlete's

ACTIVE DEDDORIZER*: Provides continuous residual bacteriostatic activity against odor-causing bacteria for up to 6 months, if not removed from surfaces including plastics latex, winy, glass, treated wood, metal, glazed porcelain, glazed tile and paint.

SPORICIDIN DISINFECTANT SOLUTION is germicidal when used as directed for disinfection but differs in composition from other Sporicidin products.

> .60 00

> > 0 0

:0 0 ٥

000

600

00

0 Ģ 00 000

ø О

٥ 0 0

DIRECTIONS FOR USE: It is a violation of U.S. Federal Law to use this product in a manner inconsistent with its labeling. DO NOT DILLITE OR MIX WITH OTHER CHEMICALS.

PRECLEAN strakes using Sportidim Disinfectant Solution to remove soil and filth. Wipe dry with paper towel, cloth or sponge. TO DISINFECT AND DECODORIZE: Thoroughly wet pre-cleaned surface with Sportidim Disinfectant Solution and allow to remain wet for 10 minutes at room temperature (20°C/88°F or above) to kill listed organisms. Use Sportidim Disinfectant Spray for surfaces that cannot be immersed on soaked.

TO KILL CLEAN AND PREVENT MOLD AND MILDEW: Use appears.

TO CLEAN AIR DUCTS: Apply to hard, non-porous surfaces.

TO CLEAR HAI DUDGISE AND REMOVE DEBRIS FROM CARPETS AND FABRICS: For manual cleaning, spray product not carpet and wipe clean with cloth or sponge. Allow the air dry. For machine cleaning, apply product in accordance with machine manufacturer's guidelines.

FOR FOGGING CLEAN ROOMS: See Sporicidin Bulletin No. 301. FOR FARM EQUIPMENT, ARIBAL AND POULTY HOUSING, BARNS, KENRELS, BREEDING PENS, HATCHERIES, TRUCKS AND OTHER VENULES. Renew poulty, animals, feed, water, trucks, coops and crates from premises. Remove litter droppings from floris, walls, and surfaces of facilities occupied or traversed by aribans. Emply all roughs, racks, and other feeding and watering appliances. Throughly clean all surfaces of facilities occupied to the property of the proper feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinss with water. Apply Sportidin Disinfectant and allow to remain wet for ten minutes. Vanilitate buildings, coops, and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, etc. or died. Throughly scrub treated feed racks, troughs, automatic feeders, fountains, and water appliances with soap or detergent, and rinss with potable water before reuss. Disinfection of equipment: Apply Sporticifin Disinfectant to cover all surfaces for 10 minutes. Allow to air dry. For Avian Influenza A, the use is only for surfaces which are not conductive to treatment by immersion or excess fugici (e.g., capes, equipment lables, and laboratory benches, facel handles, door knobs, and similar *high luctif's surfaces.) For uses in hospital/medica/health facilities, the directions for hospital disinfection must be followed. For all other uses sites, general disinfection must be followed. For all other use sites, general disinfection directions must be followed.



+H737R12841W

FOR FOOD PROCESSING PLANTS: Follow pre-cleaning and disinfecting instructions above to disinfect hard, non-porous surfaces and materials in food handling areas, including poutity and meat packing lacilities, slaughter houses, etc. All surfaces and materials that come in contact with food must be washed with soap or detergent and finsed with potable water prior to use.

PRECAUTIONARY STATEMENTS! HAZARD TO HUMANS AND DOMESTIC ANIMALS.

CAUTION: Causes moderate eye Initation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

FIRST AID: If in eyes, remove contact lenses. Hold eye open and slowly rinse with water. If irritation persists for more than 5 minutes continue rinsing and consult a physician or poison

STORAGE AND DISPOSAL: Store at room temperature.

ANOTHER STORAGE AND DISPOSAL: Store at room temperature.

ANOTHER STORAGE AND DISPOSAL: Store at room temperature.

Note of the storage and the storage at room temperature.

I storage at r

of available.

FOR. RIOSPITAL DISINFECTION: This product is not to be used; as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body or (2) contact intact nucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterila ereas of the body. This product may be used to preceden or deconfaminate ordinarilants ordinarilants ordinarilants. cal or semi-critical medical devices prior to sterilization or high level disinfection.

Manufactured for Contec, Inc. / Sporicidin Division Spartanburg, SC 29303 1-800-424-3733 www.sporicidin.com

3506-10/09





CLEANS • DISINFECTS • DEODORIZES

- BACTERICIDAL
- FUNGICIDAL
- VIRUCIDAL
- TUBERCULOCIDAL
- KILLS MOLD AND MILDEW
- ELIMINATES ODORS

Active Ingredients Sodium Phonate . 0.06% Inert Ingredients . 98 38% ...100%

EPA Reg. No. 8383-3 EPA Est. No. 034346-NB-001 Net Contents: 1 U.S. Gal. (3.79 ltr.) Part No.: RE-1284C

Keep Out of Reach of Children CAUTION

See Additional Precautions on Back Panel

Also Available in 22 oz. Spray

