

DEODORIZES
Continuous
Residual Activity for
Over 6 Months*

Sporicidin[®]

DISINFECTANT SPRAY

**BACTERICIDAL • TUBERCULOCIDAL
• VIRUCIDAL • FUNGICIDAL
• PREVENTS MOLD AND MILDEW
• ELIMINATES ODORS**

FOR CONTAMINATION CONTROL

Active Ingredients: Phenol 1.41%, Sodium
Phenoxide 0.24%
Inert Ingredients: 98.35%

Net Wt. 22 oz.

WARNING
KEEP OUT OF REACH
OF CHILDREN

See additional first aid and precautions on back panel.

*Note: HIV-1 (AIDS virus) is
killed in 1 minute on hard
surfaces. See Sporicidin
Bulletin 403*

**AN EXCELLENT DISINFECTANT
AND ACTIVE DEODORANT FOR
MEDICAL, DENTAL AND VETERI-
NARY AREAS IN HOSPITALS,
CLINICS AND OFFICES as well as
nursing homes, ambulances, hotels,
schools, boats and health spas.**

Action:

1. Reduces the hazards of cross-contamination on inanimate environmental surfaces.
2. Prevents mold and mildew.
3. Eliminates odor-causing organisms and prevents their return for over 6 months.
4. Kills Adair's Foot fungi on bathroom, shower and pool surfaces.
5. Non-staining.
6. Disinfects hard non-porous surfaces. It penetrates cracks.
7. Contains no harmful abrasives.
8. Non-flammable.

Sporicidin Brand Spray is germicidal when used as directed for disinfection but differs in composition from other Sporicidin products.

Directions: It is a violation of U.S. Federal Law to use this product in a manner inconsistent with its labeling. Shake well before using.

To Disinfect: Pre-clean surface. Hold spray nozzle 6" to 8" from surface. Spray 2-4 seconds or until surface is covered with mist. Allow 10 minute contact time.

To Prevent Mold and Mildew: Repeat application weekly or if new growth appears.

To Eliminate Odors: Spray 2-4 seconds toward center of room.

Storage and Disposal: Store at room temperature. Discard container in regular trash collection.

PASSES THE RIGID AOAC EFFICACY STANDARDS FOR HOSPITAL AND INSTITUTIONAL TYPE SPRAY DISINFECTANT. Sporicidin spray provides 100% kill of most disease and odor-causing organisms such as *Staphylococcus*, *Streptococcus*, *Salmonella*, *Pseudomonas*, *Escherichia coli*, *Hepes* types 1 and 2, *Influenza A* virus (Japan 305/57 Asian Swan), *Pink 1*, *Trichophyton* (Athlete's Foot fungus), molds, and mildew and the tubercle bacillus on non-porous surfaces. Acts quickly on germ-laden articles in patient rooms, operating rooms, emergency rooms, bathrooms and recovery rooms. Safe for instruments, equipment, furniture, floors, telephones, door handles, toilet seats, diaper pails, garbage cans, linen hampers, ducts, windows, light switches, surgical carts, wheel chairs, walkers, counter tops, damp and moist enclosed areas and animal areas. Reduces the hazard of cross-contamination.

A DEODORANT: It provides continuous antibacterial activity (residual bacteriostatic, fungistat) against odor-causing organisms for over 6 months on treated inanimate surfaces, if not removed from surface. It is an active deodorant (bacteriostatic and fungistat) on paper, fabrics, plastics, latex, vinyl, glass, wood, metal, porcelain tile and paint.

WARNING: Avoid contact with food if sprayed directly into the eyes. Immediately flush with water. If necessary, consult a physician.

CONTENTS UNDER PRESSURE: Do not use near fire, sparks, or flame. Do not puncture or incinerate container. Exposure to temperature above 130°F may cause bursting.

Sporicidin[®]

INTERNATIONAL

12000 OLD GEORGETOWN ROAD
Rockville, MD 20852

EPA Reg No 8383-4
EPA Est. No. 36213 MDO2

(HIV-1 (AIDS virus))

Conformance with
Phase 2
1988.