

DEODORIZES
Continuous
Residual Activity for
Over 6 Months*

Sporicidin
 BRAND
DISINFECTANT
SPRAY

BACTERICIDAL • TUBERCULOCIDAL
• VIRUCIDAL • FUNGICIDAL
• PREVENTS MOLD AND MILDEW
• ELIMINATES ODORS

FOR
CONTAMINATION
CONTROL

Active Ingredients Phenol 1.41%, Sodium
 Phenate 0.24%
 Inert Ingredients 98.35%

Net Wt. 22 oz.

WARNING
KEEP OUT OF REACH
OF CHILDREN

See additional first aid and precautions on back panel.

Note: HIV-1 (AIDS virus) is killed in 1 minute on hard surfaces. See Sporicidin Bulletin 403

AN EXCELLENT DISINFECTANT AND ACTIVE DEODORANT FOR MEDICAL, DENTAL AND VETERINARY AREAS IN HOSPITALS, CLINICS AND OFFICES as well as nursing homes, ambulances, hotels, schools, boats and health spas.

Action:

1. Reduces the hazards of cross-contamination on inanimate environmental surfaces.
2. Prevents mold and mildew.
3. Eliminates odor-causing organisms and prevents their return for over 6 months.
4. Kills Athlete's Foot fungi on bathroom, shower and pool surfaces.
5. Non-staining.
6. Disinfects hard non-porous surfaces. It penetrates cracks.
7. Contains no harmful abrasives.
8. Non-flammable.

Sporicidin Brand Spray is germicidal when used as directed for disinfection but differs in composition from other Sporicidin products.

Directions: It is a violation of U.S. Federal Law to use this product in a manner inconsistent with its labeling. **Shake well before using.**

To Disinfect: Pre-clean surface. Hold spray nozzle 6" to 8" from surface. Spray 2-4 seconds or until surface is covered with mist. Allow 10 minute contact time.

To Prevent Mold and Mildew: Repeat application weekly or if new growth appears.

To Eliminate Odors: Spray 2-4 seconds toward center of room.

Storage and Disposal: Store at room temperature. Discard container in regular trash collection.

PASSES THE RIGID AOAC EFFICACY STANDARDS FOR HOSPITAL AND INSTITUTIONAL TYPE SPRAY DISINFECTANT. Sporicidin spray provides 100% kill of most disease and odor-causing organisms such as *Staphylococcus*, *Streptococcus*, *Salmonella*, *Pseudomonas*, *Escherichia coli*, *Herpes types 1 and 2*, *Influenza A₂ virus (Japan 305/57 Asian Strain)*, *Polio 1*, *Trichophyton* (Athlete's Foot fungus), *molds*, and *mildew* and the *tubercle bacillus* on non-porous surfaces. Acts quickly on germ-laden articles in patient rooms, operating rooms, emergency rooms, bathrooms and recovery rooms. Safe for instruments, equipment, furniture, floors, telephones, door handles, under sinks, diaper pails, garbage cans, linen hampers, ducts, windows, light switches, surgical carts, wheel chairs, walkers, counter tops, damp and musty enclosed areas and animal areas. Reduces the hazard of cross-contamination.

A DEODORANT: It provides continuous antibacterial activity (residual bacteriostatic, fungistatic) against odor-causing organisms for over 6 months on treated inanimate surfaces, if not removed from surface. It is an active deodorant (bacteriostat and fungistat) on paper, fabrics, plastics, latex, vinyl, glass, wood, metal, porcelain tile and paint.

WARNING: Avoid contact with food. If sprayed directly into the eyes, immediately flush with water. If necessary, consult a physician.

CONTENTS UNDER PRESSURE: Do not use near fire, sparks, or flame. Do not puncture or incinerate container. Exposure to temperature above 130°F may cause bursting.

Sporicidin
 INTERNATIONAL

12000 OLD GEORGETOWN ROAD
 Rockville, MD 20852

Not Reviewed. Registrant claims to be in accordance with registration of Pesticide Product Guidance for Phase 2 response, Page 2.12, Active to Inert Change in Status.

MU-1 (AIDS virus)