

1/5 9383-7 11-32

1/5

<p style="text-align: center;">US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460</p> <p>NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input type="checkbox"/> REREISTRATION <i>(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</i></p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; padding: 2px;"> EPA REGISTRATION 8383-7 </td> <td style="width: 50%; padding: 2px;"> DATE OF ISSUANCE JUL 17 1989 </td> </tr> <tr> <td colspan="2" style="padding: 2px;"> TERM OF ISSUANCE </td> </tr> <tr> <td colspan="2" style="padding: 2px;"> NAME OF PESTICIDE PRODUCT Per acide Brand Ristex Germicidal Disinfectant Towelette </td> </tr> </table>	EPA REGISTRATION 8383-7	DATE OF ISSUANCE JUL 17 1989	TERM OF ISSUANCE		NAME OF PESTICIDE PRODUCT Per acide Brand Ristex Germicidal Disinfectant Towelette	
EPA REGISTRATION 8383-7	DATE OF ISSUANCE JUL 17 1989						
TERM OF ISSUANCE							
NAME OF PESTICIDE PRODUCT Per acide Brand Ristex Germicidal Disinfectant Towelette							
<p>NAME AND ADDRESS OF REGISTRANT (Include ZIP code)</p> <div style="border: 1px solid black; height: 100px; margin-top: 10px; position: relative;"> <div style="position: absolute; top: 10px; left: 10px;"> <p>Specialized International 1000 Old Georgetown Road Rockville, MD 20852</p> </div> </div>							
<p>NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p>							
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:</p> <ol style="list-style-type: none"> 1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data. 2. Make the labeling changes listed below before you release the product for shipment: <ol style="list-style-type: none"> a. Add the phrase "EPA Registration No. 8383-7." b. Place "Keep Out of Reach of Children" immediately above the signal word "CAUTION" on the front panel. c. Revise the ingredient statement declaration on the label so that the total percentage in the right column totals 100%. The present declaration reads: <div style="margin-left: 40px;"> <p>ACTIVE INGREDIENTS 2.12%</p> <p style="margin-left: 20px;">Phenol - 1.41%, Sodium</p> <p style="margin-left: 20px;">Phenate - 0.24% Sodium tetraborate</p> <p style="margin-left: 20px;">(10H₂O) - 0.47%</p> <p>INERT INGREDIENTS: 97.88%</p> </div> 							
<p><input type="checkbox"/> ATTACHMENT IS APPLICABLE</p>							
<p>SIGNATURE OF APPROVING OFFICIAL</p>	<p>DATE</p>						

The preferred format is as follows:

ACTIVE INGREDIENTS:

Phenol 1.41%
Sodium Phenate 0.24%
Sodium Tetraborate (10H₂O) 0.47%

INERT INGREDIENTS: 97.88%


- d. On the collateral labeling, capitalize the first letter of "Keep," "Out," "Reach," and "Children" in the statement "Keep Out of Reach of Children."
- e. Place the misuse statement (i.e., "It is a violation of Federal Law") immediately beneath the "Directions" heading.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

As requested in your letter dated November 11, 1988, we are allowing you until November 30, 1989 to use up the existing supplies of the additional brand name towelette product bearing EPA Reg. No. 8383-3. After that date, this product must only be marketed under this registration number (i.e., EPA Reg. No. 8383-7).



Jeff Kempter
Product Manager (32)
Antimicrobial Program Branch
Registration Division (H7504C)

Enclosures

3/5
CONTINUAL RESIDUAL ACTIVITY FOR OVER 6 MONTHS*

3

Permacide Brand Ristex Germicidal/Disinfectant Towelette

For Contamination Control

Bactericidal

Fungicidal

Virucidal **

Tuberculocidal JUL 17 1989

Prevents Mold and Mildew

Eliminates Odors

Active Ingredients: Phenol 1.41%, Sodium Phenate 0.24%, Sodium
Tetraborate (10 H₂O) 0.47%

8383-7

Inert Ingredients:

97.88%

CAUTION

Keep Out of Reach of Children

(See additional precautions on back panel)

DIRECTIONS: It is a violation of U.S. Federal Law to use this product
in a manner inconsistent with its labeling.

TO DISINFECT AND DEODORIZE:

Preclean and wipe to thoroughly wet articles and surfaces. Allow to
dry for 10 minutes at room temperature (20°C/68°F or above). To prevent
mold and mildew, repeat weekly, or sooner, if new mold and mildew occurs.

STORAGE AND DISPOSAL:

Store at room temperature

Discard empty packet and used towelette in regular trash

EPA Reg. No. 8383-

EPA Est. No.

SPORICIDIN INTERNATIONAL
12000 Old Georgetown Road
Rockville, MD 20852

Net Contents: 1 Towelette (saturated with Permacide)

BEST AVAILABLE COPY

AN EXCELLENT DISINFECTANT AND ACTIVE DEODORANT FOR MEDICAL, DENTAL AND VETERINARY AREAS IN HOSPITALS, CLINICS AND OFFICES as well as nursing homes, ambulances, hotels, restaurants, schools, boats, health spas and public facilities.

Action:

1. Reduces the hazards of cross-contamination on articles and other non-porous surfaces.
2. Prevents mold and mildew on non-porous surfaces.
3. Self-sanitizes surfaces against odor-causing organisms.
4. Kills Athlete's Foot fungi on bathroom, shower and pool surfaces and shoes.
5. Non-staining.
6. It penetrates cracks.
7. Contains no harmful abrasives.
8. Non-flammable.

PASSES THE RIGID AOAC EFFICACY STANDARDS FOR INSTITUTIONAL AND 100% HOSPITAL LEVEL DISINFECTION on germ-laden items and surfaces such as toilet seats, sinks, instruments, discard injection syringes, equipment, thermometers, tubing, telephones, door handles, walls, floors, furniture, shower stalls, desks, diaper cans, linen hampers, ducts, windows, light switches, surgical carts, wheelchairs, walkers, counter tops, damp and musty areas, including animal enclosures and other reusable and disposable supplies and equipment.

Provides 100% kill of most disease and odor-causing organisms such as Staphylococcus aureus, Streptococcus salivarius, Streptococcus pyogenes, Group A alpha and beta hemolytic Streptococcus, Salmonella choleraesuis, Pseudomonas aeruginosa, Escherichia coli, **Herpes simplex types 1 and 2 (oral and genital), Influenza A₂ (Japan 305/57 Asian strain), Vaccinia, Polio I and Parvoviruses, Trichophyton mentagrophytes (Athlete's foot fungus), Mycobacterium tuberculosis and prevents mold and mildew on non-porous surfaces.

A DEODORANT*: It provides residual (bacteriostatic and fungistatic) activity for over 6 months against odor-causing organisms in the presence of adequate moisture if not removed from surface. It is an active deodorant (bacteriostat and fungistat) on paper, fabrics, plastics, latex, vinyl, glass, wood, metal, porcelain, tile, painted surfaces, shoes, airline, bus and train toilet room surfaces and human waste receptacles, urinals, portable toilets and handicapped units.

CAUTION: Avoid contact with food. In case of eye contact, immediately flush with water. If necessary, consult a physician.

ACCEPTED
with COMMENTS
in EPA Letter Dated

JUL 17 1980

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended for the purpose
registered under FIFRA No.

8383-7

BEST AVAILABLE COPY

PERMACIDE BRAND (FISTEN) GERMICIDAL/DISINFECTANT TOWELETTE

A Household and Institutional Disinfectant and Deodorizer for Contamination Control

Fermacide Brand (Ristex) is a germicidal disinfectant with bactericidal, fungicidal, virucidal and tuberculocidal properties against a broad spectrum of pathogenic organisms which may cause infection. It is especially adapted as a disinfectant and deodorant for hospital, household, institutional and industrial use on articles and environmental surfaces.

USES: As a hospital disinfectant, it reduces the hazards of contamination on treated articles and surfaces including thermometers, instruments, telephones, tubing, and other disposable and reusable supplies and equipment. It is a disinfectant which provides germicidal activity for household articles and environmental surfaces.

DIRECTIONS: Preclean and thoroughly wet surface. Allow to dry for 10 minutes at room temperature (20°C/68°F or above). To prevent mold and mildew, repeat weekly, or sooner, if new mold and mildew occurs.

- ACTION:
1. 100% hospital level disinfection. An active deodorant and self-sanitizer with continual residual (bacteriostatic and fungistatic) activity against odor-causing organisms for over 6 months in the presence of adequate moisture as long as it remains on the surface.
 2. Prevents molds and mildew on non-porous surfaces.
 3. Contains a surface tension reducing agent.
 4. Contains no abrasives.
 5. Non-staining.
 6. Water soluble components.
 7. Kills:

Staphylococcus aureus	Escherichia coli
Pseudomonas aeruginosa	Chaetomium globosum
Salmonella choleraesuis	Aspergillus niger
Micobacterium tuberculosis	Pellicularia filamentosa
Trichophyton interdigitale	Influenza A ₂ (Japan 305/57)
Group A alpha hemolytic Streptococcus	Asian Strain)
Group A beta hemolytic Streptococcus	Herpes simplex types 1 & 2 (oral and genital)
Streptococcus viridans	Polio (type 1)
	Vaccinia and Parvoviruses
 8. The germicidal activity of this product was demonstrated visually with electronic microscope photos.
 - a. It dehydrates the bacterial cytoplasm.
 - b. It deactivates and alters the chromatin mass.
 - c. It destroys the bacterial cell mass and the membrane.
 9. May be used on natural and synthetic hard surfaces made from plastic, latex, glass, finished wood, metal, porcelain, enamel, and painted surfaces.
 10. Kills **Influenza A₂ (Japan 305/57 Asian strain), Polio type 1, Vaccinia and Herpes simplex types 1 and 2 (oral and genital) viruses, and Micobacterium tuberculosis on articles and environmental surfaces.

CAUTION: Keep out of reach of children.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

JUL 17 1989

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the postdate registered under EPA Reg. No.

8383-7

BEST AVAILABLE COPY