



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Antimicrobials Division (7510P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

8383-17

Date of Issuance:

9/28/25

NOTICE OF PESTICIDE:

☒ Registration
☐ Reregistration
(under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

ProChlor

Name and Address of Registrant (include ZIP Code):

Emily Phalen
Regulatory Affairs
Contec, Inc.
Electronic Transmittal: ephalen@contecinc.com

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Antimicrobials Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Demson Fuller, Product Manager 32
RMB1, Antimicrobials Division (7510P)

Date:

9/28/25

2. Make the following label changes before you release the product for shipment:

- Revise the EPA Registration Number to read, "EPA Reg. No. 8383-17."

3. Submit one copy of the revised final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. See FIFRA section 2(p)(2). If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process, FIFRA section 12(a)(1)(B). Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Assurance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 10/14/2024

If you have any questions, please contact Jack Hall via email at hall.john.j@epa.gov.

Sincerely,



Demson Fuller, Product Manager 32
Regulatory Management Branch I
Antimicrobials Division (7510P)
Office of Pesticide Programs

Enclosure

ACCEPTED

09/28/2025

Under the Federal Insecticide, Fungicide
and Rodenticide Act as amended, for the
pesticide registered under
EPA Reg. No. 8383-17

MASTER LABEL**ProChlor®**

**[Disinfectant] [Virucide†] [Fungicide] [Broad Spectrum Disinfectant] [Antimicrobial Solution]
[Bactericide] [Intermediate Disinfectant]**

ACTIVE INGREDIENT:

Hypochlorous Acid*.....0.23%
Other ingredients.....99.77%
TOTAL.....100.00%

*Contains 2300 ppm Free Available Chlorine (FAC)

KEEP OUT OF REACH OF CHILDREN

[CAUTION PRECAUCIÓN]

[Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

(If you do not understand the label, find someone to explain it to you in detail.)]

FIRST AID	
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor immediately for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment.	
For emergency information call the poison control center at 1-800-222-1222. For general information on product, use, etc., you may call the National Pesticide Information Center (NPIC) at 1-800-858-7378, 8:00 am to 12:00 pm Pacific Time, Mon - Fri.	

See back [side] [left] [right] panel [of label] for additional precautionary statements [and first aid statements].

EPA Reg. No. 8383-xx
EPA Est. No. TBD

Manufactured for: Contec, Inc.
525 Locust Grove
Spartanburg, SC 29303

[ProChlor® is a trademark of Contec, Inc.,
Spartanburg, SC, USA. Patents Pending.]

Net Contents: _____

{lot code and expiration date may appear on container or label}

Note to Reviewer: All text in brackets [...] or parenthesis (...) is interchangeable or optional and may or may not be included on a final label. All text in braces {...} is for administrative purposes only and will not appear on a final label. Variables such as CAPITALIZATION, plurals or singular, bold and italics are optional unless specified in 40 CFR. Listed uses and use sites can be used partially or in their entirety.

{Optional Claims}

- For disinfection of pre-cleaned, hard, non-porous surfaces
- ProChlor [disinfectant][broad spectrum disinfectant][antimicrobial solution][liquid] is a ready-to-use product that cleans, disinfects, and deodorizes.
- Eliminates odors associated with [bacteria] [microorganisms]
- Use ProChlor [disinfectant][broad spectrum disinfectant] [antimicrobial solution][liquid] to disinfect pre-cleaned, hard, non-porous surfaces.
- Will not damage most surfaces.
- Disinfectant for Surfaces in Pharmaceutical, Medical Device Manufacturing, and Cosmetic Processing Facilities
- Virucidal† on pre-cleaned, hard, non-porous inanimate surfaces
- Intermediate disinfectant
- Bactericidal
- Disinfects pre-cleaned, hard, non-porous, inanimate surfaces
- Delivers antimicrobial activity on fungi, viruses, and bacteria as identified [in the times identified] in the Organism [Table][Chart] in the following section of this label and for uses and in sites as specified in the following directions for use.
- Virucidal†, Bactericidal, and Fungicidal
- Kills [bacteria][fungi] [viruses†] on surfaces.
- Kills [bacteria][fungi][viruses†].

{Optional Fungicidal claims}

- ProChlor fungicide kills [*Trichophyton interdigitale*] [(athlete's foot fungus)] on pre-cleaned, hard, non-porous surfaces in 1 minute.
- Kills [*Trichophyton interdigitale*] [(athlete's foot fungus)] on pre-cleaned, hard, non-porous surfaces such as floors, tabletops, benchtops, drain troughs, drip pans, desks, locker room benches, and hard, non-porous bathmats (e.g., rubber or plastic).

{Optional General efficacy claims}

- Can help reduce the risk of cross contamination on treated surfaces
- [Cleans], [Disinfects] and [Deodorizes]
- Kills {insert organism from the Organism chart as appropriate} in 1 minute.
- ProChlor [Disinfectant][Broad Spectrum Disinfectant] [Virucide†] is effective against the following organisms at the following contact times: {insert organism name and contact time from the Organism chart as appropriate to "Disinfectant", "Broad Spectrum Disinfectant", or Virucide"}
- Disinfects [against] [organism] in [just] 1 minute.
- Disinfects pre-cleaned, hard, non-porous [environmental] surfaces listed on this label.

{Optional General claims}

- Cleaner
- ProChlor [Disinfectant][Broad Spectrum Disinfectant] is ready-to-use.

- Ready-to-use [Disinfectant][Broad Spectrum Disinfectant]
- No mixing required. This product is ready-to-use.

Organism Chart [^]	
DISINFECTANT	Bactericidal (1 minute) <i>Pseudomonas aeruginosa</i> (ATCC 15442); <i>Salmonella enterica</i> (ATCC 10708); <i>Staphylococcus aureus</i> (ATCC 6538);
	[†] Virucidal (1 minute) Norovirus (F. Calicivirus) (ATCC VR 782, Strain F-9); Poliovirus type-1 (ATCC VR 1562, Strain Chat); Canine Parvovirus (ATCC VR-2017, Strain Cornell)
	Fungicidal (1 minute) Hard Surfaces <i>Candida albicans</i> (ATCC 10231); <i>Trichophyton interdigitale</i> (athlete's foot fungus) (ATCC 9533)

[^]When used on pre-cleaned, hard, non-porous surfaces.

[Disinfectant for use on][Disinfects] pre-cleaned, hard, non-porous surfaces in: *{sites will be selected from the following}* Hospitals and Health Care Facilities such as Clinics, Dental Offices, Hospices, Laboratories, Nursing Homes, Acute Long-Term Care and Long-Term Care Facilities, Physical Therapy, Doctor's Offices, Radiology, Rehabilitation, and Transport Vehicles; Critical Care Areas such as Critical Care Unit (CCU), Emergency Room, ICU, Neonatal Intensive Care Unit (NICU), Operating Rooms, Outpatient Surgery Centers, Pediatric Intensive Care Unit (PICU), Surgery, and Emergency Medical Services [EMS]; Other Sites such as Schools, Colleges, Day-care Centers, Child-care Facilities, Correctional Facilities; Hospitality establishments such as Hotels, Motels, and Cruise Ships; Veterinary Clinics, Animal Life Science Laboratories; Funeral Homes and Morgues; Research Laboratories; Industrial Facilities; Pharmaceutical Production Facilities; Cosmetic Processing Facilities; Consumer Home Use; Dining Areas (non-food contact surfaces); Office Buildings; Recreational Facilities; Retail and Wholesale Establishments; Prisons; Animal Care Facilities; Veterinary Facilities; Farms; Livestock Quarters; Poultry Premises; Poultry Houses and Hatcheries; and vehicles including ships, planes, automobiles, trucks, ambulances, trains, and farm vehicles.

Hospital, Healthcare, and Critical Use Sites: May be used on pre-cleaned, hard, non-porous surfaces of *{sites will be selected from the following}* autoclaves, bed railings, blood glucose monitors, cabinets, carts, chairs, counters, exam tables, gurneys, isolettes, infant incubators and care cribs, IV poles, phlebotomy trays, PVC tubing, stethoscopes, stretchers, tables, bathrooms, sinks, faucets, toilet seats [and rims], towel dispensers, hand railings, stall doors, bath tubs, showers, hampers, tiled walls, telephones, door knobs, vanities, floors, non-porous shelves, and display cases.

Pre-cleaned, hard, non-porous external surfaces of: *{sites will be selected from the following}* ambulance equipment, diagnostic equipment, dialysis machines, mammography equipment, patient monitoring equipment, respiratory equipment, ultrasound transducers and probes, patient support and delivery equipment. ProChlor [is compatible with][will not harm] *{surfaces will be selected from the following}* aluminum, LDPE, HDPE, vinyl, painted surfaces, polycarbonate, polypropylene, polyurethane varnish, PVC, silicone rubber, stainless steel, medical tubing, vinyl rubber, acrylic, brass, LCD screens,

copper, Corian®, glass, laminate flooring and countertops, nickel, glazed porcelain, glass, and glazed tile.

{Optional text for Use Sites}

[May be used on pre-cleaned, hard, non-porous surfaces of] *{surfaces will be selected from the following}* autoclaves, bed railings, blood glucose monitors, Biological Safety Cabinets (BSCs), Biosafety Cabinets (BSCs), Restricted Access Barrier Systems (RABS), Closed Restricted Access Barrier Systems (C-RABS), Open Restricted Access Barrier Systems (O-RABS), Mobile Cleanrooms, Half Suit Isolators, cabinets, (cleanroom) carts, chairs, closets, controlled environments, counters, countertops, desks, exam tables, exteriors of (refrigerators)(freezers), furniture, garbage cans, glove boxes, gurneys, Isolator Hood surfaces, isolates, infant incubators and care cribs, IV poles, operation tables, pass through doors, door handles, doorknobs, patient room beds, phlebotomy trays, Primary Engineering Controls (PECs), PVC tubing, recycling bins, Secondary Engineering Controls (SECs), sterile compounding hoods, stethoscopes, stretchers, tables, bathrooms, sinks, faucets, toilet seats [and rims], towel dispensers, hand railings, lamps, light switch panels, stall doors, bath tubs, showers, hampers, tiled walls, telephones, door knobs, vanities, non-porous shelves, display cases, walls, [and] work surfaces.

{Optional Areas of Use/Industries}

[Disinfectant for use on pre-cleaned, hard, non-porous surfaces in:] *{optional sites will be selected from the following}* Animal Life Science Laboratories, Bathrooms, Churches, [ISO Class (number)] Cleanrooms, (Sterile) Compounding Facilities, Clinics, Colleges, Cosmetic Processing Facilities, Critical Care Units, Cruise Ships, Dialysis Centers, Funeral Homes, Dental Offices, Health Clubs, Hospices, Hospitality Establishments, Hospitals, Home Health Care, Hotels, Industrial Facilities, Institutions, Laboratories, Nail Salons, Nursing Homes, Medical Device Manufacturing, Morgues, Office Buildings, Oncology Centers, Outpatient Centers, Pharmaceutical Production Facilities, Pharmacies, Physical Therapy Locations, Physicians' Offices, Public Facilities, Radiology, Recreational Facilities, Rehabilitation Centers, Research Laboratories, Retail and Wholesale Establishments, Shelters, Storage Areas, Surgery Centers, Locker Rooms, Long-Term Care Facilities, The interior areas of the following Transport Vehicles: including ships, airplanes, automobiles, trucks, ambulances, and trains.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Caution. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet

ENVIRONMENTAL HAZARDS: [For containers ≥ 5 gallons] Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

ProChlor can be used for disinfection. This product must be used only as directed in this label.

This product is a "ready-to-use" liquid and must be used at full strength, Do not dilute before use.

Attention: Avoid contact with reducing agents like nitrogen compounds, acids and/or acidic compounds, organic solvents and heavy metals.

Before using this product read the entire label.

ProChlor [disinfectant][broad spectrum disinfectant][liquid][solution] can be applied to pre-cleaned, hard, non-porous surfaces such as counter-tops, tables, furniture, cabinets, appliances, kitchen and bathroom fixtures, furnishings, hardware, floors, walls, equipment, tabletops, benchtops, drip pans, troughs, desks, [and] locker room benches[, and the use sites listed on page ()]. Pre-cleaning is required for all surfaces. After pre-cleaning, apply the ProChlor [disinfectant][broad spectrum disinfectant][liquid][solution] to the contaminated surface with a spray applicator device, or by other means, that ensure that the surface is wet (for example, by wiping with a clean cloth or sponge that is wet with ProChlor liquid), or by soaking the contaminated surface and allowing it to remain on the surface for the indicated contact time. Spray or soak the surface with a sufficient amount of ProChlor to remain on surface for the indicated contact time before evaporation. Air dry or remove with a dry clean cloth or wipe.

DISINFECTION

Use ProChlor [disinfectant][broad spectrum disinfectant][liquid][solution] [as a disinfectant] on pre-cleaned, hard, non-porous surfaces in Hospitals, Obstetrical Suites, Housekeeping Services, Physical Therapy Departments, Nursing Services, [and] Autopsy Facilities[, as well as the use sites listed on page ()].

Use ProChlor [disinfectant][broad spectrum disinfectant][liquid][solution] [as a disinfectant] on pre-cleaned, hard, non-porous surfaces in nursing homes, health-care facilities, schools, colleges, day-care centers, child-care facilities, veterinary clinics, animal life science laboratories, industrial facilities, dining areas (non-food contact surfaces), office buildings, recreational facilities, retail and wholesale establishments[, as well as the use sites listed on page ()].

Use ProChlor [disinfectant][broad spectrum disinfectant][liquid][solution] [as a disinfectant] on pre-cleaned, hard, non-porous surfaces in transport vehicles including ships, planes, automobiles, trucks, trains, and EMS.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product

may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

For Disinfection:

Bactericidal: ProChlor [disinfectant][broad spectrum disinfectant][liquid][solution] [is effective against] [kills] *Staphylococcus aureus*, *Salmonella enterica*, and *Pseudomonas aeruginosa* on pre-cleaned, hard, non-porous surfaces. All surfaces must be pre-cleaned prior to disinfection. Apply ProChlor [disinfectant][broad spectrum disinfectant][liquid][solution] with a spray applicator device, or other means that ensures that the surface is thoroughly wet. Allow surfaces to remain wet for **1 minute**; then, wipe with a dry, clean cloth or allow to air dry. If the ProChlor [disinfectant][broad spectrum disinfectant][liquid][solution] becomes soiled (i.e., is not visibly clear) or diluted, replace and use fresh ProChlor [disinfectant][broad spectrum disinfectant][liquid][solution].

Virucidal[†]: ProChlor [disinfectant][broad spectrum disinfectant][liquid][solution] is [an effective virucide against][kills] [the viruses listed in the Chart][, which include] Norovirus, Poliovirus, and Canine Parvovirus on pre-cleaned, hard, non-porous inanimate surfaces. All surfaces must be pre-cleaned prior to disinfection. Apply ProChlor [disinfectant][broad spectrum disinfectant][liquid][solution] with a spray applicator device, or other means that ensures that the surface is thoroughly wet. Allow surfaces to remain wet for the required contact time listed in the [Organism] Chart; then, wipe with a dry, clean cloth or allow to air dry.

Fungicidal: ProChlor [liquid][solution] [fungicide] can be used on pre-cleaned, hard, non-porous inanimate surfaces such as shower room floors, shower stalls, locker room benches, and hard, non-porous bath mats (plastic or rubber). This product is effective against *Trichophyton interdigitale* (Athlete's Foot Fungi) and *Candida albicans* (pathogenic yeast). All surfaces must be pre-cleaned prior to disinfection. Apply ProChlor [liquid][solution] with a spray applicator device, or other means that ensures that the surface is thoroughly wet. Allow surfaces to remain wet for **1 minute**; then, wipe with a dry, clean cloth or allow to air dry.

Disinfection of Surfaces in Pharmaceutical, Medical Device Manufacturing, and Cosmetic

Processing Facilities: ProChlor [disinfectant][broad spectrum disinfectant][liquid][solution] is recommended for use on pre-cleaned, hard, non-porous, environmental surfaces such as floors, walls and processing equipment in pharmaceutical and cosmetic processing facilities. It is effective against *Staphylococcus aureus*, *Salmonella enterica*, and *Pseudomonas aeruginosa*. All surfaces must be pre-cleaned prior to disinfection. Apply ProChlor [disinfectant][broad spectrum disinfectant][liquid][solution] with a spray applicator device, or other means that ensures that the surface is thoroughly wet with a contact time as listed in the [Organism] Chart. Rinse with sterile water. Wipe with a dry, clean cloth or allow to air dry.

{Optional language for farm premises, animal housing facilities and veterinary facilities}

Disinfectant [and Deodorizer] for [Farm Premises,] [Animal Housing Facilities,] [and] [Veterinary

Facilities]: ProChlor [disinfectant][broad spectrum disinfectant][liquid][solution] is recommended for use on pre-cleaned, hard, non-porous, environmental surfaces such as floors, walls, troughs, racks,

appliances, and processing equipment on Farm Premises, animal housing facilities, kennels, animal hospitals, animal laboratories, zoos, pet stores, pet spas, pet animal quarters, and livestock quarters. It is effective against animal pathogens such as Norovirus (Feline calicivirus), Canine Parvovirus, *Staphylococcus aureus*, *Salmonella enterica*, and *Pseudomonas aeruginosa*. All surfaces must be pre-cleaned prior to disinfection.

Remove all animals and feed from premises, vehicles, and enclosures.

Remove all litter and manure from floors, walls and surfaces of barns, pens, stalls, chutes, and other facilities and fixtures occupied or traversed by animals.

Empty all troughs, racks, and other feeding and watering appliances.

Thoroughly clean all surfaces with soap or detergent and rinse with water.

Apply ProChlor [disinfectant][broad spectrum disinfectant][liquid][solution] with a spray applicator device, or other means that ensures that the surface is thoroughly wet with the required contact time listed in the [Organism] Chart. Rinse with clean water. Wipe with a dry, clean cloth or allow to air dry.

Immerse all pre-cleaned forks, shovels, and scrapers used for removing litter and manure. If the ProChlor [disinfectant][broad spectrum disinfectant][liquid][solution] becomes soiled (i.e., is not visibly clear) or diluted, replace and use fresh ProChlor [disinfectant][broad spectrum disinfectant][liquid][solution].

Ventilate buildings, cars, boats, and other closed spaces. Do not house livestock or employ equipment until treatment has been absorbed, set, or dried.

Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains, and waterers with soap or detergent, and rinse with potable water before reuse.

Disinfectant for Poultry Houses and Poultry Hatcheries: ProChlor [disinfectant][broad spectrum disinfectant][liquid][solution] is recommended for use on pre-cleaned, hard, non-porous, environmental surfaces such as floors, walls, troughs, racks, feeders, fountains, appliances, and processing equipment in Poultry Houses and Poultry Hatcheries. It is effective against *Staphylococcus aureus*, *Salmonella enterica*, and *Pseudomonas aeruginosa*. All surfaces must be pre-cleaned prior to disinfection.

Remove all poultry and feeds from premises, trucks, coops, and crates.

Remove all litter and droppings from floors, walls and surfaces of facilities occupied or traversed by poultry.

Empty all troughs, racks, and other feeding and watering appliances.

Thoroughly clean all surfaces with soap or detergent and rinse with water.

Apply ProChlor [disinfectant][broad spectrum disinfectant][liquid][solution] with a spray applicator device, or other means, that ensures that the surface is thoroughly wet with a contact time the required

contact time listed in the [Organism] Chart. Rinse with clean water. Wipe with a dry, clean cloth or allow to air dry.

Ventilate buildings, coops, and other closed spaces. Do not house poultry or employ equipment until treatment has been absorbed, set, or dried.

Thoroughly scrub treated feed racks, troughs, automatic feeders, fountains, and waterers with soap or detergent, and rinse with potable water before reuse.

DEODORIZATION

GENERAL INFORMATION

Do not use in areas where food/feed items are present. ProChlor [liquid][solution] is for controlling odors caused by [bacteria][microorganisms].

This product is a "ready-to-use" liquid and must be used at full strength. Do not dilute before use.

Use ProChlor [liquid][solution]:

- To deodorize; eliminate odors associated with bacteria and microorganisms

Will not damage most surfaces.

Use ProChlor [liquid][solution] in commercial, residential, and industrial buildings and facilities, in vehicles, and on items such as counter-tops, tables, furniture, cabinets, appliances (other than food contact surfaces), kitchen and bathroom fixtures, furnishings, hardware, and other non-porous, hard surfaces such as floors, tabletops, benchtops, drain troughs, drip pans, desks, locker room benches, and hard, non-porous bath mats (e.g., rubber or plastic) and porous surfaces such as wood, tile, grout, drywall, ceiling tile, carpets, upholstery cubical walls, wallpaper, posting boards in buildings and offices. This product is for use in office buildings, homes, institutions such as schools, public buildings, child-care facilities, day-care centers, hospitals, nursing homes, churches, and correctional facilities, warehouses, manufacturing facilities, lodging establishments, retail business, and athletic and recreational facilities.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in its original sealed container at room temperature, away from direct sunlight and heat to avoid deterioration. If the product leaks or spills from the container, rinse the area with water and let it air dry.

Pesticide Disposal: If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program

Container Disposal:

[For containers < 5 gallons] Non-refillable Container. Do not refill or reuse container. Triple rinse then offer for recycling or reconditioning. If not available, puncture and dispose in a sanitary landfill.

[For containers ≥ 5 gallons] Non-refillable Container. Do not refill or reuse container. Triple rinse as follows: Empty the remaining content into application equipment or a mix tank. Fill container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat the procedure two more times. Then offer for recycling or reconditioning. If not available, puncture and dispose in a sanitary landfill.

[WARRANTY]

[This material is safe and effective under the conditions of application as specified in the Directions for Use. To the fullest extent permitted by law, the manufacturer shall not be liable for improper application or use of this product beyond those purposes referred to in the Directions for Use. NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY IS MADE.]

The Following Language is Intended to be Used in Accordance With the US EPA “Guidance to Registrants: Process For Making Claims Against Emerging Viral Pathogens Not On EPA-Registered Disinfectant Labels”

Emerging Viral Pathogens

This product qualifies for emerging viral pathogen claims per the EPA’s ‘Guidance to Registrants: Process for Making Claims Against Emerging Viral Pathogens not on EPA-Registered Disinfectant Labels’ when used in accordance with the appropriate use directions indicated below.

This product meets the criteria to make claims against certain emerging viral pathogens from the following viral categories:

- Enveloped Viruses
- Large Non-Enveloped Viruses

<i>For an emerging viral pathogen that is a/an...</i>	<i>...follow the directions for use for the following organisms on the label:</i>
Enveloped virus	Feline Calicivirus (ATCC VR-782) (surrogate for Norovirus)
Large, non-enveloped virus	Feline Calicivirus (ATCC VR-782) (surrogate for Norovirus)

Per EPA “Guidance to Registrants: Process For Making Claims Against Emerging Viral Pathogens Not On EPA-Registered Disinfectant Labels”.

Statements intended for technical literature, “1-800” consumer information services, social media sites and company websites (non-label related). Information is NOT to appear on marketed product labels. One or both statements below may be used.)

[Product name] has demonstrated effectiveness against viruses similar to [name of emerging virus] on hard, non-porous surfaces. Therefore, [product name] can be used against [name of emerging virus] when used in accordance with the directions for use against [name of supporting virus(es)] on hard, non-porous surfaces. Refer to the [CDC or OIE] website at [pathogen-specific website address] for additional information.

[Name of illness/outbreak] is caused by [name of emerging virus]. [Product name] kills similar viruses and therefore can be used against [name of emerging virus] when used in accordance with the directions for use against [name of supporting virus(es)] on hard, non-porous surfaces. Refer to the [CDC or OIE] website at [website address] for additional information.