
EPA REG. NO. 8417-10 ETHYLENE OXIDE

DANGER! EXTREMELY FLAMMABLE LIQUIFIED GAS CAUSES BURNS WHICH MAY BE DELAYED HARMFUL IF INHALED DANGEROUSLY REACTIVE



KEEP OUT OF REACH OF CHILDREN

FOR REPACKAGING AS A STERILANT



ACTIVE INGREDIENT Ethylene Oxide 100%

ACCEPTED 6 1974 UNITED THE FIRST THE INSECTICIDE FOR F UNULTIC POISON REGIS

FLASH POINT <0° F

Do not handle or use until safety precautions in MCA Chemical Safety Data Sheet SD 38 have been read and understood.

Keep away from heat, sparks, and open flame.

Keep container closed.

Use only with adequate ventilation and in closed systems.

Wear goggles and rubber gloves when handling.

Do not get in eyes, on skin, on clothing.

Avoid breathing vapor.

Return empty container to supplier for reconditioning.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician. Wash clothing before re-use. Discard contaminated shoes. If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen. Call a physician.

In Case Of:

Fire Allow to burn. Use water to cool container and protect surrounding area. Spill or Leak-Flush spills in open areas with water spray. Keep upwind. Evacuate enclosed spaces until gas has dispersed.

Sold by:

Net Weight 400 lbs.

ALCOLAC, INC. 3440 FAIRFIELD ROAD BALTIMORE, MARYLAND 21226 • 301-355-2600