

PRE-EMERGENCE CRAB GRASS CONTROL

NET WEIGHT 20 LBS.

CRIPACK

\$4.95

2500 sq. ft.

TRIPLE ACTION

Lustre

GREEN

VN CARE

8419-6
ACCEPTED
MAR 8 1973
FEDERAL INSECTICIDE
AND FUNGICIDE ACT

Luster GREEN

PREMIUM LAWN CARE

8419-6
ACCEPTED
 MAR 8 1973
 FEDERAL INSECTICIDE
 ACT

10-6-4

Crab Grass Control
 Insect Control
 Feeds Your Lawn



MINIMUM GUARANTEED FERTILIZER ANALYSIS	
TOTAL NITROGEN (N)	10.00%
AVAILABLE PHOSPHORIC ACID (P ₂ O ₅)	6.00%
SOLUBLE POTASH (K ₂ O)	4.00%

GUARANTEED HERBICIDE

Active Ingredients:	
Technical Chlordane	1.40%
Dimethyl Ester of Tetrachloroterephthalic Acid	2.87%
Inert Ingredients:	95.73%
Total:	100.00%

Equivalent to 0.75% Octachlor-4,7-Methanotetrahydroindane and 0.65% of related compounds.

EPA Reg. No. 8419-6

CAUTION
 KEEP OUT OF REACH OF CHILDREN
 See Back Panel For Additional Cautions

Lustré GREEN TRIPLE ACTION

10-6-4



LAWN FOOD-- A balanced formula containing nutrients necessary for a healthy, vigorous lawn.

INSECTICIDE-- Contains chlordane, a highly effective insecticide for control of ants, white grubs, Japanese beetles, and wireworms.

DOSAGE RATE-- A 20 lb. bag of Triple Action will yield 4.48 oz. of actual chlordane.

Wireworms—9 lbs. of Triple Action per 1,000 sq. ft.

Ants—4½ lbs. of Triple Action per 1,000 sq. ft.

White grubs and Japanese beetle grubs—18 lbs. of Triple Action per 1,000 sq. ft.

HERBICIDE-- Controls crabgrass as it germinates. Also controls smooth crabgrass, hairy crabgrass, Johnson grass (from seed), witchgrass and yellow foxtail.

APPLICATION-- Early spring before crabgrass seeds germinate or late fall. Where spring seeding is necessary, delay approximately 60 days or apply after the new seeding has shown greening of the newly sprouted lawn grass. Early spring application allows fall sowing of permanent grasses. Apply just before rain or wash material into turf. Do Not apply to bent or clover lawns.

*Use as a pre-emergence herbicide patented under U.S. Patent #2,923,634.

©Trademark of Diamond Shamrock Corporation.

SPREADER SETTINGS-- (for 2500 sq. ft. coverage)

Scott.....5	Jackson.....6
Lawn Beauty.....5	Cyclone.....4

Do not apply to bent grass, Dichondra nor clover lawns.

CAUTION

Harmful if swallowed. Avoid inhalation and contact with skin. Wash thoroughly after using. Do not contaminate feed, foodstuff or ponds. Keep out of reach of children. Keep children and pets off treated area until material has been

White grubs and Japanese beetle grubs—18 lbs. of Triple Action per 1,000 sq. ft.

HERBICIDE-- Controls crabgrass as it germinates. Also controls smooth crabgrass, hairy crabgrass, Johnson grass (from seed), witchgrass and yellow foxtail.

APPLICATION-- Early spring before crabgrass seeds germinate or late fall. Where spring seeding is necessary, delay approximately 60 days or apply after the new seeding has shown greening of the newly sprouted lawn grass. Early spring application allows fall sowing of permanent grasses. Apply just before rain or wash material into turf. Do Not apply to bent or clover lawns.

*Use as a pre-emergence herbicide patented under U.S. Patent #2,923,634.

©Trademark of Diamond Shamrock Corporation.

SPREADER SETTINGS-- (for 2500 sq. ft. coverage)

Scott.....5	Jackson.....6
Lawn Beauty.....5	Cyclone.....4

Do not apply to bent grass, Dichondra nor clover lawns.

CAUTION

Harmful if swallowed. Avoid inhalation and contact with skin. Wash thoroughly after using. Do not contaminate feed, foodstuff or ponds. Keep out of reach of children. Keep children and pets off treated area until material has been washed into the soil by watering or rain and grass is dry.

CONTAINER DISPOSAL-- Do not reuse empty container. Rinse equipment and containers and dispose of wastes by burying in non croplands away from water supplies. Containers should be disposed of by punching holes in them and burying with waste or by burning. Keep out of smoke.

ANTIDOTE

External: In case of spillage on skin, wash promptly with soap and water.
Internal: Emetic of 1 Tablespoonful of mustard in tumbler of water. Call a physician.

FISH AND WILDLIFE CAUTIONS-- This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams, or ponds. Do Not contaminate water by cleaning of equipment, or disposal of wastes. Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on the label.

NOTICE

If not used as directed, seller makes no warranty, expressed or implied, concerning the use of this product. User then assumes all risk of loss or damage arising from use, handling and the effects thereof.

MFG. BY

FREE FLOW FERTILIZER CO.
P.O. BOX 119 MAUMEE, OHIO 43537

8419-6

ACCEPTED

MAR 8 1973

UNDER THE FEDERAL FOOD, DRUG AND COSMETIC ACT
FOR THE U.S. DEPARTMENT OF HEALTH, EDUCATION AND WELFARE
THIS PRODUCT IS SUBJECT TO ATTACHED COMMENTS