

The Andersons

ACCEPTED

MAY 6 1975

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as defined or the pesticide
registered under
EPA Reg. No. 8419-14

Crabgrass
Preventer

on or under the pesticide
regis...der No. 8419-14

Crabgrass Preventer with Dacthal Covers 2,500 sq. ft.

ACTIVE INGREDIENT

Dimethyl Tetrachloroterephthalate* 2.87%

INERT INGREDIENTS 97.13%

TOTAL 100.00%

CAUTION: KEEP OUT OF REACH OF CHILDREN
See Reverse Side for Additional Cautions

20 Pounds
Net Wt.

Cameraman's Note
Poor Copy

The Andersons

Crabgrass Preventer with Dacthal

ADVANTAGES

- A single application of ANDERSON CRABGRASS PREVENTER applied in early spring before crabgrass germination prevents the growth of crabgrass in established turf.
- Easy to apply with standard lawn seed and fertilizer spreader.
- Not necessary to keep children and pets off treated lawns.
- No need to change present fertilizer practices. A good fertilization program is necessary for a good lawn. Apply fertilizer the same day as ANDERSON CRABGRASS PREVENTER if desired.
- For use on home lawns, parks and golf courses.

DIRECTIONS FOR USE

The contents of this package should be applied uniformly on 2500 square feet of lawn area. Apply on established lawns or other turf areas (Merion or Kentucky bluegrass, mixed bluegrass-fescue, Bermudagrass, Centipede, St. Augustine or zoysia). Application should be made in the early spring when ground is not frozen and before crabgrass seeds germinate. Do not use on bentgrass golf greens. For use on other turf species or mixtures, consult experiment station or extension service weed specialist. May injure Dichondra.

There is no need to use more Anderson Crabgrass Preventer than recommended but it is important to apply the full amount indicated and to apply uniformly to obtain most satisfactory results.

Because a material that provides effective crabgrass control may adversely affect new lawn grass seedlings which germinate during the period of control, areas treated in the spring normally should not be seeded until the next fall. Since with proper fertilization the turf grasses already present will tend to fill in thin areas when crabgrass and weeds are controlled, it is best to delay reseeding to allow this natural filling in and turf thickening. Then, if necessary, reseed only thin areas. If you must reseed bare spots in bluegrass turf in the spring, before application, seed as early as possible and apply Anderson Crabgrass Preventer after the newly emerged grass has reached a height of 1 to 2 inches. Spring application of Anderson Crabgrass Preventer should precede emergence of any crabgrass.

APPROXIMATE SPREADER SETTINGS FOR APPLYING CRABGRASS PREVENTER

MAKE AND MODEL

Approx. Setting for
Double Application
(Twice-over Treatment)

Approx. Setting for
Single Application
(Once-over Treatment)

Cyclone Broadcast Lawn
Spreader Model #

5k

6k

Cameraman's Note

Poor Copy

- A single application of ANDERSON CRABGRASS PREVENTER applied in early spring, before crabgrass germination prevents the growth of crabgrass in established turf.
- Easy to apply with standard lawn seed and fertilizer spreader.
- Not necessary to keep children and pets off treated lawns.
- No need to change present fertilizer practices. A good fertilization program is necessary for a good lawn. Apply fertilizer the same day as ANDERSON CRABGRASS PREVENTER if desired.
- For use on home lawns, parks and golf courses.

DIRECTIONS FOR USE

The contents of this package should be applied uniformly on 2500 square feet of lawn area. Apply on established lawns or other turf areas (Merion or Kentucky bluegrass, mixed bluegrass-fescue, Bermudagrass, centipede, St. Augustine or zoysia). Application should be made in the early spring when ground is not frozen and before crabgrass seeds germinate. Do not use on bentgrass golf greens. For use on other turf species or mixtures, consult experiment station or extension service weed specialist. May injure Dichondra.

There is no need to use more Anderson Crabgrass Preventer than recommended but it is important to apply the full amount indicated and to apply uniformly to obtain most satisfactory results.

Because a material that provides effective crabgrass control may adversely affect new lawn grass seedlings which germinate during the period of control, areas treated in the spring normally should not be seeded until the next fall. Since with proper fertilization the turf grasses already present will tend to fill in thin areas when crabgrass and weeds are controlled, it is best to delay reseeding to allow this natural filling in and turf thickening. Then, if necessary, reseed only thin areas. If you must reseed bare spots in bluegrass turf in the spring, before application, seed as early as possible and apply Anderson Crabgrass Preventer after the newly emerged grass has reached a height of 1 to 2 inches. Spring application of Anderson Crabgrass Preventer should precede emergence of any crabgrass.

APPROXIMATE SPREADER SETTINGS FOR APPLYING CRABGRASS PREVENTER

MAKE AND MODEL	Approx. Setting for Double Application (Twice-over Treatment)	Approx. Setting for Single Application (Once-over Treatment)
Cyclone Broadcast Lawn Spreader Model B, 5 ft. swath width	5½	6½
Scott 75-8	5½	8½
Lawn Beauty 18	6½	8½
Garden Mark TCJ 1020A	7	8½
Jackson 20-25	6½	8½
Sears Croscountry 20"	6½	8½
Precision Products 20F	8	12½
Modern Line 250 C-1	7	9

GUARANTEE

Guaranteed to control crabgrass for a full season to the extent of the purchase price.

CAUTION

Avoid prolonged contact with skin. Avoid contact with eyes. Avoid contamination of feed, foodstuff and fish ponds. Keep out of reach of children. Wash thoroughly after handling. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label. Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or flames.

NOTICE

If not used as directed, seller makes no warranty, expressed or implied, concerning the use of this product. User then assumes all risk of loss or damage arising from use, handling and the effects thereof.

*Dacthal

Registered T. M. of Diamond Shamrock Corporation
Use as a pre-emergence herbicide patented under U. S. Patent No. 2,923,634.

THE ANDERSONS
MARSHFIELD, OHIO 43537

Cameraman's Note

Poor Copy