

USE DIRECTIONS

SC-750 is especially formulated as a multi-purpose dairy cleaner-sanitizer. Daily use of **SC-750** will sanitize and control milkstone buildup on all milking equipment and utensils. No other product is necessary to remove milkstone. 200 PPM of Quaternary Sanitizer is provided in a solution of 1/2 oz. of **SC-750** in 1 gallon of water.

CLEANING BULK MILK TANKS, as soon as possible after milk has been removed from tank, rinse tank with cold water. Drain. Place 3-4 gallons hot water (120°F.) in tank. Add 1 1/2 to 2 oz. of **SC-750** to water in tank. Scrub tank, Mixers, Covers and bridge, then drain and rinse with clear water. No further Sanitizing is necessary before milk is again placed in tank.

CLEANING MILKING EQUIPMENT: Scrub or brush equipment with solution of 1 ounce of **SC-750** per gallon of water. Rinse thoroughly with potable water.

INFLATIONS: Mix 2 ounces **SC-750** in 4 gallons hot water. Scrub or brush inflations, getting at all surfaces thoroughly. Rinse with clear water and allow to dry. It is frequently desirable to soak inflations for 1-2 hours in a mixture of 2 ounces of **SC-750** to 2 gallons of hot water. After this soaking, rinse and allow inflations to dry.

SC-750

Acid - Cleaner - Sanitizer

ACTIVE INGREDIENTS:

N-Alkyl (C ₁₂ -40%, C ₁₄ -50%, C ₁₆ -10%)	Dimethyl benzyl ammonium chloride	5.0%
Sodium ethylenediaminetetraacetic Acid		3.0%
Phosphoric Acid		40.0%
INERT INGREDIENTS		52.0%
		100.0%

CAUTION: KEEP OUT OF REACH OF CHILDREN

ACCEPTED

See right side panel for additional cautions.

OCT 27 1967

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. 133,661

SHRADER
CHEMICAL COMPANY

921 EAST REDONDO BLVD., INGLEWOOD, CALIF. 90302 — TELEPHONES: 678-0146, 678-5917

"A PRODUCT FOR EVERY CLEANING PROBLEM"

SC-750

Acid - Cleaner - Sanitizer

ACTIVE INGREDIENTS:

N-Alkyl (C ₁₂ -40%, C ₁₄ -50%, C ₁₆ -10%)	Dimethyl benzyl ammonium chloride	5.0%
Sodium ethylenediaminetetraacetic Acid		3.0%
Phosphoric Acid		40.0%
INERT INGREDIENTS		52.0%
		<u>100.0%</u>

CAUTION: KEEP OUT OF REACH OF CHILDREN

ACCEPTED See right side panel for additional cautions.

12 7 1967

FEDERAL INSECTICIDE
AND RODENTICIDE ACT
TOXIC POISON REGISTER-
NO. 33244



921 EAST REDONDO BLVD., INGLEWOOD, CALIF. 90302 — TELEPHONES: 678-0146, 678-5917

"A PRODUCT FOR EVERY CLEANING PROBLEM"

CAUTION AVOID CONTAMINATION OF FOOD

May cause skin irritation or damage to eyes. Do not take internally. Harmful if swallowed. Avoid contact with skin and eyes. In case of contact, flush immediately with plenty of water. For eyes, get medical attention.

Do not mix with soap or detergent.

SC-750 USE DILUTION DIRECTIONS

For: 200 PPM—½ oz. in 1 gallon water of active Quaternary Ammonium Chloride

For: 400 PPM—1 oz. in 1 gallon water of active Quaternary Ammonium Chloride

For: 800 PPM—2 oz. in 1 gallon water of active Quaternary Ammonium Chloride

For spray application, use 400 PPM **SC-750** solution and wet all surfaces. Thoroughly rinse all equipment and/or surfaces that come in contact with any foods with clear water before using.

USDA Registration No. 8428-7