

281

**PRECAUTIONARY STATEMENTS**

Hazard to Humans and Domestic Animals

**DANGER**

Corrosive. Causes eye and skin damage. Do not get in eyes, skin, or on clothing. Harmful or fatal if swallowed. Wear goggles and rubber gloves when handling. Avoid breathing mist. Wash thoroughly after handling.

**STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED:** Drink promptly a large quantity of water. Do not induce vomiting. Avoid alcohol.

**IF IN EYES:** Flush with plenty of water. Get medical attention.

**IF ON SKIN:** Wash with plenty of soap and water. Get medical attention if irritation persists.

**NOTE TO PHYSICIAN**

Probably mucosal damage may contraindicate the use of gastric lavage.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

- DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.
- OPEN DUMPING IS PROHIBITED.
- DO NOT REUSE EMPTY CONTAINER

**STORAGE:** If contents are spilled or leaked due to container damage, collect liquid with absorbent material and dispose of in accordance with local, state, and federal pesticide disposal regulations.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide and Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Empty containers — Triple rinse (or equivalent). Then offer for recycling, if available, or puncture and dispose of in a sanitary landfill, or by other means approved by state and local authorities. Plastic containers — Triple rinse (or equivalent). Then offer for recycling or reuse, if available, or for conditioning, or puncture and dispose of in a sanitary landfill, or incineration, or by other means approved by state and local authorities, by burning. If burned, stay out of smoke.

**SC-760**

**IQDOPHOR SANITIZING DETERGENT**

**ACTIVE INGREDIENT:**

Butoxypolypropoxypolyethoxyethanol-iodine Complex..... 12.54%  
(providing 1.6% titratable iodine)

**INERT INGREDIENTS** ..... 87.46%  
Total 100.00%

EPA Reg. No. 8428-12

EPA Est. No. 8428-CA1

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY AND FIRST AID STATEMENTS.

**SHRADER**

**CHEMICAL COMPANY, INC.**

1205 South Santa Fe Avenue, Compton, CA 90221

213-638-7705

**"A PRODUCT FOR EVERY CLEANING PROBLEM"**

Net Contents: \_\_\_\_\_

ACCEPTED

JUL 1989  
Under the Federal Insecticide, Fungicide, and  
Rodenticide Act, as amended, for the  
pesticide registered under  
EPA Reg. No. 8428-12

**BEST AVAILABLE COPY**

TD-9.12 #/3a1

2 of 2

**FOR SANITATION IN:**  
SOFT DRINK BOTTLING — MILK BOTTLING — BEER BOTTLING  
BOTTLE CANNING — FOOD CANNING

**DIRECTIONS FOR USE**

**EQUIPMENT SANITIZATION:**

Remove gross particles and soil by a preflush, or prescrape and when necessary, presoak treatment. Thoroughly wash surfaces with applicable Shalco cleaner followed by a potable water rinse before application of sanitizer. Fill equipment with solution of 2 oz. SC-760 to 10 gallons of water. (Provides 25 ppm titratable iodine.) When ready to use equipment, drain off SC-760 solution and flush with potable water.

**TANK AND VESSEL SANITIZATION:**

Remove gross particles and soil by a preflush, or prescrape and when necessary, presoak treatment. Thoroughly wash surfaces with applicable Shalco cleaner followed by a potable water rinse before application of sanitizer. Add solution of 2 oz. of SC-760 to 10 gallons of water to tank or vessel. (Provides 25 ppm titratable iodine.) After five minutes, drain solution and flush with potable water.

**SANITIZATION OF WALLS, FLOORS, AND CONVEYORS:**

Remove gross particles and soil by a preflush, or prescrape and when necessary, presoak treatment. Thoroughly wash surfaces with applicable Shalco cleaner followed by a potable water rinse before application of sanitizer. Sanitize daily with solution of 2 oz. of SC-760 to 10 gallons of water (25 ppm titratable iodine.) Sanitize weekly or at batch run end with solution of 4 oz. of SC-760 to 10 gallons of water (50 ppm titratable iodine) and rinse with potable water.

**SANITIZATION OF BEVERAGE CONTAINERS:**

Follow local Health Department regulations, which usually suggest use solutions in the range of the lower ppm levels shown in the Dilution Table presented below.

**DIRECTIONS FOR DILUTION**

1 oz.	per 10 gal. water	=	12 1/2	ppm
2 oz.	per 10 gal. water	=	25	ppm
4 oz.	per 10 gal. water	=	50	ppm

**BEST AVAILABLE COPY**