



DOT-SON BRAND

This product is an organic phosphate insecticide for the control of certain Red Spider Mites, Aphids, Cabbage Loop-er and Imported Cabbage Worm. NOTE CAUTION AND READ DIRECTIONS BEFORE USING.

DIRECTIONS

Apply thoroughly. Do not use within 10 days of harvest unless otherwise specified.

GRAPES: Leafhoppers (California and Southwest), Spider-Mites — 20 to 40 lbs. per acre. Leafhoppers — One or more applications as needed. Spider Mites — Two or more applications as needed. Do not apply later than 14 days before harvest.

BROCCOLI, CAULIFLOWER, CABBAGE, KALE, MUSTARD, TURNIPS: Aphids, Imported Cabbageworm and Cabbage Looper — 30 lbs. per acre. Repeat as necessary. Do not apply to cabbage within 14 days of harvest.

PEAS: Pea Aphid — 25 to 30 lbs per acre as needed. Do not apply to peas within 14 days of harvest.

COTTON: Aphids, Spider Mites — 25 to 30 lbs. per acre. Two or more applications as needed. Do not apply within 7 days of picking.

TOMATOES and MELONS: Aphids and Spider Mites — 25 to 30 lbs. per acre. Repeat as needed.

4% MALATHION DUST

Contains
4% MALATHION

ACTIVE INGREDIENT	By Wt.
Malathion*	4%
INERT INGREDIENTS	96%
Total	100%

*O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate.

NET WEIGHT 50 POUNDS

CAUTION

Keep Out Of Reach Of Children

See antidote and other warnings on side panel.

DATES: Nitidulid Beetles — Apply to cover each cluster thoroughly at the rate of 20 to 50 lbs. per acre. Make no application on dates with n 21 days of the first picking.

ORNAMENTALS: Aphids, Spider Mites, Whitefly, Thrips, Japanese Beetle Adult, Four-lined Leaf Bug, Tarnished Plant Bug, Rose Leafhopper, Potato Leafhopper — 25 to 30 lbs. per acre. To control Listed Scale — Apply a thorough full coverage dusting at time scale crawlers have settled on foliage.

CAUTION

Harmful if swallowed, inhaled or absorbed through skin. Do not breathe dust. Do not get in eyes, on skin or on clothing. Wash thoroughly with soap and water after using. Avoid contamination of feed and foodstuffs. Keep out of reach of children and domestic animals. Malathion is a cholinesterase inhibitor and can cause symptoms similar to those caused by other organic phosphate com-
thoroughly at the rate of 20 to 50 lbs. per acre. Make no pounds. If poisoning should occur, CALL A PHYSICIAN. ATROPINE is antidotal.

DO NOT RE-USE CONTAINER. DESTROY WHEN EMPTY.

This product is toxic to fish. Keep out of lakes, streams or ponds. Apply this product only as specified on this label.

U. S. D. A. Reg. No 8434-2

TELEPHONE 344-2336

PLANT — O'Connell Airport and Highway 86

Dotson & Sons, Inc.
AGRICULTURAL CHEMICALS

POST OFFICE BOX 173
BRAWLEY, CALIFORNIA

ACCEPTED WITH COMMENTS