

RECEIVED
 COMMENTS
 Dec. 21, 1945
 8434-28

DOT-SON BRAI

SUGGESTIONS FOR USE

CROP	Minimum Days After Spray Before Harvest	INSECT	Fluid Ounces Methyl per 100 Gallons Water	Number of Applications	REMARKS
Grapes	21	Grape Berry Moth	12 Per Acre	2 to 4	
Cabbage and Cole Crops	21	Cabbage Worm	12 Per Acre	2	
		Aphids	4 Per Acre	1 - 2	
		Diamondback Moth	8 Per Acre	2	
Carrots	15	Aphids	4 Per Acre	1 - 2	
Celery	21	Aphids	4 Per Acre	1 - 2	
Corn	12	European Corn Borer	12 Per Acre	3	Apply first spray when 50% of eggs are in blackhead stage. Make 3 applications at 5-7 day intervals. Apply as Required
		Armyworm (up to 3rd instar)	12 Per Acre	1	
Tomatoes	15	Aphids	4 Per Acre	2 - 3	
		Serpentine Leaf Miner	8 Per Acre	2 - 4	
Barley, Oats	15	Greenbug	8 Per Acre	1	
Wheat	15	Armyworm (up to 3rd instar)	12 Per Acre	1	Apply as Required
Hay	15	Grasshopper	4 Per Acre		Apply as Required
		Aphids	8-12 Per Acre		Apply as Required
Cotton	15	Aphids and Spider Mites	8 Per Acre		Apply as Required

READ ALL DIRECTIONS CAREFULLY BEFORE USING

USDA Reg. No. 8134-28

NET CONTENTS _____ GALLONS

Methyl Parathion - 5

An emulsible solution containing 5 lbs. methyl parathion per gallon, for use in the control of certain insects as specified.

COMPOSITION

ACTIVE INGREDIENTS:	By Weight
*O,O-dimethyl O-p-nitrophenyl thiophosphate	50.0%
Methylated aromatic petroleum derivatives	6.0%
INERT INGREDIENTS	4.0%
Total	100.0%

*Methyl Parathion

DANGER
 Keep Out of Reach of Children



POISON



ATROPINE IS ANTIDOTAL
 Keep an emergency supply on hand
 CALL A PHYSICIAN AT ONCE

See antidote statement and other required warning statements on the back panel.

Do not point p
 INTER
 is clear
 EXTER
 thorough
 INHAL
 until d

EXTRE
 posures
 Do not
 iately v
 When f
 by the
 Airplan
 feed or
 Wash f
 prompt
 before

CAUTION
 protecti
 Keep a
 Vacated
DESTR
 full of
 not be
 Toxic t
 not spe

NOTE:
 which t
 amount
 and it l
 cess of
 mation.
 son & S
 residues
 seller, t
 product

TELEPHONE 344-2336

Plant — O'Connell Airport and Highway 86

Dotson & Sons, Inc.

AGRICULTURAL CHEMICALS

T-SON BRAND

Methyl Parathion - 5

An emulsible solution containing 5 lbs. methyl parathion per gallon, for use in the control of certain insects as specified.

COMPOSITION

ACTIVE INGREDIENTS:	By Weight
*O,O-dimethyl 4-O-nitrophenyl thiophosphate	50.0%
Methylated aromatic petroleum derivatives	46.0%
INERT INGREDIENTS	4.0%
Total	100.0%

*Methyl Parathion

DANGER

Keep Out of Reach of Children

POISON

ATROPINE IS ANTIDOTAL

Keep an emergency supply on hand

CALL A PHYSICIAN AT ONCE

See antidote statement and other required warning statements on the back panel.



NET CONTENTS _____ GALLONS

FIRST AID TREATMENT

Do not wait for a doctor. Give 2 atropine tablets at once if patient has blurred vision or pin-point pupils.

INTERNAL: If swallowed, give tablespoon of salt in warm water and repeat until vomit fluid is clear.

EXTERNAL: If spilled on body, immediately remove contaminated clothing and wash skin thoroughly with soap and water.

INHALATION: Remove patient from contaminated area and keep under continuous observation until doctor arrives.

DANGER

EXTREMELY HAZARDOUS If swallowed, inhaled or absorbed through the skin. Repeated exposures may be increasingly hazardous. Rapidly absorbed through the skin.

Do not breathe vapors. Do not get into eyes, on skin or on clothing. If spilled on skin, immediately wash thoroughly with soap and water. Wear protective clothing, rubber gloves and goggles.

When filling spray tanks and during mixing and application, wear a mask or respirator passed by the U.S. Department of Agriculture for methyl parathion protection.

Airplane pilots should wear full-face cannister-type masks. Do not store near nor contaminate feed or foodstuffs.

Wash hands, arms and face thoroughly with soap and water before eating or smoking. Bathe promptly with soap and water after spraying. Wash clothing with soap and hot water daily, before reuse.

CAUTION — Workers who enter treated fields within 24 hrs. after treatment must wear protective clothing.

Keep all persons out of the operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until insecticidal residues have dissipated.

DESTROY THIS CONTAINER WHEN EMPTY. Wash out thoroughly with water. Punch drum full of holes or crush so that it cannot be used for any purpose. Dispose of it where it cannot be salvaged for any use.

Toxic to fish and wildlife. Do not contaminate any body of water nor apply to any area not specified on the label.

NOTE: Many pesticidal chemicals are poisonous and may leave a toxic residue on the plants to which they are applied. The U. S. Food and Drug Administration has established minimum amounts of such pesticidal chemicals that may remain on raw agricultural products at harvest, and it is the user's responsibility to see that there is no residue on such crops at harvest in excess of these amounts. The "Suggestions for Use" above, are based on the best available information, and if followed carefully should not leave excessive residues at harvest. However, Dotson & Sons, Inc., assumes no responsibility as to their accuracy nor for any loss due to excessive residues.

IMPORTANT NOTICE: Since the use of this product is beyond the control of the seller, the seller makes no warranty of any kind, express or implied, concerning the use of this product. User assumes all risks of use or handling whether in accordance with directions or not.

Reg. No. 8434-28

Dotson & Sons, Inc.

AGRICULTURAL CHEMICALS

POSTOFFICE BOX 173
BRAWLEY, CALIFORNIA

ACCEPTED WITH COMMENTS