

50 LBS

NET WEIGHT



Staley®

FREE CHOICE MINERAL WITH RABON® ORAL LARVICIDE

To prevent the development of larvae of house flies and stable flies in the manure of cattle, cattle

ACTIVE INGREDIENTS

2-chloro-1-(2,4,5-trichlorophenyl)-
vinyl dimethyl phosphite

INERT INGREDIENTS**

*Each pound contains 2.7g Rabon

**Refers only to ingredients which are not larvicidal

EPA REG. NO. 8450-13

EPA EST. NO. 45307 IL 1

BY WEIGHT

0.60%
98.00%
TOTAL 100.00%

ACCEPTED
JUN 16 1980
Under the Federal Insecticide, Fungicide, and Rodenticide Act, registered under EPA Reg. No. 8450-13

FEED INGREDIENTS

Dicalcium phosphate, ground limestone, cane molasses, soybean meal feed, salt, rice hulls, mineral oil, Vitamin A supplement, Vitamin D supplement, manganese oxide, iron carbonate, copper oxide, cobalt carbonate, aluminum oxide, zinc oxide

GUARANTEED ANALYSIS

Calcium (Ca), maximum	19.0%
Calcium (Ca), minimum	16.0%
Phosphorus (P), minimum	4.0%
Salt (NaCl), maximum	14.4%
Salt (NaCl), minimum	12.0%
Vitamin D, minimum	12,500 U.S.P. Units Per Lb.
Vitamin A, minimum	5,000 U.S.P. Units Per Lb.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BELOW FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

CAUTION

Keep out of reach of children. Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water for 15 minutes. If irritation persists, see a physician.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

Do not contaminate water or food by storage or disposal. Open dumping is prohibited. Waste and container should be disposed of in an incinerator or landfill approved for pesticides and containers, or bury in a safe place.