

Cameraman's Note  
Poor Copy

**ACCEPTED**  
**APR 09 1973**  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR LISTED PESTICIDES REGISTERED  
UNDER 28461-27 SUBJECT  
TO ATTACHED COMMENTS.

USE ON	TO CONTROL	In 1 GAL.	COMMENTS
Flowers	Oyster Shell Scale	1 tsp.	Apply in summer when infestation occurs. Repeat in 10 to 12 days. For trees, apply when crawlers have settled on foliage.
Flowers	Eucynippus Scale	1 tsp.	
Flowers	Aphids, Spider Mites	1 tsp.	
Flowers	White Fly, Thrips	1 tsp.	
Flowers	Mealy Bugs	1 tsp.	
Flowers	Japanese Beetle Larva	1 tsp.	
Flowers	Four Lined Plant Bug	1 tsp.	
Flowers	Tarnished Plant Bug	1 tsp.	
Flowers	Rose Leafhopper	1 tsp.	
Flowers	Potato Leafhopper	1 tsp.	
Flowers	Baworm, Juniper Scale	2 tsp.	
Flowers	Soft Brown Scale	2 tsp.	
Flowers	Pine Needle Scale	4 tsp.	

\*\*May cause injury to McIntosh and Cortland apples in summer spray. B. scabars under certain conditions in Northeast. Certain ferns, some species of brassica, and desert juniper.  
\*\*\*Do not apply to cucurbits unless plants are dry.

**CAUTION:** Harmful if swallowed. Avoid breathing of spray mist. Avoid contact with skin, wash thoroughly. Avoid contamination of feed and clothing. Keep out of reach of children. For information on first aid treatment, call your poison control center or get product label and instructions.

Do not apply to animals or wildlife.  
This product is poisonous to fish. Keep out of water body of water. Do not apply when water is used for irrigation of crops from areas treated.

Wash equipment and containers and dispose of wastes by burning in non-crop lands away from water bodies. Containers should be disposed by puncturing holes in them and burning with wastes, or by burning. (Keep out of sight.)

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

**NOTICE:** Buyer assumes all risk and liability of use, storage and handling of this material not in accordance with the terms of this label.



CONTAINS  
**CYTHON**

# 55% MALATHION

## (PREMIUM GRADE)

**ACTIVE INGREDIENTS**  
Malathion 55.00%  
Aromatic Petroleum Derivative Solvents 35.97%  
**INERT INGREDIENTS** 9.03%  
Total 100.00%  
N, O-dimethyl dithiophosphoric triethyl mercaptosuccinate

**CAUTION**  
**Keep Out Of Reach Of Children**  
**DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.**  
See Other Cautions on Left Panel.  
Manufactured by  
**CYPRESS MANUFACTURING CO.**  
PORTAGEVILLE, MO. 63873

**NET CONTENTS . . . . GAL.**

**DIRECTIONS FOR USE**

FOR USE ON	TO CONTROL	In 1 GAL.	COMMENTS
Apples, Pears**	European Red Mite Black Curculio Red-Banded Leaf Roller Clover Mite Two Spotted Mite Weedy Apple Hopper European Pear Green Apple Aphid Rosy Apple Aphid	2 tsp.	Make one or more applications as needed for mites, and for more for aphids. Do not use within 3 days of harvest.
Tomatoes	Spider Mites Aphids	1 tsp.	Make one or more applications as needed. Do not use within 1 day of harvest.
Beans	Mexican Bean Beetle Spider Mites Leafhopper	1 tsp.	Make one or more applications as needed. Do not use within 1 day of harvest.
Peas	Pea Aphid	1 tsp.	Make one or more applications as needed. Do not use within 3 days of harvest.
Potatoes	Aphids Leafhoppers	2 tsp.	Make one or more applications as needed. Do not use within 3 days of harvest.
Cabbage, Broccoli, Cauliflower	Aphids Leafhoppers Cabbage Looper	2 tsp.	Make one or more applications as needed. Do not use within 3 days of harvest.
Plum Curculio	Plum Curculio	2 tsp.	Do not use within 7 days of harvest.
Apples, Pears	Aphids Spider Mites	1 tsp.	Do not use within 3 days of harvest.
Apples, Pears	Aphids Spider Mites	1 tsp.	Do not use within 3 days of harvest.

EPA REG. NO. 3461-27



# NET CONTENTS . . . . . GAL.

## DIRECTIONS FOR USE

FOR USE ON	TO CONTROL	In 1 GAL.	COMMENTS	
Apples, Pears**	European Red Mite	2 tsp.	Make two or more applications as needed for mites, one or more for aphids. Do not use within 3 days of harvest.	
	Plum Curculio			
	Red-Banded Leaf Roller			
	Clover Mite			
	Two Spotted Mite			
	Woolly Apple Aphid			
	Forbes Scale			
Tomatoes	Spider Mites	1 1/2 tsp.	Make one or more applications as needed. Do not use within 1 day of harvest.	
	Aphids	1 tsp.		
	Beans	Mexican Bean Beetle		1 1/2 tsp.
		Spider Mites		
	Leafhopper			
Peas	Pea Aphid	1 1/2 tsp.	Make one or more applications. Do not use within 3 days of harvest.	
Potatoes	Aphids	2 tsp.		
	Leafhoppers			
Cabbage, Broccoli, Kale, Mustard, Turnip	Aphids	2 tsp.	Make full coverage applications. Repeat as necessary. Do not use within 3 days of harvest on broccoli and turnip, 7 days on others.	
	Imported Cabbage Worm			
	Cabbage Looper			
Peaches	Plum Curculio	2 tsp.	Do not use within 7 days of harvest.	
Strawberries	Aphids, Spider Mites	1 1/2 tsp.	Do not use within 3 days of harvest.	
Cucumbers, Squash, Melons***	Aphids, Spider Mites	1 1/2 tsp.	Do not use within 3 days of harvest.	

EPA REG. NO. 8461 27

CONTAINS  
**CYTHION**

**THION**  
**ADE)**

.....55.00%  
.....35.69%  
.....9.31%  
.....100%  
mercaptosuccinate.

**each**  
**n**

**STORE NEAR**

**t Panel.**

**IG CO.**

**873**

Apply in summer when infestation occurs. Repeat in 10 to 12 days. For scales, apply when crawlers have settled on foliage.

2 tsp.  
2 1/2 tsp.  
3 tsp.

and Courtland apples in certain conditions in species of crassula, and plants are dry.


Avoid breathing of spray wash thoroughly. Avoid fumes. Keep out of reach of children. If medical aid. Atropine is

ings. Keep out of any body of conditions favor drift of

and dispose of wastes by from water supplies. punching holes in them burning. (Keep out of

bees exposed to direct effective information may Agricultural Extension

liability of use, storage in accordance with the



CONTAINS  
**CYTHION**  
THE PREMIUM GRADE MALATHION

# 55% MALATHION

## (PREMIUM GRADE)

ACTIVE INGREDIENTS	
Malathion*	55.00%
Aromatic Petroleum Derivative Solvents	35.69%
INERT INGREDIENTS	
Total	100%
*0, 0-dimethyl dithiophosphate of diethyl mercaptosuccinate.	

**CAUTION**  
**Keep Out Of Reach**  
**Of Children**

**DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.**

See Other Cautions on Left Panel.

Manufactured by  
**CYPRESS MANUFACTURING CO.**  
PORTAGEVILLE, MO. 63873

FOR USE ON  
Apples,  
Pears\*\*

Tomatoes

Beans

Peas

Potatoes

Cabbage,  
Broccoli,  
Kale,  
Mustard,  
Turnip

Peaches

Strawberries

Cucumbers  
Squash  
Melons\*\*\*

EPA REG. N