

Cameraman's Note  
Poor Copy

Band Width	Gals. Spray Per Acre of Ground Actually Sprayed			
	25	30	35	40
10 in.	523 ft.	436 ft.	373 ft.	326 ft.
12 in.	436 ft.	363 ft.	311 ft.	272 ft.
14 in.	374 ft.	311 ft.	266 ft.	232 ft.
16 in.	327 ft.	272 ft.	233 ft.	204 ft.
18 in.	291 ft.	242 ft.	207 ft.	181 ft.
20 in.	262 ft.	218 ft.	187 ft.	163 ft.

**CONTINUED FROM BACK PAGE**  
**CALIBRATION:** The following is designed for application of indicated number of gals. spray per acre of ground actually sprayed; it is based on width of band treated and is not affected by row spacing.  
**Step 1:** To calibrate use tractor rear end tireline setting which will be used for actual application (all direction is preferred to insure maximum pump capacity). With only water in the tank, determine number of seconds required for tractor to travel in the field the measured distance (you may determine opposite desired band width and under proper spray volume).

Adjust height of boom to obtain desired spray pattern. With nozzle in position, determine the number of seconds required for tractor to travel the same distance (at the same speed) as in Step 1. Adjust pressure of pump (and nozzle) to obtain desired spray pattern. In the case of a pump, determine the number of seconds required for tractor to travel the same distance as in Step 1. Adjust pump pressure to obtain desired spray pattern.

**NOTICE TO BUYER:** Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

# CYPRESS BRAND

## MISSOURI FORMULA

# ATRAZINE *plus* LINURON

# WEED KILLER

Active Ingredients	
Linuron (3,3',4'-Dichlorophenyl-1-methoxy-1-methylurea)	20.5%
Atrazine (2-chloro-4-ethylamino-6-isopropylamino-s-triazine)	41.0%
Inert Ingredients	38.5%
<b>Total</b>	<b>100.0%</b>

EPA Reg. No. 8461-29

**CAUTION! HARMFUL IF SWALLOWED**  
**MAY IRRITATE EYES, NOSE, THROAT, AND SKIN**  
Avoid breathing dust or spray mist. Avoid contact with skin, eyes and clothing. Avoid contamination of feed and foodstuffs.  
**KEEP OUT OF REACH OF CHILDREN**

**IMPORTANT:** Use Atrazine plus Linuron Weed Killer only as specifically recommended. Overdosage, caused by inaccurate preparation of spray mixture, improper calibration of equipment or application at a speed slower than used for calibration, should be avoided as injury to the crop may result. Do NOT apply, drain or flush equipment on or near desirable trees or other plants, or on areas where their roots may extend, or in locations where the chemical may be washed or moved into contact with their roots. Do NOT use on lawns, walks, driveways, tennis courts, or similar areas. Prevent drift of dry powder or spray to desirable plants. Do NOT contaminate any body of water. Keep from contact with fertilizers, insecticides, fungicides, and seeds. Do NOT reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

Thoroughly clean all traces of Atrazine plus Linuron Weed Killer from application equipment immediately after use; otherwise, crop injury may result when equipment is used again. Flush tank, pump, hoses, and boom with several changes of water after refilling; nozzle tips and screens (clean these parts separately).

ACCEPTED  
May 1, 1975  
8461-29



**NET WT.**

**CYPRON BEXANT**  
**MISSOURI FORMULA**  
**ATRAZINE *plus* LINURON**  
**WEED KILLER**

**Active Ingredients:**

Linuron (3-(3, 4-dichlorophenyl)-1-methoxy-1-methylurea)	20.5%
Atrazine (2-chloro-4-ethylamino-6-isopropylamino-s-triazine)	41.0%
<b>Inert Ingredients</b>	<b>38.5%</b>
<b>Total</b>	<b>100.0%</b>

**CAUTION!** HARMFUL IF SWALLOWED  
MAY IRRITATE EYES, NOSE, THROAT, AND SKIN  
Avoid breathing dust or spray. Avoid contact with skin,  
eyes and clothing. Avoid contamination of food and food stuffs.  
**KEEP OUT OF REACH OF CHILDREN**

**IMPORTANT:** ...

CONTAINED FROM BACK PANEL  
**CAUTION:** ...

60th Street Per Line of Ground Authority System  
 25  
 30  
 35  
 40

...  
 ...  
 ...

**DIRECTIONS**

Atrazine plus Linuron Weed Killer is a wettable powder to be mixed in water and applied as a spray for the selective control of annual weeds and grasses in field corn. It is non-corrosive, non-volatile and non-flammable.

Treatment provides control of germinating annual weed seedlings such as foxtail (including giant foxtail), barnyard grass, crabgrass, buttonweed, lambsquarters, pigweed, purslane, mustard, ragweed, and smartweed. Treatment will not control established nutgrass, Johnson grass, Bermuda grass, or other perennial weeds.

CONTINUED ON BACK PANEL

CONTINUED FROM SIDE PANEL

**HOW TO USE**

Make a single application as a band (over the row) or broadcast spray after planting but before crop emerges. For accuracy and convenience, planting and spraying should be combined in one operation. Apply with a properly calibrated fixed-boom power sprayer, using sufficient water (equivalent to 25 to 40 gals. per acre on a broadcast basis) to provide thorough and uniform coverage of the ground. Avoid overlapping, and shut off spray boom while starting, turning, slowing or stopping or injury to the crop may result. Continuous agitation is required to keep the material in suspension.

Best results are obtained when Atrazine plus Linuron Weed Killer is moved by moisture (rainfall or overhead irrigation) into the upper layer of soil within 2 weeks after application. Lack of sufficient moisture (1 to 2 inches is generally sufficient) following treatment will generally result in unsatisfactory weed control.

Soil should be well prepared and as free as possible from trash and clods. Seed should be planted to a depth of at least 1 1/2" or crop injury may result. If soil becomes crusted before corn emerges, a shallow rotary hoeing may be made. If rainfall is insufficient following treatment to activate the chemicals, rotary hoeing or standard cultivation should be used before weeds become well established; otherwise, avoid cultivating or disturbing the sprayed area, such as covering treated band with soil while cultivating middles.

Apply the spray mixture at the following rates:

Soil Type*	Lbs. Atrazine plus Linuron Weed Killer in 25 to 40 gals. water per acre (of ground actually sprayed)	EXAMPLE - BAND TREATMENT Lbs. Atrazine plus Linuron Weed Killer/crop acre 14" Band on 42" Rows
Light colored - low organic matter (2% or less)		
Sandy loam .....	1.6 .....	.5 .....
Silt loam .....	2.0 .....	.7 .....
Clay loam .....	2.5 .....	.8 .....
Dark colored - moderate organic matter		
Silt loam .....	4.0 .....	1.3 .....
Clay loam .....	5.0 .....	1.7 .....

\*DO NOT USE ON SAND OR LOAMY SAND SOIL AS CROP INJURY MAY RESULT.

Fields treated with Atrazine plus Linuron Weed Killer may be replanted to the same crop if initial seeding fails to germinate or produce a stand. Thoroughly rework soil before replanting. Do not retreat field with a second application during the same crop year as injury to the crop may result. Do not replant treated areas with crops other than corn within 6 months after application or crop injury may result. Do not follow treated corn with sugar beets, tobacco or vegetables in rotation. Prior to replanting to any crop following treated corn, thorough seedbed preparation including fall or spring plowing is recommended.

**EQUIPMENT:** Use a tractor-mounted power sprayer properly calibrated to a constant speed and rate of delivery (see CALIBRATION section). Sprayer should be designed to treat the same number of rows as the planter used. Make certain spray equipment is clean (free of scale, rust, dirt, oil, and pesticide deposits). Screens should be 50-mesh or coarser. Booms and hoses should be maximum of 1/2" diameter. MATERIAL MUST BE KEPT IN SUSPENSION AT ALL TIMES BY CONTINUOUS AGITATION. Agitate by mechanical or hydraulic means. With hydraulic system, use a separate agitation line in addition to by-pass line; both lines should terminate at bottom of tank to minimize foaming. Spray booms must be shut off while starting, turning, slowing or stopping, or injury to the crop may result.

CONTINUED ON SIDE PANEL