

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

**ONLY FOR SALE TO, USE, AND STORAGE
BY SERVICE PERSONNEL**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This detergent-disinfectant has been designed specifically for hospitals, offices, motels, nursing homes, schools, food processing plants and other institutions where housekeeping is of prime importance.

DISINFECTION—To disinfect hard inanimate surfaces (such as walls, floors, table tops) apply solution with mop, cloth, sponge or mechanical sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes and then air dry.

DILUTION RATES: General Disinfection—add 4.5 ounce Scott detergent-disinfectant per gallon of water. Hospital Disinfection—add 6 ounce per gallon of water.

To disinfect toilet bowls, flush toilet, add 4.5 ounce Scott detergent-disinfectant directly to the bowl. Water wash the bowl completely using a scrub brush or toilet mop, making sure to get under the rim. Let stand for 10 minutes and flush.

For heavily soiled areas, a pre-cleaning step is required and recommended. Prepare a fresh solution for each use.

MILDEWSTAT—To control mildew and mold on hard non-porous surfaces such as floors, walls, table tops, clean surfaces then add 4.5 ounces Scott detergent-disinfectant per gallon of water. Apply with a cloth, mop or sponge to surface to be treated making sure to wet thoroughly. Let air dry. Prepare a fresh solution for each use. Repeat application at weekly intervals or when mildew again reappears.

SANITIZATION—To sanitize previously cleaned and rinsed non-porous food contact surfaces, prepare 200ppm active quaternary Scott detergent-disinfectant solution by adding 8 ounces to 5 gallons of water.

To sanitize immobile items (such as tanks, chopping blocks, counter tops) flood the area with 200 ppm solution or apply with a cloth or sponge making sure to wet all surfaces completely, for at least 60 seconds. RINSE THOROUGHLY WITH POTABLE WATER. Prepare a fresh solution for each use.

To sanitize mobile items (such as drinking glasses, eating utensils) immerse in 200ppm solution for at least 60 seconds making sure to immerse completely. REMOVE AND RINSE THOROUGHLY WITH POTABLE WATER. Prepare a fresh solution daily or more frequently as soils appear.

EPA Reg. No. 8474-10

EPA Est. No. 8474 OH 1

**NET CONTENTS
5 U.S. GALLONS**

SCOT

DETERGENT DISINFECTANT

DEODORIZER • SANITIZER
FUNGICIDE

ACCEPTED
 8474-10
 MAY 25 1982
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for this product to be sold in the U.S.A. EPA Reg. No.

ACTIVE INGREDIENTS:

n-Alkyl (60% C ₁₂ , 30% C ₁₄ , 5% C ₁₂ , 5% C ₁₄)	
dimethyl benzyl ammonium chlorides	0.8%
n-Alkyl (58% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzyl ammonium chlorides	0.8%
INERT INGREDIENTS:	98.4%
TOTAL	100.0%

WARNING

KEEP OUT OF REACH OF CHILDREN

See side panel for additional precautionary and practical treatment statements.

DISINFECTION—At 4.5 ounces per gallon dilution, Scot detergent disinfectant exhibits effective disinfectant activity against the organisms *Salmonella choleraesuis*, *Staphylococcus aureus* and E. Coli.

At this level the product is also fungicidal against the Pathogenic fungi, *Trichophyton mentagrophytes*.

At 6 ounces per gallon dilution, Scot detergent disinfectant is an effective hospital disinfectant and demonstrates disinfectant activity against *Pseudomonas aeruginosa*.

Efficacy tests have demonstrated that Scot detergent disinfectant is an effective bactericide and fungicide in the presence of organic soil (5% blood serum).

Scot detergent disinfectant is an effective sanitizer when diluted in water up to 500ppm hardness (CaCO₃).

**PRECAUTIONARY STATEMENTS
HAZARD TO HUMAN AND DOMESTIC ANIMALS
WARNING**

Keep Out of Reach of Children. Causes eye and skin irritation. Do not get in eyes, skin or on clothing. Harmful if swallowed.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

STORAGE AND DISPOSAL

- DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL
- OPEN DUMPING IS PROHIBITED
- DO NOT REUSE EMPTY CONTAINER

PESTICIDE DISPOSAL—Pesticides that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide or buried in a safe place.

CONTAINER DISPOSAL—Triple rinse (or equivalent) and dispose in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

SCOT laboratories

a Scott Paper company

16841 PARK CIRCLE DRIVE

PO BOX 167 • CHAGRIN FALLS OHIO 44022-0167