

USE DIRECTIONS:

Use at 2 ounces per gallon. This product will be effective against Pseudomonas aeruginosa PRD-10 at this level. This has been substantiated by the AOAC Use Dilution Confirmation Test. At this level, the product is fungicidal against pathogenic fungi.

For best results, use Scot Detergent Disinfectant with a cloth or mop and apply to walls, floors and other hard surfaces.

If used for sanitization of food equipment or food contact items, limit the level of active quarternary to 200 ppm. (2.8 ounces per 5 gallons). No rinse required.

For heavy soil or organic matter, a pre-cleaning step is recommended. No rinse required.

PHENOL COEFFICIENTS:

| Guaranteed | Minimum |
|------------|---------|
| S.aureus | 42 |
| S.typhosa | 27 |

Rinse empty container thoroughly with water and discard.

Scot Detergent Disinfectant is a cleaner, disinfectant, and sanitizer designed for institutional use, such as HOSPITALS, NURSING

Scot Detergent Disinfectant Hospital Type

CLEANER DISINFECTANT
DEODORIZER FUNGICIDE

Designed for Hospital and Institutional Use

ACTIVE INGREDIENTS:

| | |
|--|----------------|
| n-Alkyl (60%C14, 30%C16, 5%C12, 5%C18) | |
| dimethyl benzyl ammonium chlorides | 2.25% |
| n-Alkyl (68%C12, 32%C14) dimethyl ethylbenzyl | |
| ammonium chlorides | 2.25% |
| Sodium Carbonate | 3.00% |
| Tetrasodium ethylenediamine tetraacetate | 1.00% |
| INERT INGREDIENTS: | 91.50% |
| | <u>100.00%</u> |

NET CONTENTS 55 GAL. (462 lbs.)

EPA Reg. No. 8474-11

WARNING: Keep Out of Reach of Children

See right side panel for additional precautionary statements.

SCOT LABORATORIES
A Division of The Scott & Fetzer Company
16841 Park Circle Drive
Chagrin Falls, Ohio, 44022

HOMES, and SCHOOLS where housekeeping will be of prime importance controlling the hazard of cross-infection. Scot Detergent Disinfectant provides the assurance you need in this area when used as directed. For use on floors, walls, sink tops, garbage pails, telephones, rest rooms, bed pans and operating rooms. Effective against Staphylococcus aureus, Salmonella choleraesuis and Pseudomonas aeruginosa. Also effective against pathogenic fungi, Trichophyton interdigitale.

When used for sanitization of food processing equipment and food contact items, limit active quarternary to 200 ppm. At this level, no potable water rinse is required.

WARNING: Keep Out of Reach of Children. Causes skin irritation. May cause eye damage. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

8474-11
ACCEPTED
Feb 17 1972