

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**PRECAUTIONARY STATEMENTS
RELATING TO HUMAN AND DOMESTIC ANIMALS
STORAGE AND DISPOSAL**

- Do not contaminate water, food or feed by storage disposal.
- Do not store on side.
- Avoid crushing or impeding of side walls.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of empty pesticide spray or pattern of residue is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning or purchase and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities by burning, if burned, stay out of smoke.

Triple Rinse: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. (If container is 1 gallon or less, use this container disposal statement.)

Do not reuse empty container (bottle, can, bucket). Wash container and put in trash.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Flush and wash contaminated clothing before reuse.

If inhaled, drink plenty of water. If large quantity of milk, egg whites, protein solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contribute to respiratory distress. Measure against circulatory shock, respiratory depression, and coma.

ONLY FOR SALE TO, USE, AND STORAGE BY SERVICE PERSONNEL.
MARKETED SOLELY FOR INDUSTRIAL USE.

MANUFACTURED BY:

SCOT laboratories
1000 PARK CIRCLE DRIVE, P. O. BOX 107
CHANDLER, PA 15, 15015-0107

SCOT

laboratories

MINT DISINFECTANT

ACTIVE INGREDIENTS

Octyl dodecyl dimethyl ammonium chloride	2.250%
Didecyl dimethyl ammonium chloride	1.125%
Didecyl dimethyl ammonium chloride	1.125%
Allyl C ⁺ , 80% C ⁺ , 40% C ⁺ , 10% dimethyl benzyl ammonium chloride	3.000%
inert ingredients	92.500%
	100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

Irritant to skin of Children. Corrosive. Causes eye damage. Wear eye protection. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Do not breathe spray mist. Avoid contamination of food.

SEE LEFT PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

EPA Registration No. 0474-18
EPA EST. NO. 0474-011

DIRECTIONS FOR USE

Apply Mint Disinfectant with a cloth, mop or mechanical spray device. When applied with a mechanical spray device, surface must be sprayed until thoroughly wetted. Treated surfaces must remain wet for 10 minutes. Fresh solution should be prepared daily or when the use solution becomes visibly dirty.

Disinfection in Hospitals, Nursing Homes and Other Health Care Institutions. For disinfecting floors, walls, counter tops, bathing areas, lavatories, bedframes, tables, chairs, garbage pails and other hard non-porous surfaces.

Add 3.5 oz. Mint Disinfectant to 4.5 gallons water. Apply to previously cleaned hard surfaces. At this use level, Mint Disinfectant is effective against *Pseudomonas aeruginosa*, *Staphylococcus aureus* and *Salmonella choleraesuis* in the presence of 10% blood serum when evaluated by the AOAC Use-Dilution Test.

Virucidal Performance. At 3.5 oz./4.5 gallon use level, Mint Disinfectant was evaluated in the presence of 10% serum and found to be effective against the following viruses: Herpes Simplex Types 1 and 2, Vaccinia, and Chikungunya A1 (Hong Kong) in hard non-porous environmental surfaces.

Disinfection in Institutions, Industry and Schools. Add 3 oz. of Mint Disinfectant to 4.5 gallons of water.

Fungicidal Performance. At 0.5 oz. to 2.25 gallons of water use level, Mint Disinfectant is an effective fungicide against *Trichophyton mentagrophytes* (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, showers and bath areas and exercise facilities passing the AOAC Fungicidal Test.

Sanitizing of Food Processing Equipment and Other Hard Surfaces in Food Contact Locations. For sanitizing food processing equipment, dairy equipment, food utensils, dishes, silverware, glasses, and tops, countertops, refrigerated storage and display equipment and other hard non-porous surfaces. A potable water rinse is required.

Wash and rinse all articles thoroughly, then apply a solution of 1 oz. Mint Disinfectant in 4 gallons of water (150ppm active). Surfaces should remain wet for at least one minute. Fresh solution should be prepared daily or when use solution becomes visibly dirty. For mechanical application, use solution may not be reused for sanitizing applications.

NET CONTENTS ONE U.S. GALLON

ACCEPTED

JUL 09 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 474-18