# DIRECTIONS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Use care when applying. MOSS STOP will harm plants which it may contact. Prevent contact with trees, plants, or grass.

For outdoor use only. Keep children and pets off treated areas until dry. Wear gloves (not canvas). Contaminated clothes will irritate skin unless clothes are washed thoroughly.

### PREPARING USE-SOLUTION

- 1. Add 1 GALLON MOSS-STOP to 11 GALLONS WATER
- 2. Mix thoroughly.
- 3. Apply as indicated below.
- 4. Use-solution should be remixed prior to application, if allowed to stand for several hours.

### AMOUNT TO APPLY

HEAVY MOSS DEPOSITS: Apply 1 1/2 gal use-solution to each 250 sq. ft. of roof.

LIGHT MOSS DEPOSITS: Apply 1 1/2 gal use-solution to / each 400 sq. ft. of roof.

To 100 provide the state of the

### WALKS AND WALLS

Prepare use-solution as above. Apply solution to concrete, brick or wooden walks and walls with paint brush or paint roller, only when not raining. Apply just enough use-solution to wet the moss.

Directions continued on right side.



PACE NATIONAL ( 500 7th Ave. S. Kir

NET CONTENTS:

his product in a

will harm plants vith trees, plants,

nd pets off treatvas). Contamothes are washed

 $\Sigma^{\prime}$ 

to application,

jal use-solution to

al use-solution to

bof with MOSS
blying enough to
ng runoff. Do
vet moss will not
varea while
nouse.
special care.
bit roof edges
eets to assure
prevent runoff.
e stoin to product.
pres. Test small

vition to convition paint brush Apply just enough RESTRICTED USE PESTICIDE FOR RETAIL SALE AND APPLICATION : ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION.

IOSS ST

Directions continued . . . . . .

STORAGE & DISPOSAL Storage: Do not contaminate water, food, or feed by ctorage or disposal. Do not store near food, feed, fertilizers, other pesticides or seeds. In case of spill or leak, absorb liquid with sawdust or other absorbent material and incinerate or dispose of in an approved disposal area.

Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your state Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Container; Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and Local authorities.

### unwanted moss on concrete, brick or wood. Do <u>not</u> apply on grass, shrubs or trees.

ACTIVE INGREDIENTS:

Kills Moss

for several years apply any time of the year

Controls deterioration

Stops Dry Rot

from fungus organisms, 🛩

Recommended for applic tion

on any type of roof. Also for

(5)

Causes skin and eye irritation. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or clothing. Do not breathe spray mist. Wash thoroughly after handling. If clothing is contaminated, wash before reuse.

See side panel for statement of practical treatment and additional precautionary statements .

MET CONTENTS:

#### PRECAUTIONARY STATEMENTS

#### HAZARD TO HUMANS & DOMESTIC ANIMALS

WARNING: Causes skin and eye irritation. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or clothing. Do not breathe spray mist. Wash thoroughly after handling. If clothing is contaminated, wpsh before reuse.

STATEMENT OF PRACTICAL TREATMENT If on skin: Wasi with plenty of soap and water. If in eyes: Flush with plenty of water. Get medical attention.

If swallowed: Give plenty of milk and call physician immediately.

ENVIRONMENTAL HAZARD: This product is toxic to fish and wildlife. Do not apply directly to water. Do not apply when weather conditions favor drift from target area.

PACE NATIONAL Corporation 500 7th Ave. S. Firkland, WA 78033

## The U.S. EPA has determined that pentachlorophenol can produce detects in the offspring of laboratory animals. Exposure to pentachlorophenol during pregnancy nould be avoided.

Applicators must wear gloves impervious to the wood treatment formulation in all situations where dermal contact is expected (for example, during the actual application process and when handling freshly treated wood).

Spray applicators must wear protective clothing (including overalls, jackets, gloves and boots) impervious to the wood treatment formulation, and a respirator, head covering, and goggles when spraying.

Applicators who apply pentachlorophenol by other application methods (e.g., brush-on) must wear disposable coveralls or other suitable impermeable protective clothing caunder non-disposable protective clothing separately from other clothing.

Applicators must not eat, drink, or use tobacco products during those parts of the application process that may expose them to the wood treatment formulation.

Wash thoroughly after skin contact, and before eating, drinking, use of tobacco products, or using restrooms.

Protective clothing must be changed when it shows signs of contamination. Dispose of worn-out protective clothing and workshoes or boots in any general landfill, in the rash, or in any other manner approved for pesticide disposal.

Avoid inhaling vapors. If inhalation of vapors cannot be avoided, applicators must wear a properly fitting, well-maintained half-mask cannister or cartridge respirator which is MSHA/NIOSH approved for organic vapors and acid gases.

Do not apply where there may be direct contact with domestic animals or livestock, and where there may be contamination of food, feed, or drinking and irrigation water

Do not apply to interiors. Do not apply to wood intended for use in interiors except for those support structures which are in contact with the soil in barns, stables, and similar sites and which are subject to decay or insect infestation, and millwork which has outdoor surfaces (e.g., doorframes, windows and patio frames). Interior surfaces of the treated wood should be sealed with two coats of an appropriate sealer.

Do not apply pentachlorophenol to wood intended for farrowing or brooding facilities. Do not apply pentachlorophenol to wood intended to be used in the interiors of farm buildings where there may be direct contact with domestic animals or livestock which may crib (bite) or lick the wood. Pentachlorophenol may be used to treat wood intended to be used in interiors of farm buildings where domestic animals or livestock are unlikely to crib or lick the wood, if two coats of an appropriate sealer will be applied.

Do rist apply to wood intended to be used in a manner in which the preservative may become a component of food or animal feed. Examples of such sites would be structures or containers for storing sitage or food

Do not use this product to treat wood intended to be used for cutting-boards or counter tops,

Do not use this product of treat wood intended for construction of those portions of beehives which may come into contact with the honey.

Do not use this product to treat wood intended to be used where it may come into direct or indirect contact with public drinking water, except for those uses involving incidental contact such as docks and bridges.

Do not use this product to treat wood intended to be used where it may come into direct or indirect contact with drinking water for domestic animals or livestock, except for uses involving incidental contact such as docks and bridges.

Wood to be treated with this product should be cut to size before treatment. If it is necessary to saw or maching wood after treatment, wear goggles to protect the eyefrom flying particles and a dust mask to avoid inhaling sawdust from the treated wood. If oily preservatives or sawdust accumulate on clothes, launder before reuse. Wash work clothes separately from other household laundry.

Contact with treated surfaces should be avoided even after the preservative has dried. When handling treated wood wear tightly woven coveralls and gloves which are impervious (e.g., vinyl coated) to the pessicipe. Wash exposed skin thoroughly after contact with treated wood, and before eating, drinking or using tobacco products.

Wood which has been treated with this product should be disposed by burial or ordinary trash collection. Do not burn treated wood in outdoor fire or in stoves or fireplace because toxic chemicals may be produced as part of the smoke and ashes.

This product should not be used to treat wood which will be in frequent or prolonged contact with skin, unless the wood will be treated with an effective sealer.

NOTE TO USER: As used on this label, the term "respirators" means properly fitting, well maintained half-mask canister or cartridge respirators which are MSHA/NIOSH approved for organic vapors and acid gases. Examples of acceptable materials for protective clothing (e.g., overalls, jackets, head covering, boots, disposable coveralls, and gloveequired during application and handling of pentachlorophenol are polyvinyl acetate (PVA), polyvinyl chloride (PVC), neoprene, NBR (Buna-N), and nitrile. Urethane, shella are epoxy enamel and varnich are acceptable sealers for pentachlorophenol treated wood.