
Treats up to 2,500 Sq. Ft.

DEADLINE BULLETS

- One Last Meal for Slugs and Snails.
 Can Be Used Around Fruits, Berries and Vegetables, Flowers, and Ornamentals.
- Resistant to Rain and Watering.
- Goes Further; Lasts Longer.



(ILLUSTRATION)

Active Ingredients	By Wt.
Metaldehyde	47.
Inert Ingredients	96%

KEEP OUT OF REACH OF CHILDREN.

WARNING:

THIS PESTICIDE MAY BE FATAL TO CHILDREN AND DOGS, POULTRY, LIVESTOCK, OR OTHER PETS IF EATEN.
KEEP CHILDREN AND PETS OUT OF TREATED AREA.
See side panel for additional precautionary statements.

Net Contents: 2 Lbs.

DEADLINE & BULLETS

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: May be fatal if swallowed. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling.

IMPORTANT: Keep pellets away from children, dogs and pets. Bait may be attractive to dogs. Confine pets during application to prevent them from believing they are being fed. Use and store under conditions where there will not be a hazard. STATEMENT OF PRACTICAL TREATMENT: If Swallowed: Drink 1 to 2 glasses of water and induce vomiting by touching finger to back of throat. Call a physician. If in Eyes: Flush with water. Consult a physician if irritation persists. If on Skin: Wash thoroughly with soap and water.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to birds and other wildlife. Birds feeding on treated areas may be killed. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

<u>DIRECTIONS</u> FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

DIRECTIONS: If ground is dry, thoroughly water area to be treated. For best results, apply in the evening. Scatter the pellets around flowers, ornamentals plants and lawn areas. Do not place pellets in piles. Apply one pound of pellets to each 1,250 sq. ft. Apply only to the soil surface around plants. Do not apply directly to foliage or other plant parts. See back panel for directions for use around fruits, berries, and vegetables. Always wear protective rubber gloves.

Bait areas likely to be infested at the beginning of the spring planting season before damage occurs. Treat every 3 to 4 weeks during the growing season, or as needed. During periods of high rainfall or frequent waterings it may be necessary to treat more often.

DEADLINE[®] BULLETS is specially formulated to attract and control snails and slugs. The highly compressed pellets are easy to use, clean to handle and economical. One pound will bait 1,250 sq. ft.

The presence of snails and slugs can be detected by their shiny mucouslike trail. They are night feeders and prefer damp, cool places in the ornamental garden, flowers, under boards or flower pots or piles of leaves, and around fences, rocks, hedges and bushes.



Less Visible to Children and Pets

Because each pellet is compressed and dense, it falls through plant foliage down to the soil surface where it becomes less visible to children or pets, but more available to snails and slugs as they move about in search of food.

FRUITS, BERRIES AND VEGETABLES: To control snails and slugs around the following fruits, berries and vegetables, apply to the soil surface around the plants. Do not contaminate edible parts. Thoroughly wash all parts used for food before eating.

<u>TREE FRUITS</u>: Citrus, avocado, cherries, peaches, apricots, apples,
pears.

BERRIES: Strawberries, blackberries, boysenberries, caneberries, loganberries, raspberries.

VEGETABLES: Artichoke, asparagus, beans, beets, blackeyed peas, broccoli, brussel sprouts, cabbage, cantaloupe, carrots, cauliflower, celery, collards, corn, cowpeas, cucumbers, eggplants, endive, garlic, ginseng, horseradish, kale, kohlrabi, leeks, lettuce, melons, mustard greens, okra, onions, parsnips, peas, peppers, pimentos, potatoes, pumpkins, radishes, rhubarb, rutabagas, salsify, shallots, spinach, squash, sweet potatoes, swiss chard, tomatoes, turnips, watermelons.

FLOWERS AND ORNAMENTALS: Apply to soil surface around following plants: azaleas, begonias, camellias, chrysanthemums, daffodils, dahlias, daisies, geraniums, honeysuckle, hydrangeas, ice plants, impatiens, iris, marigolds, pansies, petunias, rhododendrons, roses, snapdragons, sweet peas, tulips.

NOTE: When setting out transplants, sprinkle a few pellets around each plant after watering. These new soft, succulent plants are very tempting to foraging snails and slugs for the first few weeks after planting.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food or feed by storage or disposel. Use product only from original container and keep in locked storage area away from children and pets. Do not store near food, feed, fertilizers, other pesticides or seeds. Store in a cool dry place away from suilight, in original container.

<u>DISPOSAL</u>: <u>Product</u> - Partially filled carton may be disposed of by securely wrapping original container in several layers of newspaper and discarding in trash.

Container - Do not reuse carton. Discard carton in trash.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Deadline - Reg. trademark of Pace National Corporation

Manufactured by: Pace National Corporation Kirkland, WA 98033 Made in U.S.A.

EPA Est. No. 8501-WA-1 EPA Reg. No. 8501-34

