

# Blaine



Phenol Coefficient using A.O.A.C. Method

- Salmonella typhosa — 38
- Staphylococcus aureus — 50
- Escherichia coli — 30

**ACTIVE INGREDIENTS:**

Alkyl (C <sub>14</sub> , 58%; C <sub>16</sub> , 28%; C <sub>12</sub> , 14%)	
dimethyl benzyl ammonium chloride	10.00%
Isopropanol	5.00%
Essential oils	1.25%

TOTAL ACTIVE INGREDIENTS 16.25%

INERT INGREDIENTS: 83.75%

TOTAL INGREDIENTS 100.00%

**DANGER**

**KEEP OUT OF REACH OF CHILDREN**

(See side panel for additional precautions and First Aid Statement.)

NET CONTENTS: \_\_\_\_\_

**DIRECTIONS:**

Use in hospitals, public rooms, homes, restaurants, barber and beauty shops and pet animal quarters for disinfecting floors, walls, tables, counter tops and other porcelain, enamel, tile, plastic or vinyl surfaces or furnishings.

**FOR CLEANING AND DISINFECTING:**

1. Remove gross surface soils by sweeping, vacuuming, dusting or flushing with water.
2. For cleaning and disinfecting non-porous surfaces (glass, polished metal, smooth tile, plastic, smooth enameled surfaces, glazed ceramics), use a solution of one ounce of this DISINFECTANT per gallon of water. For porous areas (poorly finished wood, pitted or rough metal, unglazed ceramics and tile), areas difficult to clean or contagious disease areas, make a disinfecting solution using 2 ounces of this DISINFECTANT per gallon of water.
3. The solution may be applied with a clean mop, sponge or brush. Surfaces contacting food must be thoroughly rinsed with potable water after treatment. Otherwise, rinsing is not required.

**FOR DEODORIZING:**

For garbage cans and similar refuse areas, use a solution of 3 ounces per gallon of water. Spray or wet all surfaces.