

## DIRECTIONS

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

This fungicide wax is for post harvest application on citrus and is to be applied full strength by spraying while under agitation. Consult American Machinery personnel for recommendation on agitation. Maximum rate of application to be one (1) gallon per 4300 lbs. of citrus. Minimum rate of application for effectiveness to be one (1) gallon per 10,000 lbs. of citrus.

# SEALBRITE - NATURAL SHINE

with

## THIABENDAZOLE

CITRUS COATING

CONTAINING FUNGICIDE

FOR CONTROL OF PENICILLIUM MOLDS AND  
STEM END ROT ON CITRUS

Active Ingredient: 2- (4-thiazolyl)-benzimidazole 0.1%  
Inert Ingredients: 99.9%

**KEEP OUT OF REACH OF CHILDREN**

## CAUTION

### -PRECAUTIONARY STATEMENTS-

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing.

**FIRST AID:** In case of contact, flush skin or eyes with plenty of water; for eyes get medical attention.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish. Do not apply directly to lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

**STORAGE AND DISPOSAL:** Do not contaminate water or food by storage or disposal, open dumping is prohibited. Pesticide disposal: pesticide, spray mixture, or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State, or local procedure under the Resource Conservation and Recovery Act. Container disposal: triple rinse (or equivalent) and offer for recycling, or reconditioning, or dispose of in a sanitary landfill, or by other approved State and local procedures.

NET CONTENTS 55 GALLONS EPA REG. NO. 8517-17  
EPA EST. 8517-FL1

33

# Tenox<sup>®</sup> P

## GRAIN PRESERVATIVE

Active Ingredient Propionic acid 99.5%  
Inert Ingredients 0.5%

ACCEPTED

APR 10 1981

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 8655-5

EPA REG NO 8655-5  
EPA Est 8655-TN-1



Marketed by  
**EASTMAN CHEMICAL PRODUCTS, INC., Kingsport, Tennessee 37662**

**KEEP OUT OF REACH OF CHILDREN**

Made in U.S.A.

### DANGER!

**CORROSIVE, CAUSES EYE AND SKIN DAMAGE  
COMBUSTIBLE DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME**

Do not get in eyes, on skin, or clothing. Rubber gloves, rubber aprons, and rubber footwear and goggles or face shield should be worn.  
Avoid breathing vapor; use approved respirator if working near mist or high concentration of vapors.  
Keep container closed. Use with adequate ventilation. Wash thoroughly after handling.

**FIRST AID:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing clothing and shoes.  
Call a physician. Wash clothing before reuse.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**Bin Preparation** As with other blends of acids, Tenox P is corrosive. Bins should be protected by lining with non-toxic plastic sheeting before filling.

**Application** Tenox P is suggested for application as directed below immediately after harvest to prevent fungal growth in stored corn, milo, barley, wheat, and oats:

Pounds per ton of grain with the following respective percent moisture content

Moisture Content (%)	16	18	20	22	24	26	28	30	32	34	36
Pounds of Tenox P	11	13	15	17	19	21	23	25	27	29	31

[Convert to "fluid oz. per 100 lbs. of grain" by use of the formula: (lbs. product per ton grain) x 0.77 = (fl. oz. product per cwt. grain)]

Apply undiluted, by use of low pressure spray nozzles achieving uniform coverage, as grain passes through applicator. Stop grain flow immediately in event of spray failure or nozzle plugging. Concentrations of untreated grain may develop fungal growth which may spread and spoil all grain in the bin. **ONLY GRAIN WHICH IS TO BE USED AS ANIMAL FEED SHOULD BE TREATED** since application will reduce grains to Sample Grade and reduce germination. Increasing the suggested rate of application in the Table by 25% for the top 10% of the grain placed in each storage bin will provide additional protection against the effect of normal moisture migration in the grain during storage.

#### — STORAGE AND DISPOSAL —

**STORAGE:** Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE DISPOSAL:** Pesticide, spray mixture, or rinsate that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Open dumping is prohibited.

**CONTAINER DISPOSAL:** Reseal container and offer for reconditioning, or triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved landfill, or in a safe place.

**GENERAL:** Consult Federal, State or Local disposal authorities for approved alternative procedures.

#### WARRANTY AND LIMITATION OF LIABILITY

Eastman Kodak Company and its marketing affiliates warrant to their direct purchasers that Tenox P Grain Preservative conforms to the chemical description hereon. Liability for breach of this warranty shall in no case exceed the purchase price. THERE ARE NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THOSE OF MERCHANTABILITY OR FITNESS FOR PURPOSE MADE IN CONNECTION WITH THE SALE OF THIS PRODUCT. Purchasers who are consumers may have other rights which vary from state to state.

Propionic acid

53

200 kg • 440 lb

LOT NUMBER

D.O.T. SHIPPING NAME

GALLONS

120

NET WEIGHT