

ACCEPTED
SEP 15 1987
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under
EPA Reg. No. 8517-21

DIRECTIONS

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Dilute one (1) packet of Sealbrite® Benomyl in 55 gallons of Sealbrite Citrus Waxes to yield 1200 ppm of 50% benomyl. When fruit is more susceptible and/or when excessive inoculum levels are present, use 1 packet of Sealbrite® Benomyl in 27.5 gallons of wax to yield 2400 ppm of 50% benomyl. For control of sporulation (*Penicillium* spp.) use 1 packet per 13.75 gallons. Maintain constant agitation. Rate of application: One (1) gallon per 8-10,000 pounds of fruit. Apply thru Citramist spray applicator or equivalent.

If treatment is not effective following use of the product as recommended, a resistant strain of the fungus may be present. If treatment is ineffective due to the presence of a benomyl resistant strain, then neither benomyl nor any other benzimidazole or thiophanate type fungicide will effectively control that disease; consideration should be given to prompt use of other types of suitable fungicides.

AMERICAN MACHINERY CORPORATION

5201 N. Orange Blossom Tr.
P.O. Box 3228, Orlando, FL 32802
305 295-2581 - Cable: PacRite

SEALBRITE® BENOMYL
CITRUS COATING CONTAINING FUNGICIDE FOR CONTROL OF
PENICILLIUM MOLDS AND STEM END ROT ON CITRUS

Active Ingredient: Benomyl (methyl 1-(butylcarbamoyl)-
2-benzimidazole carbamate)

Inert Ingredients:

50%
50%

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: Harmful if swallowed. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly after using. Benomyl may cause a temporary allergic reaction in a few susceptible persons. This condition should be treated as allergic dermatitis. There is no evidence of after-effects or permanent injury. If sensitivity occurs, protective clothing should be worn during periods of exposure such as during application or when contacting treated foliage.

FIRST AID: In case of contact, flush skin or eyes with plenty of water; for eyes get medical attention. If swallowed, call a physician or poison control center. Drink 1 or 2 glasses of water and induce vomiting by touching the back of the throat with fingers. Do not induce vomiting or give anything by mouth to an unconscious person.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal.

STORAGE: IMPORTANT: Never allow Sealbrite Benomyl to become wet during storage. This may lead to certain changes which will reduce the effectiveness. Keep container closed when not in use.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty packet in a sanitary landfill or by incineration or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

NET CONTENTS: 0.57 pounds or 261 grams
EPA REG. NO. 8517-21

EPA EST. 8517-FL1

BEST AVAILABLE COPY